

PRACTICAL 1

This file contains generated SQL QUERIES OF STAR SCHEMA AND SNOWFLAKE SCHEMA.

- SQL CODE FOR STAR SCHEMA :

```
CREATE TABLE PROMOTION (
```

```
PROMOTION_KEY NUMERIC NOT NULL, PROMOTION_CODE INTEGER, PROMOTION_TYPE  
VARCHAR(30) NOT NULL, PROMOTION_MEDIUM VARCHAR(30) NOT NULL, DISCOUNT_RATE  
DECIMAL(2,2),
```

```
CONSTRAINT PROMOTION_KEY PRIMARY KEY (PROMOTION_KEY)
```

```
);
```

```
CREATE TABLE TIME (
```

```
TIME_KEY NUMERIC NOT NULL, DATE DATE NOT NULL, DAY_NUMBER INTEGER,
```

```
DAY_OF_WEEK VARCHAR(9) NOT NULL, WEEK_NUMBER INTEGER NOT NULL,
```

```
MONTH_NUMBER INTEGER, FISCAL_PERIOD VARCHAR NOT NULL, MONTH INTEGER NOT NULL,
```

```
QUARTER VARCHAR,
```

```
YEAR VARCHAR NOT NULL,
```

```
CONSTRAINT TIME_KEY PRIMARY KEY (TIME_KEY)
```

```
);
```

PRACTICAL 1

CREATE TABLE STORE (

STORE_KEY NUMERIC NOT NULL, STORE_NAME VARCHAR(50) NOT NULL, MANAGER_NAME
VARCHAR(50) NOT NULL, STORE_CODE NUMERIC NOT NULL, ADDRESS VARCHAR(100) NOT NULL,
STATE VARCHAR(20) NOT NULL,

ZIP NUMERIC(6) NOT NULL,

CONSTRAINT STORE_KEY PRIMARY KEY (STORE_KEY)

);

CREATE TABLE PRODUCT (

PRODUCT_KEY NUMERIC NOT NULL, PRODUCT_NAME VARCHAR(50) NOT NULL, PRODUCT_CODE
NUMERIC NOT NULL, PRODUCT_LINE LONGVARCHAR,

BRAND VARCHAR(30) NOT NULL, DEPARTMENT VARCHAR(10) NOT NULL,

CONSTRAINT PRODUCT_KEY PRIMARY KEY (PRODUCT_KEY)

);

CREATE TABLE SALES_FACT (

PRODUCT_KEY NUMERIC NOT NULL, TIME_KEY NUMERIC NOT NULL, PROMOTION_KEY NUMERIC
NOT NULL,

STORE_KEY NUMERIC NOT NULL, SOLD_QUANTITY INTEGER NOT NULL, GROSS_SALES FLOAT NOT
NULL, NET_SALES FLOAT NOT NULL,

PRACTICAL 1

COST NUMERIC(10,2) NOT NULL, STORE_COUPON_AMT DECIMAL NOT NULL,
MFR_COUPON_AMOUNT DECIMAL NOT NULL
);

ALTER TABLE SALES_FACT ADD CONSTRAINT PROMOTION_SALES_FACT_fk FOREIGN KEY
(PROMOTION_KEY)

REFERENCES PROMOTION (PROMOTION_KEY) ON DELETE NO ACTION

ON UPDATE NO ACTION NOT DEFERRABLE;

ALTER TABLE SALES_FACT ADD CONSTRAINT TIME_SALES_FACT_fk FOREIGN KEY (TIME_KEY)

REFERENCES TIME (TIME_KEY) ON DELETE NO ACTION

ON UPDATE NO ACTION NOT DEFERRABLE;

ALTER TABLE SALES_FACT ADD CONSTRAINT STORE_SALES_FACT_fk FOREIGN KEY (STORE_KEY)

REFERENCES STORE (STORE_KEY) ON DELETE NO ACTION

ON UPDATE NO ACTION NOT DEFERRABLE;

ALTER TABLE SALES_FACT ADD CONSTRAINT PRODUCT_SALES_FACT_fk FOREIGN KEY
(PRODUCT_KEY)

REFERENCES PRODUCT (PRODUCT_KEY) ON DELETE NO ACTION

ON UPDATE NO ACTION NOT DEFERRABLE;

- **SQL QUERY OF SNOWFLAKE SCHEMA:**

CREATE TABLE QUARTER (

PRACTICAL 1

QUART_ID NUMERIC NOT NULL, QUARTER VARCHAR,

FISCAL_PERIOD VARCHAR NOT NULL,

CONSTRAINT QUART_ID PRIMARY KEY (QUART_ID)

);

CREATE TABLE ADDRESS (

ADDRESS_KEY NUMERIC NOT NULL, ZIP NUMERIC(6) NOT NULL, ADDRESS VARCHAR(100) NOT NULL,
STATE VARCHAR(20) NOT NULL,

CONSTRAINT ADDRESS_KEY PRIMARY KEY (ADDRESS_KEY)

);

CREATE TABLE PROMOTION (

PROMOTION_KEY NUMERIC NOT NULL, PROMOTION_CODE INTEGER, PROMOTION_TYPE
VARCHAR(30) NOT NULL, PROMOTION_MEDIUM VARCHAR(30) NOT NULL, DISCOUNT_RATE
DECIMAL(2,2),

CONSTRAINT PROMOTION_KEY PRIMARY KEY (PROMOTION_KEY)

);

CREATE TABLE TIME (

TIME_KEY NUMERIC NOT NULL, QUART_ID NUMERIC NOT NULL, DATE DATE NOT NULL,
DAY_NUMBER INTEGER,

PRACTICAL 1

DAY_OF_WEEK VARCHAR(9) NOT NULL, WEEK_NUMBER INTEGER NOT NULL, MONTH_NUMBER
INTEGER,

MONTH INTEGER NOT NULL, YEAR VARCHAR NOT NULL,

CONSTRAINT TIME_KEY PRIMARY KEY (TIME_KEY)

);

CREATE TABLE STORE (

STORE_KEY NUMERIC NOT NULL, ADDRESS_KEY NUMERIC NOT NULL, STORE_NAME VARCHAR(50)
NOT NULL, MANAGER_NAME VARCHAR(50) NOT NULL, STORE_CODE NUMERIC NOT NULL,

CONSTRAINT STORE_KEY PRIMARY KEY (STORE_KEY)

);

CREATE TABLE PRODUCT (

PRODUCT_KEY NUMERIC NOT NULL,

PRODUCT_NAME VARCHAR(50) NOT NULL, PRODUCT_CODE NUMERIC NOT NULL, PRODUCT_LINE
LONGVARCHAR,

BRAND VARCHAR(30) NOT NULL, DEPARTMENT VARCHAR(10) NOT NULL,

CONSTRAINT PRODUCT_KEY PRIMARY KEY (PRODUCT_KEY)

);

PRACTICAL 1

```
CREATE TABLE SALES_FACT (
```

```
PRODUCT_KEY NUMERIC NOT NULL, TIME_KEY NUMERIC NOT NULL, PROMOTION_KEY NUMERIC  
NOT NULL, STORE_KEY NUMERIC NOT NULL, SOLD_QUANTITY INTEGER NOT NULL, GROSS_SALES  
FLOAT NOT NULL, NET_SALES FLOAT NOT NULL,
```

```
COST NUMERIC(10,2) NOT NULL, STORE_COUPON_AMT DECIMAL NOT NULL,  
MFR_COUPON_AMOUNT DECIMAL NOT NULL
```

```
);
```

```
ALTER TABLE TIME ADD CONSTRAINT QUARTER_TIME_fk FOREIGN KEY (QUART_ID)
```

```
REFERENCES QUARTER (QUART_ID) ON DELETE NO ACTION
```

```
ON UPDATE NO ACTION NOT DEFERRABLE;
```

```
ALTER TABLE STORE ADD CONSTRAINT ADDRESS_STORE_fk FOREIGN KEY (ADDRESS_KEY)
```

```
REFERENCES ADDRESS (ADDRESS_KEY) ON DELETE NO ACTION
```

```
ON UPDATE NO ACTION NOT DEFERRABLE;
```

```
ALTER TABLE SALES_FACT ADD CONSTRAINT PROMOTION_SALES_FACT_fk FOREIGN KEY  
(PROMOTION_KEY)
```

```
REFERENCES PROMOTION (PROMOTION_KEY) ON DELETE NO ACTION
```

```
ON UPDATE NO ACTION NOT DEFERRABLE;
```

PRACTICAL 1

```
ALTER TABLE SALES_FACT ADD CONSTRAINT TIME_SALES_FACT_fk FOREIGN KEY (TIME_KEY)
REFERENCES TIME (TIME_KEY) ON DELETE NO ACTION
ON UPDATE NO ACTION NOT DEFERRABLE;
```

```
ALTER TABLE SALES_FACT ADD CONSTRAINT STORE_SALES_FACT_fk FOREIGN KEY (STORE_KEY)
REFERENCES STORE (STORE_KEY) ON DELETE NO ACTION
ON UPDATE NO ACTION NOT DEFERRABLE;
```

```
ALTER TABLE SALES_FACT ADD CONSTRAINT PRODUCT_SALES_FACT_fk FOREIGN KEY
(PRODUCT_KEY)
REFERENCES PRODUCT (PRODUCT_KEY) ON DELETE NO ACTION
ON UPDATE NO ACTION NOT DEFERRABLE;
```
