

Microsoft Azure

User Guide

December 2025

TABLE OF CONTENTS

I. Overview

II. Terminology

III. Setting Method

This Guide serves as a reference, which is prepared for the purpose of implementing the Standard for Personal Information Security Measures by cloud computing service users, and is not intended to be used as a standard. Microsoft disclaims any responsibility to update this guidance. Please refer directly to the links within the guide for reference.

I. Overview

This Guide is designed to provide users with easy access to existing Microsoft documentation to configure their Azure instance, such as strictly limiting administrator's access right when using cloud services.

II. Terminology

□ Azure Portal

○ A web-based unified console for creating and managing all Azure resources, which allows you to build, manage and monitor everything from simple web apps to complex cloud deployments from the portal.

□ Microsoft Entra ID

○ A cloud-based identify and access management service that employees can use to access external resources.

□ Tenant

○ A dedicated, trusted instance of Microsoft Entra ID that is automatically created when an organization subscribes to a Microsoft cloud service.

III. Setting Method

□ Management of Access Rights

Identification Number	Access Right Management – (1)
Item Name	• Differential granting of access right
Item Description	• Azure role-based access control (RBAC) is an authorization system that allows you to meticulously manage access to Azure resources. • It enables a detailed access control by managing such authorizations as reading, writing and deleting specific resources.

Setting	Reference Material (1): Azure Built-in Role
Method	Reference Material (2): Understand Azure role definitions
Related Notification	Article 5 (Management of Access Right) (3) A personal information controller shall record the details of granting, changing or revoking authorization under paragraphs (1) and (2), and shall keep the records for at least three (3) years.

Identification Number	Access Right Management – (2)
Item Name	Archiving access authorization
Item Description	- Changes in Azure RBAC access authorization is stored in the Entra ID Audit Log and related logs. - Default retention period is 30 days, and in order to expand the retention period, the period may be specified after saving the log in Azure Log Analytics.
Setting Method	Reference Material (1): Manage data retention in a Log Analytics workspace Reference Material (2): How to archive Microsoft Entra activity logs to an Azure storage account
Related Notification	Article 5 (Management of Access Right) (3) A personal information controller shall record the details of granting, changing or revoking authorization under paragraphs (1) and (2), and shall keep the records for at least three (3) years.

□ **Access control**

Identification Number	Access Control – (1)
Item Name	Restriction of unauthorized access
Item Description	In order to prevent fraudulent service use, unauthorized access may be restricted by limiting access to the Internet IP address. This is applicable through the Conditional Access feature of Entra ID.
Setting Method	Reference Material (1): Conditional Access: Network assignment

Related Notification	Article 6 (Access Control) (1) A personal information controller shall take the following security measures to prevent illegal access and hacking via information and communication networks. 1. Restrict unauthorized access to the personal information processing system by limiting access right to the Internet Protocol (IP) address, etc.
-----------------------------	--

Identification Number	Access Control – (2), Prevention of Malware, etc. – (1)
Item Name	• Detect and respond to personal information leakage attempts • Prevent malware
Item Description	• Microsoft Defender Antivirus provides the latest security intelligence and product updates through automatic updates. • The latest security intelligence may be periodically downloaded to protect against new malware and hacking techniques. Also, cloud-delivered protection (MAPS) is used to provide dynamic security intelligence updates.
Setting Method	Reference Material (1): Manage the sources for Microsoft Defender Antivirus protection updates
Related Notification	Article 6 (Access Control) (1) A personal information controller shall take the following security measures to prevent illegal access and hacking via information and communication networks. 2. Delete and respond to personal information leakage attempts by analyzing Internet Protocol (IP) addresses accessed to the personal information processing system. Article 9 (Prevention of Malicious Programs, etc.) (1) A personal information controller shall install and operate a security program that can prevent and treat malware, etc. and shall comply with each of the following subparagraphs: 1. Keep the program up-to-date by using the automatic update function of the program or by updating the same at least once a day, unless there exist justifiable grounds. 2. Take countermeasures such as deletion of malware found

	(2) A personal information controller shall undergo updates promptly in the event of a malware alert or a security update notice from the manufacturer of the application program or operating system software being used, unless there exist justifiable grounds.
--	--

Identification Number	Access Control – (3)
Item Name	• Apply secure authentication method
Item Description	Entra ID supports various forms of secure authentication methods, as well as ID and password methods. The following authentication methods are supported: Multi-factor Authentication (MFA), Passwordless Authentication, and Certificate-based Authentication (CBA). 1. MFA: Requires additional authentication factors other than password to provide an additional layer of security. ✕ (Example) Phone call, text message, mobile app notification, hardware token 2. Passwordless Authentication: A method of authentication without using a password ✕ (Example): Windows Hello for Business, FIDO2 Security Key, Microsoft Authenticator App 3. CBA - Use the X.509 Certificate for authentication - Mainly used in business environments, provides anti-phishing and high security
Setting Method	Reference Material (1): What authentication and verification methods are available in Microsoft Entra ID?
Related Notification	Article 6 (Access Control) (2) A personal information controller shall apply a secure authentication method, such as a certificate, security token or one-time password, in case where a data subject attempts to access the personal information processing system from outside through the information and communication network: <i>provided</i>, in the case of a personal information processing system that processes personal information of a data subject other than a user, a secure access method such as a

	virtual private network (VPN) or a secure authentication method may be applied.
--	---

Identification Number	Access Control – (4)
Item Name	• Apply set maximum access time
Item Description	• Microsoft Entra ID's sign-In Frequency is a conditional access policy that sets the frequency in which a user has to re-authenticate. This is intended to strengthen security, and the user session expires after a certain period.
Setting Method	Reference Material (1): Conditional Access adaptive session lifetime policies
Related Notification	Article 6 (Access Control) (4) A personal information controller shall take necessary measures, such as automatic blocking of access, if not handling tasks for a certain period in order to prevent illegal access and hacking of its personal information processing system.

□ **Personal Information Encryption**

Identification Number	Encryption of Personal Information – (1)
Item Name	• Secure encryption algorithm
Item Description	• Azure KeyVault is utilized to provide the encryption key creation, use, storage and distribution function to create a secure encryption key
Setting Method	Reference Material (1): Azure Key Vault basic concepts
Related Notification	Article 7 (Encryption of Personal Information) (6) A personal information controller that is a large or middle-standing enterprise or a public institution which processes personal information relating to 100,000 or more data subjects, or is a small to mid-sized enterprise or organization which processes personal information relating to 1 million or more data subjects shall establish and implement procedures to create, use, store, distribute and destroy secure encryption keys in order to safely store encrypted personal information.

□ Access Logs

Identification Number	Access Logs – (1)
Item Name	• Storage and inspection of access records
Item Description	• Authentication logs for all services that require Entra ID authentication are stored in the relevant Entra ID authentication logs, with the default location being Entra ID Sign-In Log. The default storage period is 30 days. • Long-term storage is feasible if the relevant log is transferred to the Azure Log Analytics. ※ Interactive query status and archived status are distinguished and stored.
Setting Method	Reference Material (1): Manage data retention in a Log Analytics workspace
Related Notification	Article 8 (Storage and Inspection of Access Records) (1) A personal information controller shall keep and manage records on access to the personal information processing system of the personal information controller for at least one (1) year: <i>provided</i>, in case of falling under any one of the following, it shall be kept and managed for at least two (2) years. 1. A personal information processing system that processes personal information of 50,000 or more data subjects 2. A personal information processing system that processes unique identifiable information or sensitive information 3. A facilities-based telecommunications business that is registered pursuant to Article 6(1) of the Telecommunications Business Act or that has completed filing in accordance with the proviso clause thereof as a personal information controller (2) A personal information controller shall check the access records of the personal information processing system at least once a month to respond to any misuse, loss, theft, leakage, forgery, alteration or damage, etc. of personal information. In particular, where personal information is confirmed to have been downloaded, the reason thereto shall be ascertained pursuant to the internal management plan, etc.

	(3) A personal information controller shall take measures to safely store the access records to prevent any forgery, alteration, theft or loss.
--	---