

Web Traffic Analytics Dashboard

Designed by

Abhishek Ugare

Contents

1. Introduction	04
1.1 Introduction	
1.1.1 Sub Points	
1.2 Need of Project	
2. Literature Surveys	07
2.1 Literature Survey	
2.2 Problem Statement	
2.3 Problem Solution	
3. Working Models.....	10
3.1 Related Work	
3.2 System Requirements	
3.2.1 Software Requirements	
3.2.2 Hardware Requirements	
3.3 System Design	
3.3.1 Technical Diagrams	
4. Technical Content	16
4.1 Details of front end of the project	
4.2 Details of back end of the project	18
4.3 Connection between front end and back end, Entire details	
5. Implementation	23
5.1 Implementation Screenshot/ Snaps	
5.2 Output	
5.3 System Testing and Test results table.....	26
5.3.1 Results and Discussion	

6. Conclusion	28
6.1 Applications or Advantages of project	
6.2 Limitations or Disadvantages of project	
6.3 Future Work / Future scope	
6.4 Conclusion	

Chapter 1. Introduction

1.1 Introduction

This project is a real-time Web Analytics Dashboard system designed to track, monitor, analyze, and visualize website traffic data. The system collects visitor interactions such as page visits, sessions, browser details, operating system details, device information.

The project uses a modern full-stack architecture using React + TypeScript on the frontend and Supabase as the backend service. The analytics tracking system is capable of collecting real-time visitor activities and presenting them in dashboard format.

The system is inspired by modern analytics platforms like Google Analytics, Plausible, and Mixpanel, but is implemented as a custom lightweight analytics platform focused on learning modern dashboard engineering and real-time analytics tracking.

The project provides a centralized analytics interface for monitoring website traffic. It records user activity when users visit a webpage and stores the data inside Supabase PostgreSQL tables.

The project tracks:

- Total Visits
- Unique Visitors
- Sessions
- Returning Visitors
- Active Users
- Device Information
- Browser Information
- Operating Systems
- Geographic Locations
- Referrer Sources
- UTM Campaigns
- Real-Time Activity

The analytics dashboard displays all collected data using interactive charts, graphs, tables, and statistical cards. These visual components help users easily understand traffic trends, user behavior patterns, and overall website performance. The system also supports campaign tracking using UTM parameters, allowing businesses and marketers to analyze the effectiveness of their marketing campaigns and traffic acquisition strategies.

The project focuses on providing accurate, fast, and scalable traffic analysis while maintaining a user-friendly interface and efficient backend architecture. By combining real-time monitoring with advanced analytics features, the Web Traffic Analysis System becomes a powerful solution for website monitoring and business intelligence.

1.1.1 Sub Points

Major modules:

1. Tracking System
2. Visitor Identification
3. Session Management
4. Real-Time Analytics
5. Geographic Analytics
6. Traffic Source Analytics
7. Device & Browser Analytics
8. Campaign Analytics
9. Dashboard Visualization
10. Database Management

1.2 Need of Project

In today's digital world, websites play a major role in businesses, organizations, education platforms, e-commerce systems, and online services. Understanding how users interact with a website has become extremely important for improving user experience, increasing engagement, optimizing performance, and making better business decisions. Traditional methods of monitoring website activity are often limited, slow, or unable to provide real-time insights. Therefore, there is a strong need for an advanced and intelligent system that can track and analyze web traffic efficiently.

The **Web Traffic Analysis System** is developed to fulfill this requirement by providing a complete real-time analytics solution for monitoring visitor behavior and website performance. The project helps website administrators understand how many users visit the website, which pages are most active, how long users stay on the site, what devices they use, and from which locations they access the website. This information is extremely valuable for improving website design, content strategy, and system performance.

Another major need for this project is the growing importance of digital marketing and campaign analysis. Businesses invest heavily in online advertisements, social media promotions, and marketing campaigns. Without proper analytics, it becomes difficult to

measure campaign effectiveness and understand traffic sources. The system solves this problem by tracking UTM campaigns, referral sources, and visitor acquisition channels in detail.

The project also addresses the need for real-time monitoring. Modern websites require instant visibility into active users, live sessions, and current traffic conditions. Real-time analytics helps administrators quickly identify sudden traffic spikes, user engagement patterns, or unusual activity on the website.

In addition, the project provides device and browser analytics, which are essential for responsive web development. Since users access websites from different devices and operating systems, developers need accurate information to optimize compatibility and performance across platforms.

The system is also important for data-driven decision-making. Instead of relying on assumptions, organizations can use actual visitor data and analytical reports to improve user experience, marketing strategies, website optimization, and customer engagement.

Overall, the Web Traffic Analysis System fulfills the need for a smart, scalable, secure, and interactive platform that transforms raw website traffic into meaningful insights and actionable analytics.

Need of project:

- Monitor website traffic
- Understand visitor behavior
- Improve marketing analysis
- Analyze campaign performance
- Track active users in real time
- Learn modern full-stack development
- Learn cloud database integration
- Build scalable analytics systems

Chapter 2. Literature Survey

2.1 Literature Survey

Traditional web analytics systems such as **Google Analytics** provide advanced traffic monitoring and visitor analysis features, but they often raise concerns related to user privacy, third-party data ownership, and limited backend customization. Many organizations and developers now prefer lightweight, self-hosted, and customizable analytics platforms that provide full control over data collection and processing.

This project studies and analyzes several popular analytics platforms and tracking systems, including:

- **Google Analytics** – widely used cloud-based analytics platform for tracking user behavior and website performance.
- **Mixpanel** – focuses on event-based tracking and user interaction analytics.
- **Plausible Analytics** – lightweight and privacy-focused analytics system with minimal tracking.
- **Matomo** – open-source self-hosted analytics platform providing complete ownership of collected data.
- **Custom Event Tracking Systems** – developer-controlled systems designed for specific business requirements and real-time monitoring.

From these systems, important concepts and methodologies were studied and implemented in the project, such as:

- **Visitor Identification** using browser fingerprinting and session tokens.
- **Session Management** for tracking user activities during a browsing session.
- **Real-Time Event Logging** to store page views and user interactions instantly.
- **Traffic Source Analysis** using referrer URLs and UTM campaign parameters.
- **Device and Browser Detection** to analyze platform usage.
- **Geographical Analytics** using IP-based location tracking.
- **Dashboard Visualization** using charts, tables, and graphical reports for better understanding of traffic behavior.

The proposed **Web Traffic Analysis System** combines these concepts into a centralized platform that provides real-time monitoring, customizable analytics, privacy-aware tracking, and an interactive dashboard. Unlike third-party analytics services, the system offers complete backend control, customizable database structure, and flexible data visualization suitable for modern web applications and business environments.

2.2 Problem Statement

In the modern digital environment, websites generate a large amount of visitor traffic every day. Developers, businesses, and organizations need accurate insights about user behavior, traffic sources, visitor engagement, device usage, and real-time activity to improve website performance and user experience. Most organizations currently depend on third-party analytics platforms such as Google Analytics or similar tools. Although these platforms provide advanced features, they often come with limitations related to privacy, customization, dependency on external services, data ownership, and restricted backend control.

Another major issue is that many existing analytics solutions are either too complex, expensive, or not flexible enough for custom project requirements. Developers who want lightweight, self-hosted, and fully customizable analytics systems face challenges in implementing accurate visitor tracking, session management, geographic analysis, and real-time monitoring in a single platform.

The main problem addressed in this project is the need for a custom web traffic analysis system that can independently monitor website visitors, sessions, traffic sources, user engagement, devices, browsers, operating systems, and campaign data in real time without relying entirely on third-party analytics providers. The system must also provide interactive dashboard visualization, efficient database management, scalable backend architecture, and secure handling of visitor data while maintaining high performance and flexibility for future enhancements.

Problems addressed:

- Lack of real-time analytics
- Difficulty understanding user traffic
- No centralized dashboard
- Need for customizable analytics
- Difficulty tracking campaigns and referrers

2.3 Problem Solution

The solution is a cloud-based analytics dashboard using React and Supabase. To overcome the limitations of traditional analytics systems, the proposed solution is a cloud-based Web Traffic Analysis System developed using modern web technologies such as React, TypeScript, Tailwind CSS, Supabase, and Edge Functions. The system is designed to provide a fully customizable, lightweight, and real-time analytics platform that allows developers and organizations to monitor website traffic independently without relying entirely on third-party services.

The frontend of the project is built using React, which provides a fast and dynamic user interface for displaying analytics data through interactive charts, graphs, tables, and dashboard components. Tailwind CSS is used for responsive and modern UI design, while TypeScript improves code reliability, scalability, and maintainability.

The backend infrastructure is powered by Supabase, which provides PostgreSQL database services, authentication, cloud storage, and serverless Edge Functions. The tracking system collects visitor information such as page visits, sessions, device details, browser information, operating systems, geographic locations, referral sources, UTM campaign parameters, and real-time activity. This data is securely stored and processed inside the Supabase database.

A custom tracking script is integrated into websites to capture visitor activity and send analytics data to the backend using API requests. The system also implements visitor fingerprinting and session management to identify returning users and monitor user behavior more accurately. Geographic analytics are achieved through IP-based location lookup services, while real-time analytics are supported using Supabase's live database capabilities.

Solution features:

- Real-time analytics tracking
- Session management
- Visitor identification
- Device and browser analysis
- Geolocation tracking
- UTM campaign tracking
- Dashboard visualization
- Scalable backend architecture

Chapter 3. Working Models

3.1 Related Work

Several analytics platforms and tracking systems already exist in the industry to monitor website traffic and user behavior. These systems inspired the development of the proposed Web Traffic Analysis System. The project studies the working methodologies, features, advantages, and limitations of existing platforms and adopts suitable concepts to create a customizable and lightweight analytics solution.

One of the most widely used analytics platforms is Google Analytics. It provides advanced visitor tracking, traffic analysis, audience insights, campaign monitoring, and reporting tools. Google Analytics uses JavaScript-based tracking scripts to collect user interaction data and display it through cloud dashboards. However, it has limitations related to privacy concerns, dependency on third-party infrastructure, restricted backend customization, and increasing complexity for developers who require self-controlled systems.

Another popular analytics platform is Mixpanel, which focuses mainly on event-based tracking and user behavior analysis. Mixpanel provides deep insights into user engagement, funnels, retention, and conversion tracking. While it offers powerful analytics features, it can become costly for large-scale usage and may not provide complete backend-level customization for custom applications.

Plausible Analytics is a lightweight and privacy-focused analytics tool designed as an alternative to traditional tracking systems. It provides simple dashboards, fast performance, and reduced dependency on cookies. Although it offers better privacy handling, it lacks many advanced real-time and deep customization capabilities required for large custom analytics infrastructures.

Matomo is an open-source analytics platform that allows organizations to self-host analytics data. It provides features such as visitor tracking, heatmaps, session analysis, and campaign monitoring. Matomo demonstrates the importance of data ownership and self-controlled analytics systems, which strongly influenced the design approach of this project.

The project also studies custom event tracking systems used in modern SaaS platforms and enterprise applications. These systems use APIs, server-side event logging, session management, visitor fingerprinting, and database-driven analytics dashboards to monitor user interactions in real time.

The system works using a tracking architecture:

1. Visitor opens website
2. tracker.js sends tracking data
3. Supabase Edge Function receives request
4. Visitor/session is created or updated
5. Page views are stored
6. Analytics dashboard fetches data
7. Charts and reports are generated

3.2 System Requirements

The project requires modern web technologies and internet connectivity.

3.2.1 Software Requirements

Frontend:

- React 18
- TypeScript
- Vite
- Tailwind CSS
- Recharts
- React Router

Backend:

- Supabase
- PostgreSQL
- Supabase Edge Functions
- Deno Runtime

Libraries Used:

@hookform/resolvers, @radix-ui/react-accordion, @radix-ui/react-alert-dialog, @radix-ui/react-aspect-ratio, @radix-ui/react-avatar, @radix-ui/react-checkbox, @radix-ui/react-collapsible, @radix-ui/react-context-menu, @radix-ui/react-dialog, @radix-ui/react-dropdown-menu, @radix-ui/react-hover-card, @radix-ui/react-icons, @radix-ui/react-label, @radix-ui/react-menubar, @radix-ui/react-navigation-menu, @radix-ui/react-popover, @radix-ui/react-progress, @radix-ui/react-radio-group, @radix-ui/react-scroll-area, @radix-ui/react-select, @radix-ui/react-separator, @radix-ui/react-slider, @radix-ui/react-slot, @radix-ui/react-switch, @radix-ui/react-tabs

3.2.2 Hardware Requirements (Basics)

Minimum Hardware:

- Intel i3 Processor or higher
- 4GB RAM
- Internet connection
- 10GB storage

Recommended:

- Intel i5/i7
- 8GB+ RAM
- SSD storage

3.3 System Design

The project follows modular architecture. The Web Traffic Analysis System is designed using a modern client-server architecture that enables real-time tracking, processing, storage, and visualization of website analytics data. The system combines a responsive frontend dashboard, a cloud-based backend infrastructure, and a centralized database management system to provide accurate and efficient traffic analysis.

The overall system design focuses on scalability, modularity, real-time processing, and customization. The architecture is divided into three major layers:

1. Frontend Layer
2. Backend Processing Layer
3. Database Layer

The frontend layer is responsible for displaying analytics data through interactive dashboards, charts, graphs, and tables. It is developed using React and TypeScript to provide a fast and responsive user interface. Tailwind CSS is used for modern styling and responsive layouts. Users can monitor visitor statistics, active sessions, traffic sources, geographic locations, and real-time activity directly from the dashboard.

Frontend Modules:

- Dashboard UI
- Charts
- Tables
- Real-time activity pages
- Analytics visualization

The backend processing layer is built using Supabase Edge Functions and REST-based APIs. This layer handles visitor tracking, session management, event logging, fingerprint identification, geographic lookup, and communication between the frontend and database. The tracking script embedded inside websites collects user activity data and sends it securely to the backend server for processing and storage.

Backend Modules:

- Visitor management
- Session management
- Event tracking
- Geo-location tracking
- Database storage
- Edge Functions

The database layer is managed using PostgreSQL through Supabase. Multiple relational tables are designed to store visitor information, sessions, page views, devices, locations, campaign details, and analytics logs. The database architecture supports efficient querying, real-time synchronization, and scalable analytics operations.


Database Tables:

- visitors
- sessions
- page_views
- devices
- locations
- analytics_logs


The system workflow begins when a user visits a website containing the analytics tracking script. The script captures information such as page URL, browser details, device type, operating system, referrer source, and UTM campaign parameters. The backend processes this information, identifies the visitor using fingerprinting techniques, creates or updates sessions, and stores the data inside the database. The dashboard then retrieves this information and visualizes it in real time using charts and tables.

3.3.1 Technical Diagrams


System Flow:



Database Flow:



Frontend Flow:



Chapter 4. Technical Content

4.1 Frontend Details

The frontend of the Web Traffic Analysis System is developed using modern web development technologies to provide a fast, responsive, interactive, and user-friendly analytics dashboard. The frontend is responsible for visualizing all analytics data collected from the backend and presenting it in the form of charts, tables, cards, and real-time activity panels.

The project uses React with TypeScript as the primary frontend framework. React enables component-based architecture, efficient rendering, and dynamic user interface updates, while TypeScript improves code quality, scalability, maintainability, and error handling. The frontend application is bundled and optimized using Vite, which provides fast development servers, hot module replacement, and optimized production builds.

Tailwind CSS is used for designing the user interface and creating responsive layouts. It helps in developing modern dashboard components with utility-based styling and consistent design patterns. The project also uses React Router for page navigation and routing between multiple analytics sections without reloading the application.

For data visualization, the system uses the Recharts library, which provides interactive and responsive chart components. These charts help users easily understand traffic patterns, visitor behavior, device usage, campaign performance, and real-time activity.

The frontend contains multiple analytics pages and modules, including:

- Overview Page
- Geography Analytics Page
- Device Analytics Page
- Traffic Analytics Pages
- Real-Time Visitor Monitoring Section
- Campaign Analytics Dashboard
- Referrer Source Analytics
- Browser and Operating System Analytics

The Overview Page displays key metrics such as total visits, unique visitors, sessions, returning visitors, and active users using analytics cards and summary components. The Geography Page visualizes visitor locations including countries, regions, and cities. The Devices Page shows analytics related to device types, browsers, screen resolutions, and operating systems. Traffic Analytics pages display referral sources, UTM campaigns, and visitor behavior patterns.

The frontend performs several important responsibilities within the system, including:

- Displaying real-time analytics dashboards
- Fetching analytics data from Supabase APIs
- Rendering charts and graphical visualizations
- Displaying visitor activity and session information
- Managing page routing and navigation
- Presenting responsive tables and analytics cards
- Updating live visitor information dynamically

Different types of charts and visualization components are used throughout the dashboard, including:

- Line Charts for traffic trends over time
- Pie Charts for browser and device distribution
- Bar Charts for geographic and traffic source comparison
- Activity Cards for real-time analytics metrics
- Tables for detailed visitor and campaign information

The frontend architecture follows a modular component-based structure where reusable components are separated into different folders for better maintainability and scalability. The system also integrates smoothly with Supabase services for fetching real-time analytics data and updating dashboard components dynamically without requiring manual refresh operations.

Overall, the frontend of the project provides a visually interactive and efficient analytics experience that allows users to monitor and analyze website traffic data in real time through a modern cloud-based dashboard environment.

4.2 Backend Details

The backend of the Web Traffic Analysis System is designed to handle real-time data collection, visitor tracking, session management, analytics processing, and cloud database operations efficiently. The backend architecture is developed using Supabase services, PostgreSQL database management, Edge Functions, and the Deno runtime environment to create a scalable and modern analytics infrastructure.

The primary backend technologies used in the project include:

- Supabase PostgreSQL Database
- Supabase Edge Functions
- Deno Runtime Environment

Supabase PostgreSQL acts as the central database system for storing and managing all analytics-related information. Multiple relational tables are created to manage visitors, sessions, page views, devices, locations, and analytics logs. PostgreSQL provides efficient querying, indexing, relational data handling, and real-time synchronization features, which are essential for analytics systems handling continuous visitor activity.

Supabase Edge Functions are used as serverless backend APIs that process incoming tracking requests from websites. These functions are responsible for receiving visitor data, validating requests, managing sessions, processing geographic lookups, storing analytics events, and updating the database in real time. Edge Functions run on the Deno runtime, which provides a secure, fast, and lightweight execution environment for backend operations.

The backend performs several critical responsibilities within the system, including:

- Storing visitor information
- Managing user sessions
- Recording page views and events
- Handling real-time analytics requests
- Managing visitor fingerprinting
- Processing geographic location lookup
- Storing browser and device information
- Tracking traffic sources and campaigns

One of the most important backend files in the project is analyticsService.ts. This file contains the core analytics logic responsible for fetching, processing, and aggregating analytics data from the database. It includes functions for:

- Overview statistics
- Daily traffic analysis
- Page analytics
- Geographic analytics
- Device and browser analytics
- Traffic source analytics
- Campaign and UTM tracking
- Real-time visitor statistics

The backend implements advanced tracking mechanisms to improve analytics accuracy. Session tracking is used to monitor user activity during a browsing session and determine active visitors. Returning visitor detection is implemented using browser fingerprinting and visitor identification techniques, allowing the system to recognize repeat users across sessions.

The project also integrates Geo-IP lookup functionality to estimate visitor geographic locations based on IP addresses. This enables country, region, and city-level analytics visualization within the dashboard. The backend stores location data inside dedicated database tables for efficient querying and reporting.

Traffic source analysis is another important backend feature. The system tracks referrer URLs, referral domains, and external traffic sources to understand where visitors are coming from. Additionally, UTM campaign analysis is implemented to monitor marketing campaigns by capturing parameters such as:

- UTM Source
- UTM Medium
- UTM Campaign
- UTM Term
- UTM Content

The backend is designed using a modular architecture, allowing different analytics services to operate independently while maintaining efficient communication with the frontend dashboard. The system also supports real-time data synchronization using Supabase capabilities, enabling live updates for active visitors and ongoing sessions.

Overall, the backend of the project provides a secure, scalable, cloud-based, and real-time analytics processing system capable of handling large amounts of visitor tracking data while maintaining performance, flexibility, and future scalability for advanced analytics and AI-driven features.

4.3 Frontend and Backend Connection

The Web Traffic Analysis System uses a cloud-based client-server architecture where the frontend and backend communicate through the Supabase JavaScript SDK and asynchronous API requests. The connection between the frontend dashboard, tracking system, backend services, and PostgreSQL database enables real-time analytics processing and dynamic visualization of website traffic data.

The frontend application is developed using React with TypeScript and interacts directly with Supabase services using the Supabase JavaScript SDK. This SDK acts as a bridge between the frontend components and the cloud database, allowing secure and efficient data communication.

The main analytics communication process begins when frontend components request analytics information from the backend service layer. The primary file responsible for managing this communication is `analyticsService.ts`. This service file contains multiple asynchronous functions that execute database queries, process analytics data, and return formatted results to the frontend dashboard.

The frontend-to-backend connection process works as follows:

1. The frontend React components call functions from `analyticsService.ts`.
2. The `analyticsService.ts` file executes Supabase database queries.
3. Supabase retrieves analytics data from the PostgreSQL database.
4. The processed data is returned to React components.
5. Dashboard charts, cards, tables, and analytics sections update dynamically in real time.

This architecture allows the frontend dashboard to fetch live analytics data continuously without requiring manual page refreshes. The use of asynchronous operations improves

application performance and user experience by preventing UI blocking during data fetching operations.

The project also contains a custom tracking system responsible for collecting visitor activity data from websites. This tracking system operates independently from the dashboard visualization layer and communicates with backend Edge Functions through HTTP requests.

The tracking workflow operates as follows:

1. The tracker.js script collects browser and visitor information.
2. The script sends a POST request to the Supabase Edge Function.
3. The Edge Function validates and processes the incoming request.
4. Visitor, session, device, location, and page view tables are updated inside PostgreSQL.
5. The dashboard automatically fetches and displays updated analytics data.

The tracker.js script captures multiple visitor details including:

- Page URL
- Page title
- Browser information
- Device type
- Operating system
- Screen resolution
- Referrer URL
- UTM campaign parameters
- Session tokens
- Visitor fingerprint information

Supabase Edge Functions serve as the middleware layer between the tracking system and the database. These serverless backend functions process incoming requests securely, manage visitor sessions, perform Geo-IP lookups, update analytics records, and log tracking events in real time.

The project uses asynchronous API communication implemented using:

- `async/await`
- Promise-based requests
- Fetch API
- Real-time database queries

Asynchronous communication is important because analytics systems continuously process live visitor events. Using asynchronous operations ensures that tracking requests and dashboard updates happen efficiently without affecting website performance or user interaction speed.

The frontend and backend architecture is designed to support:

- Real-time analytics updates
- Scalable cloud infrastructure
- Secure API communication
- Fast database querying
- Dynamic dashboard rendering
- Efficient event tracking
- Modular service integration


Overall, the connection between the frontend and backend creates a complete real-time analytics ecosystem where visitor activity is continuously tracked, processed, stored, and visualized dynamically through an interactive cloud-based dashboard system.

Chapter 5. Implementation


5.1 Implementation Screenshots / Snaps

The implementation includes frontend dashboard development, backend database design, Supabase integration, tracking APIs, and real-time analytics visualization.


• Dashboard Home



• Real-Time Analytics



- Supabase Edge Function Logs



5.2 Output

The Web Traffic Analysis System successfully generates real-time and historical analytics outputs related to website visitor activity, user behavior, traffic sources, and device information. The dashboard processes the collected analytics data and visualizes it using interactive charts, graphs, tables, and activity cards.

The system provides multiple analytical outputs that help developers and website administrators monitor and understand website performance effectively. One of the major outputs generated by the system is the total visits count, which represents the total number of page visits recorded by the tracking system over a selected time period. This metric helps analyze overall website traffic growth and visitor engagement trends.

The dashboard also generates the unique visitors count, which identifies the number of individual users visiting the website using visitor fingerprinting and session tracking techniques. This helps distinguish between repeated visits and actual unique users.

Another important output is returning visitors analysis. The system identifies users who revisit the website and classifies them as returning visitors. This output is useful for measuring user retention, audience engagement, and website popularity over time.

The dashboard also generates detailed device analysis outputs. These outputs classify visitors based on:

- Desktop devices
- Mobile devices
- Tablets
- Screen resolutions
- Device categories

Browser statistics are another important output of the system. The analytics dashboard displays browser usage information such as:

- Google Chrome
- Mozilla Firefox
- Microsoft Edge
- Safari
- Other browsers

This information helps developers optimize websites for browser compatibility and user experience improvements.

The project additionally generates operating system analytics, allowing administrators to analyze visitors using:

- Windows
- Android
- iOS
- macOS
- Linux

Geographic analysis outputs are generated using Geo-IP tracking functionality. The system estimates visitor locations based on IP addresses and displays analytics related to:

- Countries
- Regions
- Cities
- Geographic traffic distribution

5.3 System Testing

Test Case	Expected Result	Actual Result	Status
Visitor Tracking	System should identify and store unique visitors using browser fingerprinting	Visitor information was successfully stored in the database	Pass
Session Tracking	A new session should be created and updated for user activity	Session records were created and updated correctly	Pass
Page View Logging	Every visited page should be recorded in the page_views table	Page views were successfully logged with timestamps	Pass
Dashboard Fetch	Dashboard should fetch analytics data from Supabase without errors	Analytics cards, charts, and tables loaded successfully	Pass
Geo Tracking	Visitor location should be displayed using Geo-IP lookup	Country and city information displayed for most public IP addresses	Partial Success
Real-Time Updates	Active visitors and recent activity should update dynamically	Real-time visitor feed and active session tracking worked successfully	Pass
Device Detection	System should identify device type and browser information	Browser, OS, and device data were captured correctly	Pass
UTM Campaign Tracking	Marketing campaign parameters should be stored and analyzed	UTM source, medium, and campaign data were tracked successfully	Pass
Referrer Tracking	Referrer source should be captured for traffic analysis	Referrer domains were stored and displayed correctly	Pass
Database Connectivity	Frontend and backend should communicate successfully with Supabase	Data synchronization worked properly without major issues	Pass

5.3.1 Results and Discussion

The project successfully tracks website analytics and visualizes data in real time. Dashboard modules function correctly and data synchronization between frontend and backend works efficiently. These outputs help understand audience demographics and regional traffic behavior.

The dashboard also contains a real-time visitor feed that continuously updates live visitor activity. This feed displays recently visited pages, browser information, device details, visitor locations, and activity timestamps dynamically without requiring page refresh operations.

Overall, the generated outputs provide a complete overview of website traffic performance, visitor behavior, device usage, campaign effectiveness, and real-time engagement through a modern interactive analytics dashboard.

Challenges faced:

- Accurate IP geolocation
- Real-time synchronization
- Session management
- Edge Function authentication

Achievements:

- Working analytics dashboard
- Real-time activity tracking
- Interactive visualization
- Cloud database integration

Chapter 6. Conclusion

6.1 Applications or Advantages

The project successfully demonstrates a modern analytics dashboard architecture using React and Supabase. It provides real-time monitoring and advanced analytics features using a scalable cloud-based architecture.

Advantages:

- Real-time monitoring
- Custom analytics
- Lightweight architecture
- Cloud scalability
- Interactive dashboard
- Campaign tracking
- User behavior analysis

Applications:

- Portfolio analytics
- Startup dashboards
- Marketing analysis
- Educational analytics systems
- Website monitoring

6.2 Limitations or Disadvantages

Limitations:

- Free Geo-IP APIs may return inaccurate locations
- Requires internet connection
- Limited advanced AI analytics
- Depends on Supabase availability
- Browser privacy restrictions may affect tracking

6.3 Future Scope

Future Improvements:

- AI-powered analytics
- Predictive traffic analysis
- Heatmap tracking
- User journey analysis
- Export reports to PDF/Excel

6.4 Conclusion

The Web Traffic Analysis System successfully demonstrates the implementation of a modern cloud-based analytics platform capable of tracking, storing, and visualizing website traffic data in real time. The project combines frontend visualization technologies with backend data processing and cloud database management to create a complete analytics ecosystem. Using React, TypeScript, Tailwind CSS, and Recharts on the frontend along with Supabase PostgreSQL, Edge Functions, and Deno Runtime on the backend, the system provides scalable and efficient analytics processing with real-time dashboard updates.

The application effectively tracks important metrics such as total visits, unique visitors, active sessions, returning visitors, device information, browser details, operating systems, geographic locations, referrer traffic, and UTM campaign data. The integration of visitor fingerprinting, session management, Geo-IP lookup, and event logging enables accurate monitoring of user activity and traffic behavior across websites. Interactive charts and real-time activity feeds further enhance the usability of the dashboard and allow administrators to understand user engagement patterns efficiently.

The project also demonstrates strong understanding of full-stack web development concepts including asynchronous API communication, REST-based tracking systems, cloud database operations, real-time data synchronization, and frontend-backend integration. The modular architecture of the system improves maintainability, scalability, and future extensibility of the platform.

Overall, the Web Traffic Analysis System is a strong demonstration of real-time data analytics, cloud computing integration, and scalable web application engineering. The project successfully achieves its objective of building a customizable analytics platform that provides detailed traffic insights without relying completely on third-party analytics services.



Thank you.

Abhishek Ugare

Email: abhishekugare1289@gmail.com

LinkedIn: www.linkedin.com/in/abhishek-ugare-a289s85k

Portfolio: https://abhi8hero.github.io/portfolio-abhishek_ugare/

Github: <https://github.com/abhi8hero>

Project Repo: <https://github.com/abhi8hero/analytics-dashboard>