

## bhi9kumarabhi@gma

### **Graph-1 Solutions**

```
Solution 1:
Time Complexity: o(v+e)
Space Complexity: o(v+e)
import java.util.ArrayList;
import java.util.Arrays;
import java.util.LinkedList;
import java.util.Queue;
class Solution{
public static void main(String arg[]){
       int V = 4;
       @SuppressWarnings("unchecked")
       ArrayList <Integer> adj[] = new ArrayList[V];
       for(int i = 0; i < 4; i++)
       adj[i] = new ArrayList<Integer>();
       addEdge(adj, 0, 1);
       addEdge(adj, 1, 2);
       addEdge(adj, 2, 0);
       addEdge(adj, 2, 3);
       if (isCyclicDisconntected(adj, V))
       System.out.println("Yes");
       else
       System.out.println("No");
}
static void addEdge(ArrayList<Integer> adj[], int u, int v){
       adj[u].add(v);
       adj[v].add(u);
}
static boolean isCyclicConntected(
                                                      ArrayList<Integer> adj[], int s,
                                                                     int V, boolean visited∏){
```

int parent[] = new int[V];



```
bhi9kumarabhi@gm
```

```
Arrays.fill(parent, -1);
        Queue<Integer> q = new LinkedList<>();
        visited[s] = true;
        q.add(s);
        while (!q.isEmpty()){
        int u = q.poll();
        for (int i = 0; i < adj[u].size(); i++){
                int v = adj[u].get(i);
                if (!visited[v]){
                visited[v] = true;
                q.add(v);
                parent[v] = u;
                else if (parent[u] != v)
                return true;
       }
       }
        return false;
}
static boolean isCyclicDisconntected(
                                        ArrayList<Integer> adj[], int V){
        boolean visited[] = new boolean[V];
        Arrays.fill(visited,false);
        for (int i = 0; i < V; i++)
        if (!visited[i] &&
                isCyclicConntected(adj, i, V, visited))
                return true;
        return false;
}
}
Solution 2:
Time Complexity: o(n)
Space Complexity: o(1)
import java.util.*;
```



```
ohi9kumarabhi@gm
```

```
class Solution{
static class Node{
       int data;
       Node left, right;
}
static class qltem{
       Node node;
       int depth;
       public qItem(Node node, int depth){
               this.node = node;
               this.depth = depth;
       }
}
static int minDepth(Node root){
       if (root == null)
               return 0;
       Queue<qltem> q = new LinkedList<>();
       qltem qi = new qltem(root, 1);
       q.add(qi);
       while (q.isEmpty() == false){
               qi = q.peek();
               q.remove();
               Node node = qi.node;
               int depth = qi.depth;
               if (node.left == null && node.right == null)
                       return depth;
               if (node.left != null){
                       qi.node = node.left;
                       qi.depth = depth + 1;
                       q.add(qi);
               }
               if (node.right != null){
                       qi.node = node.right;
                       qi.depth = depth + 1;
```



```
bhi9kumarabhi@gm
```

```
q.add(qi);
               }
       return 0;
}
static Node newNode(int data){
       Node temp = new Node();
       temp.data = data;
       temp.left = temp.right = null;
       return temp;
}
public static void main(String[] args){
       Node root = newNode(1);
       root.left = newNode(2);
       root.right = newNode(3);
       root.left.left = newNode(4);
       root.left.right = newNode(5);
       System.out.println(minDepth(root));
}
}
Solution 3:
Time Complexity : o(r*c)
Space Complexity: o(r*c)
import java.util.LinkedList;
import java.util.Queue;
public class Solution{
       public final static int R = 3;
       public final static int C = 5;
       static class Ele{
               int x = 0;
```



```
bhi9kumarabhi@gmail.com
```

```
int y = 0;
        Ele(int x,int y){
                this.x = x;
                this.y = y;
        }
}
static boolean isValid(int i, int j){
        return (i \ge 0 \&\& j \ge 0 \&\& i < R \&\& j < C);
}
static boolean isDelim(Ele temp){
        return (temp.x == -1 && temp.y == -1);
}
static boolean checkAll(int arr[][]){
        for (int i=0; i<R; i++)
                for (int j=0; j<C; j++)
                        if (arr[i][j] == 1)
                                 return true;
        return false;
}
static int Solution(int arr[][]){
        Queue<Ele> Q=new LinkedList<>();
        Ele temp;
        int ans = 0;
        for (int i=0; i < R; i++)
        for (int j=0; j < C; j++)
                if (arr[i][j] == 2)
                        Q.add(new Ele(i,j));
        Q.add(new Ele(-1,-1));
        while(!Q.isEmpty()){
                boolean flag = false;
                while(!isDelim(Q.peek())){
                        temp = Q.peek();
                        if(isValid(temp.x+1, temp.y) && arr[temp.x+1][temp.y] == 1){
                                 if(!flag){
```



```
ans++;
                                              flag = true;
                                      arr[temp.x+1][temp.y] = 2;
                                      temp.x++;
                                      Q.add(new Ele(temp.x,temp.y));
                                      temp.x--;
                              }
                              if (isValid(temp.x-1, temp.y) && arr[temp.x-1][temp.y] == 1){
                                              if (!flag){
                                                      ans++;
                                                     flag = true;
                                             }
                                              arr[temp.x-1][temp.y] = 2;
                                              temp.x--;
                                              Q.add(new Ele(temp.x,temp.y)); // push this cell
to Queue
                                              temp.x++;
                              if (isValid(temp.x, temp.y+1) && arr[temp.x][temp.y+1] == 1) {
                                              if(!flag){
                                                      ans++;
                                                     flag = true;
                                              arr[temp.x][temp.y+1] = 2;
                                              temp.y++;
                                              Q.add(new Ele(temp.x,temp.y)); // Push this cell
to Queue
                                              temp.y--;
                              if (isValid(temp.x, temp.y-1) && arr[temp.x][temp.y-1] == 1){
                                              if (!flag){
                                                      ans++;
                                                     flag = true;
                                             }
                                              arr[temp.x][temp.y-1] = 2;
```

temp.y--;

bhi9kumarabhi@gmail.com

to Queue

```
}
                                 Q.remove();
                        }
                        Q.remove();
                        if (!Q.isEmpty())
                                 Q.add(new Ele(-1,-1));
                        }
                }
                return (checkAll(arr))? -1: ans;
        }
        public static void main(String[] args){
                int arr[][] = \{ \{2, 1, 0, 2, 1\}, 
                                                 {1, 0, 1, 2, 1},
                                                 {1, 0, 0, 2, 1}};
                int ans = Solution(arr);
                if(ans == -1)
                         System.out.println("All oranges cannot rot");
                else
                        System.out.println("Time required for all oranges to rot = " + ans);
        }
}
```

### Solution 4:

```
Time Complexity: o(r*c)
Space Complexity: o(r*c)
import java.io.*;
import java.util.*;
class Solution {
```



```
bhi9kumarabhi@gmail.con
```

```
static int ROW, COL, count;
static boolean isSafe(int[[[]] M, int row, int col,
                                         boolean[][] visited)
{
        return (
                (row >= 0) \&\& (row < ROW) \&\& (col >= 0)
                && (col < COL)
                && (M[row][col] == 1 && !visited[row][col]));
}
static void DFS(int[][] M, int row, int col,
                                 boolean[][] visited){
        int[] rowNbr = { -1, -1, -1, 0, 0, 1, 1, 1 };
        int[] colNbr = { -1, 0, 1, -1, 1, -1, 0, 1 };
        visited[row][col] = true;
        for (int k = 0; k < 8; k++) {
                if (isSafe(M, row + rowNbr[k], col + colNbr[k],
                                 visited)) {
                         count++;
                         DFS(M, row + rowNbr[k], col + colNbr[k],
                                 visited);
        }
}
static int largestRegion(int[][] M)
        boolean[][] visited = new boolean[ROW][COL];
        int result = 0;
        for (int i = 0; i < ROW; i++) {
                for (int j = 0; j < COL; j++) {
                         if (M[i][j] == 1 && !visited[i][j]) {
                                 count = 1;
                                 DFS(M, i, j, visited);
                                 result = Math.max(result, count);
                        }
                }
        }
        return result;
```



```
bhi9kumarabhi@gn
```

```
}
       public static void main(String args[]){
               int M[][] = \{ \{ 0, 0, 1, 1, 0 \},
                                       { 1, 0, 1, 1, 0 },
                                       {0, 1, 0, 0, 0},
                                       { 0, 0, 0, 0, 1 } };
               ROW = 4;
               COL = 5;
               System.out.println(largestRegion(M));
       }
}
Solution 5:
Time Complexity: o(n2*m)
Space Complexity: o(n*m)
import java.util.*;
class Solution {
static int shortestChainLen(String start,
                                                       String target,
                                                       Set<String> D){
       if(start == target)
       return 0;
       if (!D.contains(target))
               return 0;
       int level = 0, wordlength = start.length();
       Queue<String> Q = new LinkedList<>();
       Q.add(start);
       while (!Q.isEmpty()){
               ++level;
               int sizeofQ = Q.size();
```

for (int i = 0; i < sizeofQ; ++i){



```
ohi9kumarabhi@gm
```

```
char []word = Q.peek().toCharArray();
                       Q.remove();
                       for (int pos = 0; pos < wordlength; ++pos){
                              char orig_char = word[pos];
                              for (char c = 'a'; c \leq 'z'; ++c){
                                      word[pos] = c;
                                      if (String.valueOf(word).equals(target))
                                              return level + 1;
                                      if (!D.contains(String.valueOf(word)))
                                              continue;
                                      D.remove(String.valueOf(word));
                                      Q.add(String.valueOf(word));
                              word[pos] = orig_char;
                       }
               }
       }
       return 0;
}
public static void main(String args)
       Set<String> D = new HashSet<String>();
       D.add("poon");
       D.add("plee");
       D.add("same");
       D.add("poie");
       D.add("plie");
       D.add("poin");
       D.add("plea");
       String start = "toon";
       String target = "plea";
       System.out.print("Length of shortest chain is: "
               + shortestChainLen(start, target, D));
}
}
```



# abhi9kumarabhi@gmail.com

## APNA COLLEGE