Build prompt: abhi.writes blog and admin

By Abhi. Paste everything from "Role and goal" downward into your AI coding tool (Claude Code, Cursor, Lovable, v0, Bolt) and let it build the full site.

Role and goal

You are a senior full-stack engineer and product designer. Build a complete, working, production-ready personal blog called **abhi.writes**, with a private admin panel where the owner writes, edits, themes and publishes stories directly. Nothing may be a mockup: every button, link, form and filter described below must work against a real database. Follow the design system exactly. Do not invent extra features, do not leave TODOs, and do not use lorem ipsum anywhere visitors can see it.

The site has two parts:

1. **Public blog**: home, writing archive (with filters), story page, about, subscribe, contact, RSS.
2. **Admin panel**: login, forgot password, dashboard, story editor, media library, page themes, settings.

Tech stack (required)

- Next.js (latest stable) with the App Router, React Server Components and Server Actions
- TypeScript in strict mode
- Tailwind CSS with the design tokens below defined as CSS variables
- Supabase: Auth (email and password), Postgres with Row Level Security, Storage for images
- Tiptap for the rich-text editor
- Deployed on Vercel
- Use `@supabase/ssr` for server and client clients, `zod` for validation, `next/font` for fonts, `next/image` for images

Keep dependencies minimal. No UI kit: build components from the tokens below.

Design system (exact values)

Colours

Token	Hex	Use
`--bg`	`#EEF1EA`	page background (soft sage-white)
`--ink`	`#1F2A24`	text, dark buttons, dark cards
`--muted`	`#4F5B53`	secondary text
`--card`	`#FFFFFF`	cards
`--butter`	`#F2C94C`	accent: tags, gold buttons, newsletter card
`--butter-deep`	`#B88A00`	the dot in the logo, focus ring
`--sage`	`#CFE0D2`	theme "Sage", Published chip
`--butter-soft`	`#F5E3A8`	theme "Butter", Draft chip, quotes
`--lavender`	`#D8D2EA`	theme "Lavender", Scheduled and Unlisted chips
`--peach`	`#F2C9B8`	theme "Peach"
`--midnight`	`#1F2A24`	theme "Midnight" (text becomes `#EEF1EA`)
`--dark-panel`	`#34463B`	image block inside the dark featured card
`--line`	`#C3CCBE`	footer and divider lines
`--field`	`#7E8C80`	input and dashed-border colour (passes 3:1 contrast)

Each theme also has a secondary shape colour used by the thumbnail circle: sage uses butter, butter uses `#8FB39A`, lavender uses butter, peach uses `#8FB39A`, midnight uses butter.

Typography

- **Headings, UI, buttons, labels, nav**: Bricolage Grotesque, weights 500 and 700
- **Reading text (public pages)**: Newsreader, weights 400 and 500, plus italic 400
- Public body: 19px, line-height 1.6. Admin body: 16px, line-height 1.5, Bricolage Grotesque.

- Hero H1: 72px, line-height 1.02, letter-spacing -0.03em (44px under 700px wide)
- Page title (Writing, Say hello): 64px, letter-spacing -0.03em (40px on mobile)
- Section H2: 36px, letter-spacing -0.02em
- Card title H3: 24px, line-height 1.2
- Article H1: 56px, line-height 1.05
- Article body column: max-width 700px; intro paragraph 22px
- Muted/meta text: 16px public, 14px admin

Shape and spacing

- Page container: max-width 1120px, side padding 32px (20px on mobile)
- Cards: radius 24px, padding 24px, white, flex column, gap 12px
- Thumbnails: radius 20px, height 160px (row thumbnails 110px high, 160px wide; story cover 340px high with radius 32px; hero art 380px high with radius 44px)
- Pill buttons: radius 999px, padding 12px 24px, minimum height 44px, font Bricolage 500 16px
- Tags: butter background, radius 999px, padding 4px 14px, 14px, weight 500
- Inputs: height 48px, radius 14px, 1.5px solid `--field`, white; label above in 14px weight 500
- Section gaps: 72px between homepage sections, 96px above the footer

Component recipes

- **Primary pill**: `--ink` background, `--bg` text. Hover: opacity 0.85.
- **Ghost pill**: transparent, 2px `--ink` border, `--ink` text. Hover: fills with `--ink` and text becomes `--bg`.
- **Gold pill**: `--butter` background, `--ink` text.
- **Thumbnail art** (used instead of photos when no cover exists): a rectangle in the theme colour with one circle (150px) sitting at the bottom-right, offset 30px right and 40px down, clipped by the rectangle, in the theme's secondary colour.
- **Story card**: white card containing the thumbnail, a category tag, the title (H3), then "Mon YYYY · N min read" in muted text. The whole card is one link. Hover: lifts 4px with a soft shadow of `rgba(31,42,36,0.13)`.
- **Row card** (writing archive): horizontal, thumbnail 160x110 on the left, tag, title and excerpt in the middle, date and read time on the right; wraps on small screens.

- **Status chips**: Published uses sage, Draft uses butter-soft, Scheduled and Unlisted use lavender; 13px, weight 500, radius 999px.
- **Toast**: fixed bottom centre, `--ink` background, white text, pill shape, disappears after about 2 seconds.
- **Focus**: every interactive element shows a 3px `--butter-deep` outline with 2px offset when focused by keyboard.
- **Motion**: only the card hover lift and button hover. Respect `prefers-reduced-motion`.

Build a small set of reusable components: `Button` (primary, ghost, gold), `Tag`, `Chip`, `StoryCard`, `StoryRow`, `Thumb`, `Field` (label, input, error), `Toast`, `ConfirmDialog`, `SiteHeader`, `SiteFooter`, `AdminSidebar`, `ThemeSwatch`, `Dropzone`.

Global layout

Site header (all public pages)

Logo "abhi.writes" in Bricolage 700 at 26px, with the dot in `--butter-deep`, linking to `/`. Navigation: **Home** (`/`), **Writing** (`/writing`), **Stories** (`/writing?category=Story`), **About** (`/about`), and a primary pill **Subscribe** (`/subscribe`). The current page link has a 2px underline. The nav wraps on narrow screens; do not hide it behind a hamburger.

Site footer

Top border in `--line`. Left: "© 2026 abhi.writes" (use the current year). Right: **RSS** (`/rss.xml`), **GitHub**, **X** (external links taken from site settings, opening in a new tab with `rel="noopener"`), and **Admin** (`/admin/login`).

Admin shell

Two columns on desktop, stacked on mobile. A white sidebar card, 232px wide, with the logo "abhi.admin" and these links: **Dashboard** (`/admin`), **Stories** (`/admin#stories`), **Media library** (`/admin/media`), **Page themes** (`/admin/themes`), **Settings** (`/admin/settings`), then **View site** (`/`) and **Sign out** (muted text). The active link has an `--ink` background. The main column holds the page content.

Public pages

1. Home (`/`)

1. **Hero**: two columns. Left: tag "Essays · Stories · Notes", H1 "Slow thoughts for a fast internet.", a 22px paragraph (from settings: tagline text), and two buttons: **Start reading** (primary, to `/writing`) and **About me** (ghost, to `/about`). Right: a 380px tall thumbnail art block with radius 44px.
2. **Featured story**: a full-width dark card (`--ink` background, light text) showing the most recent story marked `featured`, or the newest published story if none. Left: tag "Featured essay", the title at 40px, the excerpt, and "Read essay →" in butter. Right: a 300x200 dark-panel thumbnail. The entire card links to the story.
3. **Latest writing**: heading row with H2 "Latest writing" and a link "View all →" to `/writing`. Below it a responsive grid (minimum 280px columns, 24px gap) of the 3 newest published stories as Story cards.
4. **Newsletter card**: butter background, radius 24px, padding 48px. H2 "One letter, once a month.", a sentence of copy, a labelled email field and a primary **Subscribe** button. Submitting saves the email and moves to `/subscribe?done=1`.

2. Writing archive (`/writing`)

H1 "Writing" with a one-sentence intro. A row of filter pills: **All**, **Essays**, **Stories**, **Notes**. The active one is filled, the others are ghost. Filtering changes the URL (`?category=Essay|Story|Note`) and works with browser back and forward. Below, a vertical list of Row cards for published stories, newest first, with pagination (12 per page, "Load more" button). Empty state: "Nothing here yet." with a link to the Subscribe page.

3. Story page (`/writing/[slug]`)

- The **whole page background uses the story's theme colour** (sage, butter, lavender, peach, or midnight). For midnight, all text turns `#EEF1EA`, primary pills invert, and ghost pills use light borders.
- Top: category tag, H1 title, a meta row with a round butter avatar, "Abhi", the date and "N min read".
- Cover: the uploaded cover image (radius 32px, 340px high, object-fit cover) or the Thumb art if there is none.

- Body: rendered rich text in a 700px column. Use Newsreader if the story's reading font is `serif`, otherwise Bricolage Grotesque at 18px. Style H1, H2, blockquotes (butter-soft background, radius 24px, italic 26px), code blocks, lists, links (underlined), images (radius 16px, max-width 100%), and horizontal rules.
- Action row: ghost pills **Copy link** (copies the URL and shows a toast "Link copied"), **Share on X** (opens `https://twitter.com/intent/tweet?url=…` in a new tab), **Back to top** (smooth scroll).
- **Keep reading**: H2 and a grid of the 2 most recent other published stories.
- Unknown slug: a 404 page with a **Browse writing** button.
- Generate metadata: title, description from the excerpt, Open Graph and Twitter card images from the cover.

4. About (`/about`)

Two columns. Left: a tall arch-shaped portrait block (radius 200px 200px 40px 40px, 440px high) showing the owner's photo from settings, or Thumb art if none. Right: tag "About", H1 "Hi, I'm Abhi." (use the author name from settings), the bio paragraphs from settings, and two buttons: **Say hello** (primary, `/contact`) and **Read the blog** (ghost, `/writing`). Below, three cards in a row: **Currently** (white), **I write about** (butter-soft), **Find me** (lavender) with links to GitHub, X, LinkedIn and the contact page. All card text comes from the settings table so the owner can edit it.

5. Subscribe (`/subscribe`)

A centred butter card (max-width 640px) with H1 "One letter, once a month.", a sentence, a labelled email field and a **Subscribe** button. On success it replaces the form with "Thank you!", the sentence "Your next letter will arrive at {email}." and a **Back home** button. Duplicate emails are accepted silently. Invalid emails show an inline error.

6. Contact (`/contact`)

H1 "Say hello", a short intro, and a white form card (max-width 640px) with labelled **Name**, **Email** and **Message** fields and a **Send message** button. On success: toast "Message sent. Thanks for writing!" and the form resets. Messages are stored in the database and listed in the admin dashboard.

7. RSS and SEO

Serve `/rss.xml` with the latest 20 published stories, plus `/sitemap.xml` and `/robots.txt` (disallow `/admin`). Add canonical URLs and a custom 404 page.

Admin pages (all under `/admin`, all protected)

A middleware check redirects every `/admin/*` route except `/admin/login` and `/admin/forgot` to `/admin/login` when there is no valid session or the user is not an admin.

8. Login (`/admin/login`)

Full-height page on the `--bg` colour with two decorative circles (a large butter circle bleeding off the bottom-right corner, a sage circle off the top-left). Centred white card, 440px wide: logo "abhi.admin", H1 "Welcome back.", a serif sentence "Sign in to write, edit and publish your stories.", labelled **Email** and **Password** fields, a **Keep me signed in** checkbox, a **Forgot password?** link (to `/admin/forgot`), a full-width **Sign in** primary button, and "Admin access only · Back to blog" (link to `/`). Wrong credentials show an inline error ("Email or password is incorrect."). On success go to `/admin`.

9. Forgot password (`/admin/forgot`)

Same layout: H1 "Reset your password", an email field, a **Send reset link** button (uses Supabase `resetPasswordForEmail`), and a "← Back to sign in" link. Show the toast "Reset link sent. Check your inbox." Also build `/admin/reset` where the user sets a new password after following the email link.

10. Dashboard (`/admin`)

- Top row: H1 "Welcome back, {author name}", the line "Here's how your blog is doing.", and a gold **+ New story** button (to `/admin/editor`).
- Three stat cards: **Published** (sage), **Drafts** (butter-soft), **Scheduled** (lavender), each with a large number.
- **Your stories** card (id `stories`): heading, a labelled search field (filters by title as you type), then one row per story with title, "Category · date", a status chip, and three buttons: **View** (ghost, opens the public page or the preview for non-published stories),

Edit (ghost, to `/admin/editor?id=…`), **Delete** (ghost, opens a confirm dialog "Delete this story?" and then a toast "Story deleted"). Empty state: "No stories found. Start with New story."

- A second card, **Messages**, listing contact-form messages (name, email, date, text) with a **Delete** button on each.

11. Story editor (`/admin/editor`, optional `?id=`)

Top bar: "← Stories" link (to `/admin`), the status chip, a saved-time label ("Saved 10:42" or "Not saved yet"), and three buttons: **Preview** (ghost, saves then opens `/admin/preview/[id]` in a new tab), **Save draft** (ghost, saves as draft, toast "Draft saved"), **Publish** (gold).

Two columns: a main writing card and a 320px settings sidebar (stacks below on mobile).

Writing card

- A large borderless title input (44px, weight 700, placeholder "Give your story a title").
- A formatting toolbar in a rounded `--bg` strip with 44x44 buttons, each with an `aria-label`: **Bold**, **Italic**, **Heading 1**, **Heading 2**, **Quote**, **Bullet list**, **Link** (prompts for a URL), **Insert image** (opens the file picker), **Code block**, **Divider**. Active formatting is visually pressed. Add keyboard shortcuts (Ctrl/Cmd+B, I, K).
- The editing area (min-height 480px, 680px max width) using the same typography as the public story page.
- A large dashed **Drop an image here** zone that also works as a click-to-browse label. Images can also be dropped or pasted directly into the editor.
- A footer line with a live word count and the text "Autosave on".

Settings sidebar (three white cards)

1. **Cover image**: a dashed preview box ("Upload cover · 1600 × 900") that shows the chosen image, and an **Upload image** ghost button.
2. **Page theme**: text "Sets the mood of this story's page.", five round 44px swatches (Sage, Butter, Lavender, Peach, Midnight) acting as a radio group with the selected one ringed in `--ink`, and a **Reading font** select (Serif · Newsreader, Sans · Bricolage). New stories start with the default theme from the Page themes admin page.
3. **Details**: **Category** select (Essay, Story, Note), **Tags** (comma separated), **URL slug** (auto-generated from the title while typing, still editable, unique), **Visibility** select (Public, Unlisted, Scheduled). When Scheduled is chosen, show a date and time field.

Behaviour

- Autosave every 20 seconds and when the tab loses focus, only when there is a title or body.
- **Publish** validates (title and body required, slug unique), sets the status from Visibility (Public becomes `published`, Unlisted becomes `unlisted`, Scheduled becomes `scheduled` with `published_at`), shows a toast "Published" (or "Saved as unlisted/scheduled"), revalidates the affected public pages, then returns to `/admin`.
- Read time is computed from the word count (200 words per minute, minimum 1). The excerpt is the first 110 characters of text unless the owner edits it.
- Warn before leaving with unsaved changes.

12. Media library (`/admin/media`)

H1 "Media library", the line "Images you've uploaded for your stories.", and a gold **Upload images** button (multiple files). A grid of cards, each with a cropped preview and a **Delete** ghost button (with confirmation, and removing the file from storage). Every image uploaded from the editor is added here automatically. Empty state: "No images yet. Upload your first one." Accept PNG, JPG, WebP and GIF up to 5 MB each; reject others with a clear message.

13. Page themes (`/admin/themes`)

H1 "Page themes" and the line "Pick the default mood for new stories. You can still change it per story." A grid of five large theme cards (Sage, Butter, Lavender, Peach, Midnight), each filled with its colour and showing its name and either "Set as default" or "Default theme". The current default is ringed. Clicking one saves it, shows the toast "Default theme updated", and uses it for new stories.

14. Settings (`/admin/settings`)

A form card with: **Blog name**, **Tagline**, **Author name**, **Contact email**, **Bio** (rich text or textarea), **Currently**, **I write about**, **GitHub URL**, **X URL**, **LinkedIn URL**, and a **Portrait image** upload. A **Save changes** gold button shows the toast "Settings saved". A second card, **Account**, lets the owner change their password. A third card, **Export data**, has a ghost **Download all stories (JSON)** button.

Every button and where it goes

Element	Result
Logo (public)	`/`
Home / Writing / Stories / About	`/`, `/writing`, `/writing?category=Story`, `/about`
Subscribe pill (nav)	`/subscribe`
Start reading	`/writing`
About me	`/about`
Featured card	that story's page
View all →	`/writing`
Story and row cards	`/writing/[slug]`
Newsletter Subscribe	saves email, `/subscribe?done=1`
Filter pills	update `?category=` and the list
Copy link / Share on X / Back to top	toast, new tab, smooth scroll
Say hello / Read the blog	`/contact`, `/writing`
Footer RSS / GitHub / X / Admin	`/rss.xml`, external, external, `/admin/login`
Send message	saves message, toast, reset
Sign in	session, then `/admin`
Forgot password?	`/admin/forgot`
Back to blog	`/`
Sidebar links	`/admin`, `/admin#stories`, `/admin/media`, `/admin/themes`, `/admin/settings`, `/`, sign out then `/admin/login`
+ New story	`/admin/editor`
Dashboard View / Edit / Delete	public or preview page, `/admin/editor?id=`, confirm then delete
Editor Preview / Save draft / Publish	preview tab, save, publish and return to `/admin`

Element	Result
Toolbar buttons	apply the formatting described above
Swatches, Reading font	change the story theme and font immediately in a live preview
Upload images (media)	upload to Storage and list
Theme cards	set default theme
Save changes (settings)	persist settings

Data model (Supabase SQL)

Create this as a migration.

```
create table profiles (
  id uuid primary key references auth.users on delete cascade,
  role text not null default 'reader' check (role in ('reader','admin'))
);

create or replace function is_admin() returns boolean
language sql stable security definer as $$
  select exists (select 1 from profiles where id = auth.uid() and role =
'admin');
$$;

create table posts (
  id uuid primary key default gen_random_uuid(),
  title text not null,
  slug text not null unique,
  excerpt text,
  body_html text not null default '',
  body_json jsonb,
  category text not null default 'Essay' check (category in
('Essay','Story','Note')),
  tags text[] not null default '{}',
  status text not null default 'draft' check (status in
('draft','published','scheduled','unlisted')),
  featured boolean not null default false,
  theme text not null default 'sage' check (theme in
('sage','butter','lavender','peach','midnight')),
```

```
  reading_font text not null default 'serif' check (reading_font in
('serif','sans')),
  cover_url text,
  read_minutes int not null default 1,
  published_at timestamptz,
  created_at timestamptz not null default now(),
  updated_at timestamptz not null default now()
);
create index on posts (status, published_at desc);

create table media (
  id uuid primary key default gen_random_uuid(),
  path text not null,
  url text not null,
  created_at timestamptz not null default now()
);

create table subscribers (
  id uuid primary key default gen_random_uuid(),
  email text not null unique,
  created_at timestamptz not null default now()
);

create table messages (
  id uuid primary key default gen_random_uuid(),
  name text not null,
  email text not null,
  body text not null,
  created_at timestamptz not null default now()
);

create table settings (
  id int primary key default 1 check (id = 1),
  blog_name text default 'abhi.writes',
  tagline text default 'Slow thoughts for a fast internet.',
  author_name text default 'Abhi',
  contact_email text,
  bio text,
  currently text,
  writes_about text,
  github_url text, x_url text, linkedin_url text,
```

```
  portrait_url text,
  default_theme text default 'sage'
);
insert into settings (id) values (1) on conflict do nothing;
```

Row Level Security

Enable RLS on every table.

- `posts`: anyone may `select` rows where `status = 'published'` or (`status = 'scheduled'` and `published_at <= now()`); unlisted rows are readable only through a server-side lookup by slug. Admins (`is_admin()`) may do everything.
- `media`, `messages`, `subscribers`: admins may do everything. Anonymous users may only `insert` into `messages` and `subscribers` (through server actions with validation and a simple rate limit).
- `settings`: anyone may `select`; admins may `update`.
- `profiles`: users may read their own row; only the service role writes.
- Storage bucket `media`: public read, admin-only insert, update and delete.

Scheduled stories appear automatically through the `select` rule above, so no cron job is needed. Revalidate public pages on publish, update and delete.

Auth and security

- Email and password sign-in through Supabase. Sign-up is disabled. Create the first admin by running a seed SQL snippet that sets `profiles.role = 'admin'` for the owner's user id (document this in the README).
- Protect `/admin/*` in middleware and again inside every server action.
- Sanitise story HTML (for example with `sanitize-html` or DOMPurify on the server) before saving and before rendering.
- Validate all inputs with zod. Never expose the service-role key to the browser.
- Add basic rate limiting to the subscribe, contact and login actions.

Suggested folder structure

```
app/
  (site)/page.tsx, writing/page.tsx, writing/[slug]/page.tsx, about/,
subscribe/, contact/
  admin/(auth)/login/, forgot/, reset/
  admin/(panel)/page.tsx, editor/, media/, themes/, settings/, preview/[id]/
  rss.xml/route.ts, sitemap.ts, robots.ts, not-found.tsx
components/ (ui, site, admin)
lib/ (supabase/server.ts, supabase/client.ts, actions/, queries/, schemas/,
theme.ts)
supabase/migrations/0001_init.sql, seed.sql
middleware.ts
```

Quality requirements

- Fully responsive from 360px to wide desktop. Public pages and the admin both work on a phone.
- Accessible: real buttons and links, labels on every field, `aria-label` on icon-only buttons, 4.5:1 text contrast, visible focus, correct heading order, alt text for images (editable in the editor).
- Fast: server-render public pages with caching and on-demand revalidation, optimise images with `next/image`, load fonts with `next/font`.
- Loading and error states for every action (disabled button while saving, inline errors, toasts for success).
- Lighthouse scores of 90 or higher for performance, accessibility and SEO on the home and story pages.

Environment and deployment

Required variables: `NEXT_PUBLIC_SUPABASE_URL`, `NEXT_PUBLIC_SUPABASE_ANON_KEY`, `SUPABASE_SERVICE_ROLE_KEY` (server only), `NEXT_PUBLIC_SITE_URL`. Provide `.env.example`, a README with the setup steps (create the Supabase project, run the migration, create the storage bucket, create the first admin, deploy to Vercel, set the environment variables, add the Supabase redirect URLs for password reset), and a `seed.sql` with the sample stories below.

Build order

1. Project setup, design tokens, fonts, base components.
2. Database migration, RLS, storage bucket, Supabase clients.
3. Public pages with real queries and seed data.
4. Auth, middleware, login, forgot and reset.
5. Dashboard with search, delete and counts.
6. Editor with Tiptap, image upload, cover, theme, details, autosave, preview and publish.
7. Media library, page themes, settings, messages.
8. Subscribe and contact actions, RSS, sitemap, metadata, 404.
9. Accessibility and responsive pass, then deployment.

Acceptance checklist

The work is done only when all of these are true:

- Every item in the button table above does exactly what it says.
- A story written in the editor, with a cover, an inline image, a theme and a font, can be published and appears on the home page, the archive and its own page with the chosen theme colour.
- Drafts, unlisted and scheduled stories do not appear in public lists; unlisted ones open by direct link, scheduled ones appear once their time has passed.
- Anonymous visitors cannot read or change anything in the admin or in the database beyond what RLS allows.
- Deleting a story or an image removes it everywhere, including from storage.
- Subscribing and sending a contact message store rows that the owner can see.
- The site passes the quality requirements, builds without TypeScript or lint errors, and deploys on Vercel.

Sample seed content

Insert these so the site is not empty on first load (all three published, one draft):

- Essay, sage: "Why I stopped chasing perfect side projects", 6 min
- Story, butter: "The night the power went out", 9 min
- Note, lavender: "Notes on learning in public", 3 min

- Draft, essay, peach: "A draft about slow mornings"

Write two or three genuine, well-written paragraphs for each sample story. Leave the About bio, Currently and I write about fields empty in the seed so the owner fills them in from Settings, and make the About page show a friendly prompt to do so only when the owner is signed in.