Temp Campus: C/o IISER TVM,

Maruthamala P.O,

Vithura

Thiruvananthapuram-695551.

Kerala, India.

Tel:0471-2599144,2778019.



(An Autonomous Institute of the Government of India on PPP model)

Regd Office: Karoor, Valavoor P.O,

Kerala -686635, India

www.iiitkottayam.ac.in

GST No: 32AAAAI9154L1ZJ

Date: 10th July 2018

#### INVITATION TO TENDER

No: IIIT-K/PUR/0010/18-19 Due Date: 24th July 2018 [4PM]

Date of opening: 25th July 2018 [3 PM]

Dear Sirs.

## SUB: Supply of Gymnasium Equipment.

We invite Sealed Tenders for the following items:

S1 #:	Item/ Description
1.	Gymnasium Equipment [Specifications attached]

Please quote your lowest rate and shortest delivery period as per the following terms. Your offer in sealed cover <u>Superscribing Tender Number and Due Date</u> shall reach us on or before the due date and time. All communications & tenders should submit to Purchase & Stores, IISERTVM, Indoor Stadium, Vithura Campus [Tel:0471-2778019, Email: purchasestores@iisertvm.ac.in]. Please follow "Instruction to Tenderers" attached.

**EMD** 

: Rs. 18,000/- in the form of DD or B.G. to be submitted along

with the quote. Quote received without EMD will be

summarily rejected. [Tender No. and Company name should

be scribbled on the back side of DD/BG].

Payment

: Within 30 days after supply and installation/Net 30 days / LC.

No advance payment will be made by IISERTVM.

Delivery

To be delivered at **IIIT-Kottayam**, Valavoor P.O, Kottayam (Free delivery). If import, mention Ex-works/FCA/CIP terms

with clear breakup charges.

Taxes & Duties

: Indicate taxes and duties.

Discount

: Indicate, if any.

Delivery Schedule

: Required Immediately. Indicate your schedule

Validity of quote

: 60 days

Thanking you

Bidders may quote for any one or more or all items. Lowest bidder will be finalized according to item wise L1 for the quoted Gymnasium Equipments

Yours Faithfully

Officer-in-Charge Purchase & Stores Mentor-IISERTVM For IIIT-Kottayam

Please see the rear side for other Terms & Conditions

P.S. (1) CATALOGUE/LEAFLET FEATURING ALL TECHNICAL SPECS/INFORMATION OF THE PRODUCT QUOTED SHALL ACCOMPANY THE OFFER.

# IIIT KOTTAYAM

## INSTRUCTION TO TENDERERS [IMPORTS]:

- 1. PRICE: The price quoted shall be firm. The terms of FOB/EXW/FCA/CIF/CIP etc shall be clearly mentioned.
- 2. AGENT & AGENCY COMMISSION: In case Tenderer is represented by any agent in India, their name and address shall be furnished. The amount of commission included in the price shall be clearly shown in the offer; which will be paid directly to the Indian Agents by purchaser in equivalent Indian Rupees. Incase Indian agents existing and their agency commission is not shown in the Tender, reasons for the same shall be clearly mentioned in Tender. Details of Indian agent's statutory registration shall be stated. If Agency Commission is paid by Principals in foreign currency, the reasons for the same and exemption from Enforcement Directorate in India shall also be provided.
- 3. <u>Leaflet/Catalogue</u>: Tenderer should furnish all necessary leaflet/catalogue etc., of the stores offered by him to enable the Purchaser to evaluate his offer correctly.
- 4. Mode of Despatch: Tenderer shall indicate the mode of dispatch (i.e., Sea/Air-freight/Parcel Post, etc.) depending upon the normal mode of dispatch adopted by him for the type of stores offered for consideration of the Purchaser.
- 5. COUNTRY OF ORGIN: Tenderer shall indicate in his offer the country of origin of goods offered and the name and address of the manufacture.
- 6. INSURANCE: If insurance of the goods is felt necessary, the same shall be advised by the Tenderer in the offer.
- 7. <u>Delivery/Shipment</u>: The time for and date of delivery quoted shall be reasonable/realistic and shall strictly be adhered to incase of placing order on the Tenderer.
- 8. Mode and Terms of Payment: Payment in full (excluding the amount of Agency Commission included in the price payable directly by the Purchaser to the Indian Agents in Indian Rupees) will be made immediately on presentation of the prescribed documents against SIGHT DRAFT or LETTER OF CREDIT or WIRE TRANSFER against shipping documents. OURS BEING A GOVT OF INDIA EDUCATIONAL INSTITUTE WE ARE UNABLE TO MAKE ANY ADVANCE PAYMENT
- 9. WARRANTY: Period of warranty and conditions shall be clearly mentioned in the Tender.
- 10. GENERAL: The Tenderer shall also be complied with the following:
- a. Mention your Banker's name and address.
- b. Show approximate net and gross weight and dimensions of packages/ cases. If dimensional details are available the same should also be indicated in your offer.
- c. Furnish list of recommended spares for satisfactory operation for a minimum period of one year if the quote is for Plant & Machinery, Equipments etc.
- d. Details of any technical service, if required for erection assembly, commissioning and demonstration.
- e. Conform that the prices quoted are inclusive of all taxes, levies, duties arising in the tenderer's country.
- f. Samples, if called for, will be sent free of all charges.
- g. Late tenders and Delayed will not be considered.
- h. Offers made by Indian Agents on behalf of their Principals, should be supported by the Proforma Invoice of their Principals.
- i. The authority of person signing the tender, if called for, shall be produced.
- j. The purchaser reserves the right to accept or reject the lowest or any other offer in whole or in part without assessing any reason.
- 11. <u>Tender Opening:</u> All tenders will be opened at **Indoor Stadium, Vithura Campus**. Authorized representatives with authorization letters of the bidders may attend the Tender Opening.

## INSTRUCTION TO TENDERERS [INDIGENOUS]

- 1. Tenders should be sent in sealed envelopes superscribing the relevant tender no. and the due date of opening. Only one tender should be sent in each envelope.
- 2. Sales Tax and /or other duties/levies where legally levies and intended to be claimed should be distinctly shown separately in the tender.
- 3. (a). Your quotation should be valid for a minimum period of 90 days from the date of opening of the Tender. Quotation with firm prices will be preferred.
  - (b). Prices are required to be quoted according to the units indicated in the Invitation to Tender. When quotations are given in terms of units other than those specified in the tender form, relationship between the two sets of units must be furnished.
- 4. (a) Preference will be given to those tenders offering supplies from ready stocks. The basis of delivery is at IIIT-K,C/o IISER-TVM, GIFT Campus, Chavadimukku, Sreekariyam site free of cost.
  - (b) Our payment terms are within 30 days of receipt and acceptance of the item at our site.
- 5. (a) All available technical literature, catalogues and other data in support of the specifications and details of the items should be furnished along with the offer.
  - **Specifications:** Stores offered should strictly conform to our specifications. Deviations, if any should be clearly indicated by the tenderer in their quotation. The tenderer should also indicate the Make/Type number of the stores offered and provide catalogues, technical literature and samples, wherever necessary along with the quotations. Test Certificates wherever necessary should be forwarded along with supplies. Whenever specifically mentioned by us the tenderer could suggest changes to specifications with appropriate reasons for the same.
- 6. IIIT Kottayam shall be under no obligation to accept the lowest or any tender and reserves the right of acceptance of the whole or any part of the tender or portion of the quantity offered and the tenderers shall supply the same at the rates quoted.
- 7. Corrections, if any, in the Quotation must be attested. All amounts shall be indicated both in words as well as in figures. Where there is difference between amounts quoted in words and figures, amount quoted in words shall prevail. Quotation must have price for each line item and totaling of the price including taxes and duties should be clearly mentioned.
- 8. The tenderer should mention the name of his bankers, Sales Tax Registration, PAN number etc in the tender.
- 2. The authority of the person signing the tender, if called for, should be produced.
- 10. The stores supplied should be covered with minimum of 1 year warranty from the date of supply, installation and commissioning.
- 11. Earnest Money Deposit/ Bid Security should be submitted alongwith your quote as mentioned in Invitation for Tender. EMD should be in favour of IIIT Kottayam valid for 90 days

(i) FLAT BENCH (OLYMPIC) - (160(L) CM x 150 (W) CM x 120 (H) CM (ii) INCLINE BENCH (OLYMPIC) - 170(L) CM x 150 (W) CM x 140 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 170(L) CM x 150 (W) CM x 140 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 100 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 130 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 130 (H) CM (iii) DECLINE CM x 150 (W) CM X 130 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM (iii) DECLIN		DESCRIPTION	QTY
(i) FLAT BENCH (OLYMPIC) - (160(L) CM x 150 (W) CM x 120 (H) CM (ii) INCLINE BENCH (OLYMPIC) - 170(L) CM x 150 (W) CM x 140 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 170(L) CM x 150 (W) CM x 140 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 100 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 190 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 130 (H) CM (iii) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 130 (H) CM (iii) DECLINE CM x 150 (W) CM X 130 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM (iii) DECLINE CM x 150 (W) CM X 150 (H) CM (iii) DECLINE CM x 150 (W) CM (iii) DECLIN	01	BENCH PRESS	
(ii) INCLINE BENCH (OLYMPIC) - 170(L) CM × 150 (W) CM × 140 (H) CM (III) DECLINE BENCH (OLYMPIC) - 160(L) CM × 150 (W) CM × 100 (H) CM (III) DECLINE BENCH (OLYMPIC) - 160(L) CM × 150 (W) CM × 100 (H) CM (III) DECLINE BENCH (OLYMPIC) - 160(L) CM × 150 (W) CM × 190 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 130 (H) CM (III) CM × 150 (W) CM × 130 (H) CM (III) CM × 150 (W) CM × 130 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 150 (W) CM × 150 (H) CM (III) CM × 150 (W) CM × 1		Control of the Contro	01
(III) DECLINE BENCH (OLYMPIC) - 160(L) CM x 150 (W) CM x 100 (H) CM  01  02 PECELY / REAR DELT - 120(L) CM x 150 (W) CM x 190 (H) CM  03 INCLINE CHEST - 140 (L) CM x 150 (W) CM x 150 (H) CM  04 LAT PULL DOWN - 150 (L) CM X 100 (W) CM X 220 (H) CM  05 MID- ROW (INDEPENDENT)-190(L) X 150(W) CM X 130(H) CM  06 HYPER / BACK EXTENSION - 100(L) CM X 70(W) CM X 150(H) CM  07 SEATER SHOULDER PRESS - 150(L) CM X 150(W) CM X 150(H) CM  08 BICEP CURL / PREACHER CURL - 120 (L) CM X 90(W) CM X 150(H) CM  09 WRIST CURL - 50(L) CM X 70 (W) CM X 100 (W) CM X 150(H) CM  10 LEG CURL / LEG EXTENSION - 180 (L) X 100 (W) X 130 (H) CM  11 LEG PRESS / HACK SQUAT - 240 (L) CM X 100 (W) CM X 140 (H) CM  12 CABLE CORSS OVER (ADJUSTABLE) - 100 (L) CM X 400 (W) CM X 220 (H) CM  13 SUPER BENCH (ADJUSTABLE) - 100 (L) X 80 (W) CM  14 WEIGHT RACK ( 4 LAYERS) - 60 (L) CM X 55 (W) CM X 120 (H) CM  15 DUMBELL RACK (TWIN TIER)  16 ABDOMINAL BENCH - 130 (L) CM X 100 (W) CM X 150 (H) CM  17 EZ BAR (04 FT EACH)  18 STARIGHT BAR (04 FT EACH)  19 OUMBELL (RUBBER COATED)  10 (I) 2.5 KGS  10 (II) 7.5 KGS  10 (II) 10 KGS  10 (IV) 12.5 KGS  10 (III) 10 KGS  10 (IV) 12.5 KGS			41
DECEPT   REAR DELT - 120(L) CM x 150 (W) CM x 190 (H) CM			
LAT PULL DOWN - 150 (L) CM X 100 (W) CM X 220 (H) CM	02		
MID-ROW (INDEPENDENT)-190(L) X 150(W) CM X 130(H) CM  O1  HYPER / BACK EXTENSION -100(L) CM X 70(W) CM X 100(H) CM  O1  SEATER SHOULDER PRESS -150(L) CM X 150(W) CM X 150(H) CM  O1  BICEP CURL / PREACHER CURL -120 (L) CM X 90(W) CM X 150(H) CM  O1  UEG CURL / LEG EXTENSION - 180 (L) X 100 (W) X 130 (H) CM  O1  LEG CURL / LEG EXTENSION - 180 (L) X 100 (W) X 130 (H) CM  O1  LEG PRESS / HACK SQUAT - 240 (L) CM X 100 (W) CM X 140 (H) CM  O1  SUPER BENCH (ADJUSTABLE) - 100 (L) CM X 400 (W) CM X 220 (H) CM  WEIGHT RACK (4 LAYERS) - 60 (L) CM X 55 (W) CM X 120 (H) CM  O1  DUMBELL RACK (TWIN TIER)  ABDOMINAL BENCH - 130 (L) CM X 100 (W) CM X 150 (H) CM  O1  EZ BAR (04 FT EACH)  O3  STRAIGHT BAR (04 FT EACH)  O3  STRAIGHT BAR (04 FT EACH)  O3  DUMBELL (RUBBER COATED)  (I) 2.5 KGS  (II) 05 KGS  (IV) 10 KGS  (V) 12.5 KGS  (V) 15 KGS  (III) 10 KGS  (V) 15 KGS  (III) 10 KGS  (V) 15 KGS  (III) 10 KGS  (V) 15 KGS  (V) 1	03	INCLINE CHEST - 140 (L) CM x 150 (W) CM x 150 (H) CM	01
HYPER / BACK EXTENSION -100(L) CM X 70(W) CM X 100(H) CM	04	LAT PULL DOWN - 150 (L) CM X 100 (W) CM X 220 (H) CM	01
SEATER SHOULDER PRESS - 150(L) CM X 150(W) CM X 150(H) CM	05	MID- ROW (INDEPENDENT)-190(L) X 150(W) CM X 130(H) CM	01
BICEP CURL / PREACHER CURL -120 (L) CM X 90(W) CM X 150(H) CM	06	HYPER / BACK EXTENSION -100(L) CM X 70(W) CM X 100(H) CM	01
WRIST CURL - 50(L) CM X 70 (W) CM X 100 (H) CM	07.	SEATER SHOULDER PRESS -150(L) CM X 150(W) CM X 150(H) CM	01
LEG CURL / LEG EXTENSION — 180 (L) X 100 (W) X 130 (H) CM  1 LEG PRESS / HACK SQUAT — 240 (L) CM X 100 (W) CM X 140 (H) CM  2 CABLE CORSS OVER (ADJUSTABLE) — 100 (L) CM X 400 (W) CM X 220 (H) CM  3 SUPER BENCH (ADJUSTABLE) — 100 (L) X 80 (W) CM  4 WEIGHT RACK ( 4 LAYERS) — 60 (L) CM X 55 (W) CM X 120 (H) CM  5 DUMBELL RACK (TWIN TIER)  6 ABDOMINAL BENCH — 130 (L) CM X 100 (W) CM X 150 (H) CM  7 EZ BAR (04 FT EACH)  8 STARIGHT BAR (04 FT EACH)  9 STRAIGHT BAR (06 FT EACH)  10 DUMBELL (RUBBER COATED)  (I) 2.5 KGS  (II) 05 KGS  (IV) 10 KGS  (V) 12.5 KGS  (V) 15 KGS  (VI) 15 KGS  (VI) 15 KGS  (VI) 10 KGS  (VI) 10 KGS  (VI) 10 KGS  (VI) 10 KGS  (VI) 12.5 KGS  (VI) 15 KGS	08	BICEP CURL / PREACHER CURL -120 (L) CM X 90(W) CM X 150(H) CM	01
LEG PRESS / HACK SQUAT - 240 (L) CM X 100 (W) CM X 140 (H) CM	09	WRIST CURL – 50(L) CM X 70 (W) CM X 100 (H) CM	01
2 CABLE CORSS OVER (ADJUSTABLE) — 100 (L) CM X 400 (W) CM X 220 (H) CM 3 SUPER BENCH (ADJUSTABLE) — 100 (L) X 80 (W) CM 4 WEIGHT RACK ( 4 LAYERS) — 60 (L) CM X 55 (W) CM X 120 (H) CM 5 DUMBELL RACK (TWIN TIER) 6 ABDOMINAL BENCH — 130 (L) CM X 100 (W) CM X 150 (H) CM 7 EZ BAR (04 FT EACH) 8 STARIGHT BAR (04 FT EACH) 9 STRAIGHT BAR ( 06 FT EACH) 10 DUMBELL (RUBBER COATED) (I) 2.5 KGS (II) 05 KGS (IV) 10 KGS (IV) 10 KGS (V) 12.5 KGS (V) 15 KGS (V) 15 KGS (III) 05 KGS (III) 05 KGS (V) 15 KGS	lu -	LEG CURL / LEG EXTENSION – 180 (L) X 100 (W) X 130 (H) CM	01
SUPER BENCH (ADJUSTABLE) – 100 (L) X 80 (W) CM  WEIGHT RACK ( 4 LAYERS) – 60 (L) CM X 55 (W) CM X 120 (H) CM  DUMBELL RACK (TWIN TIER)  6 ABDOMINAL BENCH – 130 (L) CM X 100 (W) CM X 150 (H) CM  7 EZ BAR (04 FT EACH)  03  STRAIGHT BAR (04 FT EACH)  03  STRAIGHT BAR (06 FT EACH)  04  (I) 2.5 KGS  (II) 05 KGS  (IV) 10 KGS  (V) 15 KGS  (III) 05 KGS  (IV) 10 KGS  (V) 12.5 KGS  (V) 15 KGS	1	LEG PRESS / HACK SQUAT - 240 (L) CM X 100 (W) CM X 140 (H) CM	01
WEIGHT RACK ( 4 LAYERS) – 60 (L) CM X 55 (W) CM X 120 (H) CM  DUMBELL RACK (TWIN TIER)  ABDOMINAL BENCH – 130 (L) CM X 100 (W) CM X 150 (H) CM  EZ BAR (04 FT EACH)  STARIGHT BAR (04 FT EACH)  DUMBELL (RUBBER COATED)  (I) 2.5 KGS  (II) 05 KGS  (IV) 10 KGS  (V) 12.5 KGS  (V) 15 KGS  (III) 05 KGS  (III) 05 KGS  (III) 05 KGS  (III) 05 KGS  (IV) 10 KGS  (V) 15 KGS	2	CABLE CORSS OVER (ADJUSTABLE) – 100 (L) CM X 400 (W) CM X 220 (H) CM	01
DUMBELL RACK (TWIN TIER)  6 ABDOMINAL BENCH – 130 (L) CM X 100 (W) CM X 150 (H) CM  7 EZ BAR (04 FT EACH)  8 STARIGHT BAR (04 FT EACH)  9 DUMBELL (RUBBER COATED)  (I) 2.5 KGS  (II) 05 KGS  (III) 7.5 KGS  (IV) 10 KGS  (V) 12.5 KGS  (V) 15 KGS  (III) 05 KGS  (III) 10 KGS  (III) 10 KGS  (III) 10 KGS  (IV) 12.5 KGS  (IV) 12.5 KGS  (IV) 12.5 KGS  (IV) 15 KGS	3	SUPER BENCH (ADJUSTABLE) – 100 (L) X 80 (W) CM	. 02
ABDOMINAL BENCH — 130 (L) CM X 100 (W) CM X 150 (H) CM  EZ BAR (04 FT EACH)  B STARIGHT BAR (04 FT EACH)  O3  DUMBELL (RUBBER COATED)  (I) 2.5 KGS  (II) 05 KGS  (IV) 10 KGS  (V) 12.5 KGS  (V) 15 KGS  (III) 05 KGS  (III) 05 KGS  (IV) 10 KGS  (V) 15 KGS  (V) 15 KGS  (IV) 10 KGS  (V) 15 KGS  (IV) 10 KGS  (V) 15 KGS  (V) 17 KGS  (V) 18 KGS  (V)	4	WEIGHT RACK ( 4 LAYERS) – 60 (L) CM X 55 (W) CM X 120 (H) CM	01
7 EZ BAR (04 FT EACH) 03  8 STARIGHT BAR (04 FT EACH) 03  9 STRAIGHT BAR ( 06 FT EACH) 03  10 DUMBELL (RUBBER COATED) (1) 2.5 KGS 06 (11) 05 KGS 06 (11) 7.5 KGS 04 (1V) 10 KGS 04 (1V) 12.5 KGS 04 (1V) 15 KGS 04 (1V) 15 KGS 104 (1V) 15 KGS 104 (1V) 15 KGS 105 (1V) 15 KGS 106 (1V) 15 KGS 106 (1V) 15 KGS 106 (1V) 15 KGS 107 (1V) 15 KGS	5	DUMBELL RACK (TWIN TIER)	01
STARIGHT BAR (04 FT EACH)  DUMBELL (RUBBER COATED)  (I) 2.5 KGS  (II) 05 KGS  (III) 7.5 KGS  (IV) 10 KGS  (V) 12.5 KGS  (V) 15 KGS  (III) 05 KGS  (III) 05 KGS  (IV) 10 KGS  (IV) 11 KGS  (	6	ABDOMINAL BENCH – 130 (L) CM X 100 (W) CM X 150 (H) CM	01
DUMBELL (RUBBER COATED) (I) 2.5 KGS (II) 05 KGS (III) 7.5 KGS (IV) 10 KGS (V) 12.5 KGS (V) 15 KGS (IV) 15 KGS (IV) 10 KGS (V) 15 KGS (V) 17 KGS (V) 17 KGS (V) 18 KGS (V) 19 KGS (V) 15 KGS	7 .	EZ BAR (04 FT EACH)	03
DUMBELL (RUBBER COATED) (I) 2.5 KGS	8	STARIGHT BAR (04 FT EACH)	03
(I) 2.5 KGS 06 (II) 05 KGS 06 (III) 7.5 KGS 04 (IV) 10 KGS 04 (V) 12.5 KGS 04 (V) 15 KGS 04  WEIGHT PLATES (RUBBER COATED) (I) 2.5 KGS 10 (II) 05 KGS 10 (III) 10 KGS 08 (IV) 12.5 KGS 06 (V) 15 KGS 07  TREAD MILL (SPECIFICATION ATTACHED) 01	9	STRAIGHT BAR ( 06 FT EACH)	03
(II) 05 KGS 06 (III) 7.5 KGS 04 (IV) 10 KGS 04 (V) 12.5 KGS 04 (V) 15 KGS 04  WEIGHT PLATES (RUBBER COATED) (I) 2.5 KGS 10 (II) 05 KGS 10 (III) 10 KGS 08 (IV) 12.5 KGS 06 (V) 15 KGS 06  TREAD MILL (SPECIFICATION ATTACHED) 01	0	A STATE OF THE PROPERTY OF THE	00
(III) 7.5 KGS 04 (IV) 10 KGS 04 (V) 12.5 KGS 04 (V) 15 KGS 04  WEIGHT PLATES (RUBBER COATED) (I) 2.5 KGS 10 (II) 05 KGS 10 (III) 10 KGS 08 (IV) 12.5 KGS 06 (IV) 15 KGS 06 (IV) 15 KGS 01			33444500
(IV) 10 KGS 04 (V) 12.5 KGS 04 (V) 15 KGS 04  WEIGHT PLATES (RUBBER COATED) (I) 2.5 KGS 10 (II) 05 KGS 10 (III) 10 KGS 08 (IV) 12.5 KGS 06 (V) 15 KGS 06  TREAD MILL (SPECIFICATION ATTACHED) 01		West-Process Control (Control Control	
(V) 12.5 KGS 04  WEIGHT PLATES (RUBBER COATED)  (I) 2.5 KGS 10  (II) 05 KGS 10  (III) 10 KGS 08  (IV) 12.5 KGS 06  (V) 15 KGS 04  TREAD MILL (SPECIFICATION ATTACHED) 01	-		
(V) 15 KGS       04         WEIGHT PLATES (RUBBER COATED)       10         (I) 2.5 KGS       10         (II) 05 KGS       10         (III) 10 KGS       08         (IV) 12.5 KGS       06         (V) 15 KGS       04         TREAD MILL (SPECIFICATION ATTACHED)       01			
WEIGHT PLATES (RUBBER COATED) (I) 2.5 KGS 10 (II) 05 KGS 10 (III) 10 KGS 08 (IV) 12.5 KGS 06 (V) 15 KGS 04 TREAD MILL (SPECIFICATION ATTACHED) 01			F 544, 5
(I) 2.5 KGS 10 (II) 05 KGS 10 (III) 10 KGS 08 (IV) 12.5 KGS 06 (V) 15 KGS 04  TREAD MILL (SPECIFICATION ATTACHED) 01			04
(II) 05 KGS 10 (III) 10 KGS 08 (IV) 12.5 KGS 06 (V) 15 KGS 04 TREAD MILL (SPECIFICATION ATTACHED) 01			10
(III) 10 KGS 08 (IV) 12.5 KGS 06 (V) 15 KGS 04  TREAD MILL (SPECIFICATION ATTACHED) 01			The second second
(IV) 12.5 KGS 06 (V) 15 KGS 04  TREAD MILL (SPECIFICATION ATTACHED) 01		• A • Second Second	1
(V) 15 KGS 04 TREAD MILL (SPECIFICATION ATTACHED) 01		Total Control of the	
TREAD MILL (SPECIFICATION ATTACHED) 01			
	$\dashv$		
		ELLIPTICAL CROSS TRAINER (SPECIFICATION ATTACHED)	01

SPINNING BIKE (SPECIFICATION ATTACHED)

24

10 10 1M

01

III T- Koltayana. 1117 140 T. TAMAN

100 my

Items with following specifications needed to set up a Gymnasium at the Part A. It has two parts: Part A and Part B. Vendors are requested to give the price bids separately for Part A & Part B. From Item 1 to 16, all the dimensions should be given in centimeter (cm).

Part-A (Strength Equipments)

- 1. Bench Press
- Flat Bench (Olympic) [160(L) cm x 150(W) cm x 120(H) cm] or more
- Incline Bench (Olympic) [170(L) cm x 150(W) cm x 140(H) cm] or more ii.
- Decline Bench (Olympic) [160(L) cm x 150(W) cm x 100(H) cm] or more iii.
- Pecfly/Rear Delt [120(L) cm x 150(W) cm x 190(H) cm] or better
- Incline Chest [140(L) cm x 150(W) cm x 150(H) cm] or better
- 4. Lat Pulldown [150(L) cm x 100(W) cm x 220(H) cm] or more
- 5. Mid-Row (Independent) [190(L) cm x 150(W) cm x 130(H) cm] or more
- 6. Hyper/Back Extension [100(L) cm x 70(W) cm x 100(H) cm] or more
- 7. Seated Shoulder Press [150(L) cm x 150(W) cm x 150(H) cm] or more
- 8. Bicep Curl (or, Preacher Curl) [120(L) cm  $\times$  90(W) cm  $\times$  150(H) cm] or more
- 9. Wrist Curl [50(L) cm x 70(W) cm x 100(H) cm] or more
- 10. Leg Curl/Leg Extension [180(L) cm x 100(W) cm x 130(H) cm] or more
- 11. Leg Press/Hack Squat [240(L) cm x 100(W) cm x 140(H) cm] or more
- 12. Cable Crossover (Adjustable) [100(L) cm x 400(W) cm x 220(H) cm] or more
- 13. Two numbers of super Bench (Adjustable) [100(L) cm x 80(W) cm] or more
- 14. Weight Rack (4 layers) [60(L) cm x 55(W) cm x 120(H) cm] or more
- 15. Dumbbell Rack (Twin Tier)
- 16. Abdominal Bench [130(L) cm x 100(W) cm x 150(H) cm] or more
- 17. EZ Bar (4 ft each) (3 nos)
- 18. Straight Bar (4 ft each) (3 nos)
- 19. Straight Bar (6 ft each) (3 nos) (This is for bench presses, Item No. A1)
- 20. Dumbells (Rubber Coated)
- a. 2.5 kg (6 pieces)
- b. 5 kg (6 pieces)
- c. 7.5 kg (4 pieces)
- d. 10 kg (4 pieces)

- e. 12.5 kg (4 pieces)
- f. 15 kg (4 pieces)
- 21. Weight Plates (Rubber Coated)
- 1. 2.5 kg (10 plates)
- 2. 5 kg (10 plates)
- 3. 10 kg (8 plates)
- 4. 15 kg (6 plates)
- 5. 20 kg (4 plates)

## Part B (Cardio Equipments)

## 1. Treadmill

- (i) AC Drive System with motor power 5 HP or more and superior cooling mechanism for internal components
- (ii) Running Surface : 50 (W) cm x 150 (L) cm or more
- (iii) Speed Range: 0.8 to 20km/hr or higher
- (iv) Running belt should have extra smooth cushioned lubricant or non-lubricant provision
- (v) Program: Pre Set program manual program and test and measurement etc
- (vi) Elevation: motorized system offering elevation from 0-15% and above with graded elevation for 0.5 to 1.0%
- (vii) Display Console: Display window (Time, distance and speed, calories, pulse rate and elevation ,MET)
- (viii) Safety Keys: Safety keys stop system
- (ix) User Weight: 150 kg or more
- (x) Proper Electrical Safety feature
- (xi) Hand Sensor
- (xii) Proper hand rails with soft grips with proper calibration
- (xiii) Chest Belt Compatibility
- (xiv) Programs: 6 or more

## 2. Elliptical Cross Trainer

- (i) It should be having excellent smoothness for workout
- (ii) 9 preset Programs Body Fat & resistance (Target, Rolling, Valley, Fat Burn, Ramp, Strength, interval, Random, Fitness Test, 4HRC) or more
- (iii) It should have LCD display for time, speed, distance, RPM, load etc
- (iv) Option for a bottle holder
- (v) Foot pedal dimension 40(L) cmx17(W) cm or more
- (vi) Wheels on the front side for transportation
- (vii) User weight: 150 kg or more

# 3. Spinning Bike

(i) User weight capacity: 150 Kg or more

12 TOTAMY

- Resistance level: Variable linear increase (ii)
- (iii) It should have rubber coated handbars
- Micro-adjustable fore and aft seat slider, dual-sided SPD pedal, bottle holder, one (iv) motion emergency stop, and durable (v)
- Transport wheel for easy movement

# General Terms and Conditions (applies for both Part A & Part B):

- 1. Warrantee and free service for 1 year and extended warrantee and service for 3 more years
- 2. As a part of the bid, vendors are requested to submit installation certificates from at least two national level institutions where they have supplied and installed their equipments