

Functions in java script

1. Which keyword is used to declare a function in JavaScript? (B)
A) define B) function C) fun D) def
2. What is the correct syntax of a function declaration? (B)
A) function = myFunc() {} B) function myFunc() {} C) function: myFunc() {} D) myFunc()
function {}
3. Which of the following correctly calls a declared function named `greet`? (B)
A) call greet B) greet() C) call(greet) D) invoke greet
4. A function declared using the `function` keyword is also known as (A)
A) Function Declaration B) Anonymous Function C) Arrow Function D) IIFE
5. What is the main difference between function declaration and function expression?
A) Function expression can be hoisted B) Function declaration can be hoisted C) Both are hoisted D) None are hoisted
6. What is a correct example of an anonymous function? (B)
A) function greet(){} B) var greet = function(){} C) function = greet(){} D) function greet = (){}
7. How do you execute a function expression stored in a variable `sayHi`? (B)
A) execute sayHi B) sayHi() C) call sayHi() D) invoke sayHi
8. Which of the following will throw an error?
A) greet() before declaration using `function greet(){} ` B) greet() before declaration using `var greet = function(){} ` C) greet() after declaration using any method D) All work fine
9. What is the output of the following?
sayHello();
var sayHello = function(){ console.log('Hello'); } A) 'Hello' B) ReferenceError C) TypeError D) Undefined
10. Arrow functions were introduced in which ECMAScript version?
A) ES5 B) ES6 C) ES7 D) ES8
11. Which of the following is a valid arrow function?

A) `()=>console.log('Hi')` B) `function()=>{}` C) `()=>{return console.log('Hi')}` D) Both A and C

12. Arrow functions are also known as:

A) Compact Functions B) Anonymous Functions C) Arrow Syntax Functions D) Short Functions

13. Arrow functions automatically return the value when:

A) Used with curly braces B) Used without curly braces C) Declared with `var` D) Declared as

named functions

14. Find the output:

```
let add = (a,b)=>a+b;
```

`console.log(add(2,3));` A) 23 B) 5 C) undefined D) Error

15. Which of the following is not true about arrow functions?

A) They have their own `this` context B) They are anonymous by default C) They can be assigned to variables D) They can be one-liners

16. What is the correct syntax for an IIFE (Immediately Invoked Function Expression)?

A) `function(){}();` B) `(function(){})( );` C) `((function{})());` D) `(){}function();`

17. Why do developers use IIFE?

A) To create private scope B) To hoist variables C) To declare global variables D) To delay execution

18. Find the output:

```
(function(){ console.log('IIFE runs!'); }());
```

A) Nothing happens B) Error C) Prints 'IIFE runs!' D) Undefined

19. Which one executes immediately after defining?

A) Declared Function B) Function Expression C) Arrow Function D) IIFE

20. What is the main characteristic of an anonymous function?

A) Has no parameters B) Has no name C) Cannot return values D) Cannot be executed

21. Which of the following correctly defines and calls an IIFE arrow function?

A) `()=>{console.log('Hi')}}();` B) `()=>{console.log('Hi')}}();` C) `()=>console.log('Hi'); D)`
`()=>console.log('Hi');()`

22. What is the output?

`(function(a,b){ console.log(a*b); })(2,3);` A) 6 B) 5 C) undefined D) Error

23. What happens if you call a function without parentheses?

A) It executes automatically B) Returns the function reference C) Throws syntax error D)
Returns undefined

24. Which of the following defines a single-line arrow function returning 'Hello'?

A) `()=> 'Hello'` B) `()=>{return 'Hello'}` C) `()=>console.log('Hello')` D) Both A and B

25. Which function type allows hoisting?

A) Function Declaration B) Function Expression C) Arrow Function D) None

26. Which of the following is true about IIFE?

A) It runs when called B) It runs automatically once defined C) It cannot take arguments D) It
must have a name

27. What will be printed?

`(function(){ var x = 10; })();`
`console.log(x);` A) 10 B) undefined C) ReferenceError D) null

28. Arrow functions cannot be used as:

A) Callbacks B) Constructors C) Anonymous functions D) Return values

29. Which of the following best defines a function expression?

A) `function test(){} B) let test = function(){} C) test() function{} D) let function = test(){}`

30. Find the output:

`let greet = ()=>{return 'Hi'};`
`console.log(typeof greet);` A) string B) object C) function D) undefined