

NAME- Abhigyan Ghoshal

```
import pandas as pd
import matplotlib.pyplot as plt
from matplotlib import rcParams
import seaborn as sns

df=pd.read_csv('/content/House Price India.csv')
df
```

	id	Date	number_of_bedrooms	number_of_bathrooms	living_area	lot_area	number_of_floors	waterfront_prese
0	6762810145	42491	5	2.50	3650	9050	2.0	
1	6762810635	42491	4	2.50	2920	4000	1.5	
2	6762810998	42491	5	2.75	2910	9480	1.5	
3	6762812605	42491	4	2.50	3310	42998	2.0	
4	6762812919	42491	3	2.00	2710	4500	1.5	
...
14615	6762830250	42734	2	1.50	1556	20000	1.0	
14616	6762830339	42734	3	2.00	1680	7000	1.5	
14617	6762830618	42734	2	1.00	1070	6120	1.0	
14618	6762830709	42734	4	1.00	1030	6621	1.0	
14619	6762831463	42734	3	1.00	900	4770	1.0	

14620 rows x 23 columns

Univariate Analysis

```
sns.distplot(df.living_area)
```


<ipython-input-3-2fe1fc3439c6>:1: UserWarning:

`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>


```
sns.distplot(df.living_area) <Axes:
xlabel='living_area', ylabel='Density'>
```



Bi-Variate Analysis


```
sns.jointplot(x='living_area',y='Price',data=df)
```


<seaborn.axisgrid.JointGrid at 0x7f81830acc40>



Multivariate Analysis

▼ `sns.pairplot(df)`



 0s completed at 12:24 PM

