


Mobile IDE / Agent App — Wireframe Documentation

Compiled from handwritten notes (pages 1-4) — full-screen layouts with consistent app chrome

1. Main / Search & Agent Chat Screen




Documentation

- Full-screen layout. Header row contains: **hamburger** (opens the slide-in menu — see Screens 4 & 5), the **Search Bar**, and **Close / Stop** controls at top-right (Stop halts an in-progress agent action).
- **Ctrl+A** performs "select all" within search results.
- Below the search bar is a **File search / grep** mode toggle.
- Search results render in a GitHub-like file list view, supporting .cpp file display. Long-press makes entries selectable, and a selection range can be defined.
- Below results is a **Cursor responses** panel — the main flexible area showing AI/agent responses tied to cursor context, with a vertical scroll indicator on the right edge.
- A message input box ("Type message") with a send icon (➤) is pinned above the bottom navigation — this is the agent chat input.
- Bottom navigation has three full-width tabs: **Projects, Terminals, Remote** (consistent across all screens).
- **Behavior — Project tab, when searching:** the agent window collapses to just the message window; the "other" (search/results) area takes ~60% of viewport height (vh).
- **Behavior — when referencing files:** when the user is in the file-select section (including doing a full file select on top), the agent panel takes ~60% and only the search bar stays visible at top.
- The @ file-reference selector still works inside agent chat (distinct from the cursor-select-vs-reference

mechanism described above).


2. Terminals Tab




Documentation

- Same header chrome: **☰ hamburger** top-left, "Terminals" title.
- Main pane is a live terminal output area showing a command prompt (C:/ --->), demonstrated with echo "I'm the best".
- Below the output is a **Selected Terminal** bar with a **+** (new terminal) and **🗑** (delete terminal) action.
- A scrollable **terminal list** appears below the selected-terminal bar, allowing switching between multiple open terminal sessions.
- Bottom navigation: **Projects | Terminals (active) | Remote**.
- **SSH behavior:** terminals support SSH, with VS-Code-like add/delete (**+** / **🗑**) controls for managing connections. After establishing an SSH session, the terminal automatically navigates (**cd**) into the current project directory.

3. Remote Tab — Screen + Controls (Trackpad tab vs Keyboard tab)







Documentation

- Same header chrome:  **hamburger** top-left, "Remote" title.
- Body splits roughly: **top ~50%** = "Screen with pointer" (the remote desktop/device view, live cursor shown over it), **bottom ~50%** = Controls.
- **Controls area has two sub-tabs at its bottom edge:** **Trackpad** and **Keyboard**. Only one is shown at a time, swapping the content of the controls panel above the tabs:
 - **Trackpad tab (left wireframe):** shows the Trackpad area plus **Left** / **Right** click buttons.
 - **Keyboard tab (right wireframe, per original reference):** shows the three special-key categories and their buttons:
 - **Fn** — special keyboard keys; Fn acts as a shift/modifier layer, etc.
 - **\$#** — special characters
 - **123** — number row
 Alongside the three key buttons are three actions: **x**, **+**, **✓**.
- **Input trigger flow:** in either tab, interactions are staged (typed/clicked/composed). **x** cancels the staged input without sending. **+** adds/builds up the staged key combination (e.g. composing a modifier + key combo). Pressing **✓ (tick)** sends the composed input as actual keystroke/input events to the remote session.
- Same bottom nav: **Projects | Terminals | Remote (active)**.

4. Hamburger Menu — Workspace Panel (FTP Navigator)







Documentation

- This is the full-screen panel opened by the **☰ hamburger** from any screen — it overlays/replaces the main view. Two top tabs: **Workspace** (active here) and **Git** (Screen 5).
- **✕** (close) button top-right closes the panel and returns to the previous screen. A small "git graph" indicator sits near the top-right corner as a quick-access shortcut into the Git tab's commit graph.
- **Current workspace ▼** — dropdown selector to switch between workspaces.
- Below the selector: a list of recent/pinned workspace items.
- **FTP Navigator** — main scrollable area showing the remote file/folder tree for the connected FTP/remote target.
- Bottom action row:
 - **FTP Path** — input field showing/editing the current remote path.
 - **Select** — choose/confirm the FTP path.
 - **+ New folder** — create folder at current FTP path.
 - **+ New file** — create file at current FTP path.
- Bottom nav (Projects | Terminals | Remote) remains visible/consistent even while this panel is open.

5. Hamburger Menu — Git Tab





Documentation

- Same full-screen hamburger panel as Screen 4, with the **Git** tab active (Workspace | **Git**).
- **Commit message input** (with ↵ shortcut) next to a ✓ **Commit** button.
- Quick git actions accessible from this view: `add`, `stash`, `discard`, `commit`, `sync`.
- **Changed files** — scrollable list of modified files, each with a + ↵ action (stage file).
- **Command input** field (rounded, with ↵ to execute) — allows running raw git commands.
- **Branch dropdown** ("Branch ▼") on the left and a **Select** button on the right; pressing Select on a chosen branch triggers a branch switch.
- **Commit history** — scrollable git log/graph (e.g., "some commit" + further entries).
- Same `x` close button top-right returns to the previous main screen; bottom nav remains consistent.