



 1 Vulnerability name	HTML Injection - Reflected (GET)
 2 severity level	low
 3 CVSS Score	3.5 (low)
 4 Discription	A Reflected HTML Injection vulnerability was identified in the HTML Injection - Reflected (GET) functionality of the bWAPP application. The application attempts to prevent HTML injection by filtering special characters such as angle brackets (< and >). However, the implemented protection can be bypassed by URL-encoding the malicious payload before submission. The application decodes the supplied input and renders it within the browser without proper output encoding, resulting in successful execution of arbitrary HTML content.
 5 Affected Function / Parameter	Login page , first name and last name
 6 Vulnerability Discovery Methodology	Reconnaissance The HTML Injection - Reflected (GET) functionality was identified as a potential attack surface due to direct reflection of user-supplied input. Input Validation Testing The following payload was initially submitted: <h1>Hello</h1> The application attempted to block the payload by filtering HTML-specific characters. Filter Bypass Testing The payload was converted into URL-encoded format: %3Ch1%3EHello%3C%2Fh1%3E The encoded payload was then submitted through the vulnerable parameter.
 7 Tools Used	• Burpsuite • cybechef
 8 Payloads used	<pre><h1>hello</h1> %3Ch1%3Ehello%3C/h1%3E</pre>
 9 Steps to Reproduce	Step 1 Navigate to: HTML Injection - Reflected (GET) Step 2 Enter the following payload: <h1>Hello</h1> Step 3 Observe that the application blocks or filters the HTML tags. Step 4 Convert the payload to URL-encoded format:

	%3Ch1%3EHello%3C%2Fh1%3E Step 5 Submit the encoded payload through the vulnerable parameter. Step 6 Observe that the payload is decoded and rendered by the browser. Step 7 The text "Hello" is displayed as an H1 heading, confirming successful HTML Injection.
--	--

 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
	<pre>GET /bWAPP/htmli_get.php?firstname=hello &lastname=%253Ch1%253Ehello%253 C%2Fh1%253E&form=submit HTTP/1.1 Host: 127.0.0.1 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:142.0) Gecko/20100101 Firefox/142.0 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 Accept-Language: en-US,en;q=0.5 Accept-Encoding: gzip, deflate, br Connection: keep-alive Referer: http://127.0.0.1/bWAPP/htmli_get.php Cookie: security_level=1; PHPSESSID=eeaf91e8892f6f60c0d097 4856498abf Upgrade-Insecure-Requests: 1 Sec-Fetch-Dest: document Sec-Fetch-Mode: navigate Sec-Fetch-Site: same-origin Sec-Fetch-User: ?1 Priority: u=0, i</pre>	<pre>
 Welcome hello <h1>hello</h1> </div></pre>

 11 Proof of Concept	
--	--


	
 12 Impact Analysis	Successful exploitation may allow attackers to: • Manipulate website content. • Modify page appearance. • Insert deceptive messages. • Conduct phishing attacks. • Perform social engineering attacks. • Reduce user trust in the application. Although JavaScript execution was not observed during testing, HTML Injection may facilitate further client-side attacks when combined with additional vulnerabilities.
 13 Root cause	The vulnerability exists because the application: • Performs inadequate server-side validation. • Relies on blacklist-based filtering mechanisms. • Fails to apply proper output encoding before rendering user-controlled content. • Decodes URL-encoded input without securely sanitizing the resulting content.
 14 Remediation Steps	Immediate Fixes Apply context-aware output encoding. Treat all user input as untrusted.

	Encode HTML special characters before rendering output. Secure Coding Recommendations Additional Security Controls - Implement allowlist validation. - Utilize secure templating engines. - Conduct regular security assessments. - Perform code reviews for injection vulnerabilities.
 15 References	https://owasp.org/www-project-web-security-testing-guide/latest/4-Web_Application_Security_Testing/11-Client-side_Testing/03-Testing_for_HTML_Injection

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-002 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name	Cleartext Submission of Password
 2 severity level	High
 3 CVSS Score	8.1 high
 4 Discription	The application login page uses an HTTP connection instead of HTTPS. Sensitive authentication credentials entered by users are transmitted over the network without transport-layer encryption. The login form contains a password field and submits user credentials directly to: http://127.0.0.1/bWAPP/login.php The following form elements were identified: <pre><form action="/bWAPP/login.php" method="POST"> <input type="password" id="password" name="password" size="20" autocomplete="off"></pre> Because SSL/TLS is not enforced, an attacker positioned on the network path may capture credentials during transmission.
 5 Affected Function / Parameter/URL	http://127.0.0.1/bWAPP/login.php
 6 Vulnerability Discovery Methodology	Reconnaissance- The authentication functionality was identified as a high-value target because it processes user credentials. Traffic Inspection-


	Browser traffic was routed through Burp Suite Proxy to observe communication between the client and application. Authentication Testing- Valid credentials were entered into the login form and submitted to the application. Verification- The login request was observed being transmitted over HTTP instead of HTTPS. The password parameter was visible within intercepted requests, confirming that sensitive authentication data was being transmitted without encryption.	
 7 Tools Used	Firefox Browser Burp Suite Browser Developer Tools Network Analyzer	Application Access Traffic Analysis Client-side Inspection Traffic Verification
 8 Payloads used	null	
 9 Steps to Reproduce	Step 1 Open the following URL in a browser: - http://127.0.0.1/bWAPP/login.php Step 2 - Configure the browser to route traffic through Burp Suite Proxy. Step 3 - Enter valid application credentials. Step 4 - Submit the login request. Step 5 - Observe the intercepted request within Burp Suite. Step 6 Verify that: - Communication occurs over HTTP. - Credentials are transmitted without TLS encryption. - The password parameter is visible within the request. Step 7 - Confirm successful authentication while traffic remains unencrypted.	
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
	POST /bWAPP/login.php HTTP/1.1 Host: 127.0.0.1 Content-Type: application/x-www-form-urlencoded Cookie: security_level=2; PHPSESSID=166a8d2c407cc22effa21e57b149e34d login=bee&password=a'a%5c'b%22c%3e%3f%3e%25%7d%7d%25%25%3ec%3c[%3f%7b%7b%25%7d%7dcake%5c&security_level=2&form=submit	HTTP/1.1 200 OK Date: Tue, 23 Jun 2026 04:12:07 GMT Server: Apache/2.4.67 (Debian) Expires: Thu, 19 Nov 1981 08:52:00 GMT Cache-Control: no-store, no-cache, must-revalidate Pragma: no-cache Vary: Accept-Encoding Content-Length: 4086 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: text/html; charset=UTF-8

		<pre><html> <form action="/bWAPP/login.php" method="POST"> <input type="password" id="password" name="password" size="20" autocomplete="off"> </html></pre>
 11 Proof of Concept	 <pre>62 63 <p> Enter your credentials <i> (bee/bug) </i> </p> 64 65 <form action="/bWAPP/login.php" method="POST"> 66 67 <p> <label for="login"> Login: </label>
 68 <input type="text" id="login" name="login" size="20" autocomplete="off"> </p> <p> <label for="password"> Password: </label>
 71 <input type="password" id="password" name="password" size="20" autocomplete="off"> </p> 72 73 <p> <label for="security_level"> Set the security level: </label>
 74</pre>	
 12 Impact Analysis	Successful exploitation may allow attackers to: - Credential Theft - Capture usernames and passwords transmitted across the network. - Account Compromise - Authenticate as legitimate users using stolen credentials. - Privilege Escalation - Gain unauthorized access to privileged functionality. - Password Reuse Attacks - Leverage stolen passwords against other services where users reuse credentials. - Session Hijacking - Capture authentication-related data and impersonate users. - Loss of Confidentiality - Sensitive information may be disclosed to unauthorized parties.	

 13 Root cause	The vulnerability exists because: • The application uses HTTP instead of HTTPS. • SSL/TLS encryption is not enforced. • Sensitive authentication data is transmitted in cleartext. • Secure transport mechanisms have not been implemented for the authentication workflow.
 14 Remediation Steps	Immediate Fixes 1. Enforce HTTPS across the entire application. 2. Redirect all HTTP requests to HTTPS. 3. Install a valid SSL/TLS certificate. 4. Disable plaintext authentication channels. Session Security Controls 1. Mark session cookies with: • Secure • HttpOnly • SameSite 2. Prevent transmission of session identifiers over HTTP. Additional Security Recommendations 1. Implement HTTP Strict Transport Security (HSTS). 2. Use TLS 1.2 or TLS 1.3 only. 3. Disable weak SSL/TLS protocols. 4. Periodically review SSL/TLS configurations.
 15 References	• CWE-319: Cleartext Transmission of Sensitive Information • CAPEC-117: Interception • OWASP ASVS V9: Communications Security • OWASP Top 10 2021 - A02 Cryptographic Failures

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-003 Date : 17 june Tester : Abhijeet
 1 Vulnerability name	Reflected User-Controlled Input in URL Path	
 2 severity level	Informational	
 3 CVSS Score	0.0(informational)	

 4 Discription	The application reflects user-supplied URL path content within the response page. Testing confirmed that URL-encoded input is decoded and displayed to the user. Although HTML tags appear within the reflected output, the browser does not interpret the tags as HTML elements. For example: Input: <pre>/bWAPP/htmli_current_url.php/%3Ch1%3Ehello%3C%2Fh1%3E</pre> Displayed Output: <pre><h1>hello</h1></pre> The tags were displayed as text rather than rendered as a heading element. As a result, no active HTML Injection vulnerability could be confirmed.	
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used	- Firefox Browser - Burp Suite - Browser Developer Tools Manual Testing Traffic Inspection Response Analysis	
 8 Payloads used	<pre><h1>hello</h1> &lt;h1&gt;&sol;hello&lt;&sol;h1&gt;</pre>	
 9 Steps to Reproduce	Step 1:- Navigate to the vulnerable functionality: HTML Injection - Reflected (URL) Step 2:- Append user-controlled content to the URL. Example: /bWAPP/htmli_current_url.php/test Step 3:- Observe that the application reflects the supplied content within the page. Step 4:- Submit html-encoded HTML payloads. Example: &lt;h1&gt;&sol;hello&lt;&sol;h1&gt; Step 5:- Observe application behavior. Step 6:- Verify whether the browser renders the injected tags as actual HTML elements. Step 7:-Confirm that HTML tags are displayed as text and not interpreted by the browser.	
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response(Modified)
	<pre>GET /bWAPP/htmli_current_url.php/&lt;h1&gt; &sol;hello&lt;&sol;h1&gt; HTTP/1.1</pre>	<pre>HTTP/1.1 200 OK Content-Type: text/html</pre>

	Host: 127.0.0.1 Cookie: security_level=0; PHPSESSID=1cf56c7189a8cdb7113a68e986137f1c	<p align="left">Your current URL: <i>http://127.0.0.1/bWAPP/htmli_current_url.php/&lt;h1&gt;&sol;hello&lt;&sol;h1&gt;</i></p>
 11 Proof of Concept		
 12 Impact Analysis	Observed Impact • Reflection of user-controlled input. • Potential information disclosure regarding application processing logic. Not Observed • HTML rendering. • CSS injection. • JavaScript execution. • DOM manipulation. • Session compromise. • Client-side code execution.	
 13 Root cause	The application reflects user-supplied input without fully sanitizing the displayed content. Although output encoding prevents browser interpretation of HTML tags, reflected content remains visible within the response page. The observed styling issues occurred because modification of the URL path caused	

	relative resource references (CSS and images) to fail, rather than as a result of successful HTML Injection.
 14 Remediation Steps	• Apply consistent output encoding for reflected user input. • Avoid reflecting unnecessary user-controlled content. • Use absolute paths for static resources where appropriate. • Validate URL path components before displaying them within application responses. • Implement centralized input validation and output encoding controls.
 15 References	• CWE-116 Improper Encoding or Escaping of Output • https://owasp.org/Top10/ • https://owasp.org/www-project-web-security-testing-guide/ • https://cheatsheetseries.owasp.org/

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response

 11 Proof of Concept	
 12 Impact Analysis	
 13 Root cause	
 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	
 7 Tools Used	
 8 Payloads used	

 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	

 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	

 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment		VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
 1 Vulnerability name			
 2 severity level	High		

 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeust & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		

 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		

 12 Impact Analysis	
 13 Root cause	
 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response

 11 Proof of Concept	
 12 Impact Analysis	
 13 Root cause	
 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	
 7 Tools Used	
 8 Payloads used	
 9 Steps to Reproduce	

 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	
 7 Tools Used	

 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	

 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	

 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name	
---	--

 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		

 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		

 12 Impact Analysis	
 13 Root cause	
 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response

 11 Proof of Concept	
 12 Impact Analysis	
 13 Root cause	
 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	
 7 Tools Used	
 8 Payloads used	
 9 Steps to Reproduce	

 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	
 7 Tools Used	

 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	

 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	

 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High

 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeust & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		

 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		

 12 Impact Analysis	
 13 Root cause	
 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqest & Response	HTTP Request (Modified)	HTTP Response

 11 Proof of Concept	
 12 Impact Analysis	
 13 Root cause	
 14 Remediation Steps	
 15 References	

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	
 7 Tools Used	
 8 Payloads used	

 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function / Parameter	
 6 Vulnerability Discovery Methodology	

 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	
 4 Discription	
 5 Affected Function /	

Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
---------------------------------	-----------------------------	---

 1 Vulnerability name	
 2 severity level	High
 3 CVSS Score	

 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Request & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment		VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
 1 Vulnerability name			

 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeust & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeust & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		
 15 References		

bWAPP VAPT Assessment	VULNERABILITY REPORT	Report id : 2026-001 Date : 17 june Tester : Abhijeet
--------------------------	----------------------	---

 1 Vulnerability name		
 2 severity level	High	
 3 CVSS Score		
 4 Discription		
 5 Affected Function / Parameter		
 6 Vulnerability Discovery Methodology		
 7 Tools Used		
 8 Payloads used		
 9 Steps to Reproduce		
 10 HTTP Reqeust & Response	HTTP Request (Modified)	HTTP Response
 11 Proof of Concept		
 12 Impact Analysis		
 13 Root cause		
 14 Remediation Steps		



15 References