



Web API Test Report




1. Project Build Test- Passed

Navigation -> vs 2022 - build.



2. fake Value Autherization Test - Passed

navigation -> vs 2022 - build - swagger page - Authrize button



2.1.1 Atherization failed **Passed**

Navigation :- Post /api/Categories -> try it out -> put payload -> Execute.

POST /api/Categories

Parameters

No parameters

Request body

application/json

```
{
  "id": 0,
  "name": "Gaming Laptop",
  "description": "A powerful gaming laptop with high-end specifications.",
  "price": 1200,
  "categoryID": 1,
  "category": {
    "id": 1,
    "name": "Electronics"
  }
}
```

Execute

Responses

Curl

```
curl -X 'POST' \
  https://localhost:7150/api/Categories \
  -H 'accept: */*' \
  -H 'x-api-key: fakevalue' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 0,
    "name": "Gaming Laptop",
    "description": "A powerful gaming laptop with high-end specifications.",
    "price": 1200,
    "categoryID": 1,
    "category": {
      "id": 1,
      "name": "Electronics"
    }
  }'
```

Request URL

https://localhost:7150/api/Categories

Server response

Code

401

Details



Error: response status is 401


Response headers

```
content-length: 0
date: Wed, 25 Sep 2024 04:45:58 GMT
server: Kestrel
```

2.2 Real value Authorization **Passed**


Navigation :- vs 2022 -> build -> swagger page -> Authorize button.






2.2.1 Authorization Test Passed

Navigation:- vs 2022 -> build -> swagger -> authorization -> post /api/Categories -> put payload -> Execute





3.Product Post api Test- Passed

Navigation:- Navigation:- vs 2022 -> build -> swagger -> authorization -> post /api/Products
-> put payload -> Execute

POST

/api/Products

Parameters

No parameters

Try it out

Request body

application/json

Example Value

Schema

```

{
  "id": 0,
  "name": "string",
  "description": "string",
  "price": 0,
  "categoryId": 0,
  "category": {
    "id": 0,
    "name": "string",
    "products": [
      "string"
    ]
  }
}

```

Responses

Code	Description	Links
200	OK	No links

POST

/api/Products

Parameters

No parameters

Request body

application/json

```
{
  "id": 0,
  "name": "Gaming Laptop",
  "description": "A powerful gaming laptop with high-end specifications.",
  "price": 1200,
  "categoryId": 1,
  "category": {
    "id": 2,
    "name": "Electronics",
    "products": []
  }
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  https://localhost:7158/api/Products \
  -H 'accept: */*' \
  -H 'x-api-key: my-secret-api-key' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 0,
    "name": "Gaming Laptop",
    "description": "A powerful gaming laptop with high-end specifications.",
    "price": 1200,
    "categoryId": 1,
    "category": {
      "id": 2,
      "name": "Electronics",
      "products": []
    }
  }'
```

Request URL

https://localhost:7158/api/Products

Server response

Code Details

200

application/json

Response body

```
{
  "id": "1",
  "id": 1,
  "name": "Gaming Laptop",
  "description": "A powerful gaming laptop with high-end specifications.",
  "price": 1200,
  "categoryId": 1,
  "category": {
    "id": 2,
    "id": "2",
    "name": "Electronics",
    "products": {
      "id": "3",
      "id": 3,
      "name": "Business",
      "products": [
        {
          "id": "4"
        }
      ]
    }
  }
}
```

POST /api/Products

Parameters

No parameters

Request body

application/json

```
{  "id": 4,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  }
```

Execute Clear

Responses

curl

```
curl -X POST \  https://localhost:7150/api/Products \  -H 'accept: */*' \  -H 'x-api-key: my-secret-api-key' \  -H 'Content-Type: application/json' \  -d '{  "id": 4,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  }'
```

Request URL

https://localhost:7150/api/Products

Server response

Code Details

201 Created

Response body

```
{  "id": "1",  "id": 1,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  },  "id": 4,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  }  }
```

Download

POST /api/Products

Parameters

No parameters

Request body

application/json

```
{  "id": 4,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  }
```

Execute Clear

Responses

curl

```
curl -X POST \  https://localhost:7150/api/Products \  -H 'accept: */*' \  -H 'x-api-key: my-secret-api-key' \  -H 'Content-Type: application/json' \  -d '{  "id": 4,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  }'
```

Request URL

https://localhost:7150/api/Products

Server response

Code Details

201 Created

Response body

```
{  "id": "1",  "id": 1,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  },  "id": 4,  "name": "Car",  "description": "A powerful car with high-end specifications.",  "price": 1200000,  "category": {    "id": 1,    "name": "Car",    "products": []  }  }  }
```

Download

4. Get Product Api Test - Passed

Navigation:- Navigation:- vs 2022 -> build -> swagger -> authorization -> Get/api/Products
Execute

Products

GET /api/Products

Try it out

Name	Description
sortBy string (query)	Default value : Name <input type="text" value="Name"/>
filter string (query)	<input type="text" value="filter"/>
pageNumber integer (\$int32) (query)	Default value : 1 <input type="text" value="1"/>
pageSize integer (\$int32) (query)	Default value : 10 <input type="text" value="10"/>

Responses

Code	Description	Links
200	OK	No links

GET

/api/Products

Parameters

Cancel

Name	Description
sortBy	<input type="text" value="Name"/>
string (query)	
filter	<input type="text" value="filter"/>
string (query)	
pageNumber	<input type="text" value="1"/>
integer (\$int32) (query)	
pageSize	<input type="text" value="10"/>
integer (\$int32) (query)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7158/api/Products?sortBy=Name&pageNumber=1&pageSize=10' \
  -H 'accept: */*' \
  -H 'X-API-Key: my-secret-api-key'
```

Request URL

```
https://localhost:7158/api/Products?sortBy=Name&pageNumber=1&pageSize=10
```

Server response

Code

Details

200

Response body

```
{
  "categoryId": 3,
  "category": {
    "id": 3,
    "name": "Electronics",
    "products": {
      "id": "4",
      "values": [
        {
          "id": "2"
        },
        {
          "id": "5",
          "name": "Gaming Laptop",
          "description": "A powerful gaming laptop with high-end specifications.",
          "price": 1200,
          "categoryId": 3,
          "category": {
            "id": 3
          }
        }
      ]
    }
  },
  "id": "6"
}
```

Download

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7158/api/Products?sortBy=Name&pageNumber=1&pageSize=10' \
  -H 'accept: */*' \
  -H 'X-API-Key: my-secret-api-key'
```

Request URL

```
https://localhost:7158/api/Products?sortBy=Name&pageNumber=1&pageSize=10
```

Server response

Code

Details

200

Response body

```
{
  "id": "6",
  "name": "Car",
  "description": "A powerful car with high-end specifications.",
  "price": 1200000,
  "categoryId": 3,
  "category": {
    "id": 3,
    "name": "Car",
    "products": {
      "id": "8",
      "values": [
        {
          "id": "6"
        }
      ]
    }
  },
  "id": "9",
  "name": "Car",
  "description": "A powerful car with high-end specifications.",
  "price": 1200000,
  "categoryId": 3
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Wed, 25 Sep 2024 05:14:17 GMT
server: Kestrel
```

Responses

4. Put Method Test-**Passed**

Navigation:- Navigation:- vs 2022 -> build -> swagger -> authorization -> Put/api/Products -> put id -> Exacute

PUT

/api/Products/{id}

Parameters

Try it out

Name	Description
id required	
integer(\$int32)	id
(path)	

Request body

application/json

Example Value | Schema

```
{  "id": 0,  "name": "string",  "description": "string",  "price": 0,  "category": {    "id": 0,    "name": "string",    "products": [      "string"    ]  } }
```

Responses

Code	Description	Links
200	OK	No links

PUT/api/Products/{id}

Parameters

Cancel

Reset

Name	Description
id <small>* required</small>	
integer (\$int32)	
(path)	

Request body

application/json

```
{
  "id": 1,
  "name": "Bike",
  "description": "A powerful bike with high-end specifications.",
  "price": 1200000,
  "categoryId": 1,
  "category": {
    "id": 1,
    "name": "Bike",
    "products": []
  }
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  https://localhost:7196/api/Products/1 \
  -H 'accept: */*' \
  -H 'x-api-key: my-secret-api-key' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 1,
    "name": "Bike",
    "description": "A powerful bike with high-end specifications.",
    "price": 1200000,
    "categoryId": 1,
    "category": {
      "id": 1,
      "name": "Bike",
      "products": []
    }
  }'
```

Request URL

https://localhost:7196/api/Products/1

Server response

Code	Details
204	Response headers
	date: Wed, 25 Sep 2024 05:46:09 GMT server: Restful

Response body

5. Delete Product Api Test- Passed

5.5.1 before delete-

Products

GET /api/Products

Parameters

Name	Description
sortBy	string (query) <input type="text" value="Name"/>
filter	string (query) <input type="text" value="filter"/>
pageNumber	integer(\$int32) (query) <input type="text" value="1"/>
pageSize	integer(\$int32) (query) <input type="text" value="10"/>

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  "https://localhost:7150/api/Products?sortBy=Name&pageNumber=1&pageSize=10" \
  -H 'accept: */*' \
  -H 'X-API-Key: my-secret-api-key'
```

Request URL

```
https://localhost:7150/api/Products?sortBy=Name&pageNumber=1&pageSize=10
```

Server response

Code Details

200

Response body

```
{
  "id": "5",
  "name": "Car",
  "description": "A powerful car with high-end specifications.",
  "price": 100000,
  "category": {
    "id": "1",
    "name": "Car",
    "products": {
      "id": "10",
      "volumes": [
        {
          "id": "10"
        }
      ]
    }
  }
}
```

Response headers

```
content-type: application/json; charset=utf-8
date: Wed, 25 Sep 2024 05:49:04 GMT
server: Kestrel
```

Responses

5.5.2 after delete-

Navigation:- Navigation:- vs 2022 -> build -> swagger -> authorization -> Delete/api/Products -> put id -> Execute

DELETE /api/Products/{id}

Parameters

Cancel

Name	Description
id <small>required</small>	
Integer (\$int32)	4
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
https://localhost:7159/api/Products/4 \
-H 'accept: */*' \
-H 'x-api-key: my-secret-api-key'
```

Request URL

https://localhost:7159/api/Products/4

Server response

Code	Details
204	

Response headers

```
date: Wed, 25 Sep 2024 05:40:55 GMT
server: Kestrel
```

Responses

Links

Code	Description	Links
200	OK	No links

Schemas

GET

/api/Products

Parameters

Cancel

Name	Description
sortBy	<div>string</div> <div>(query)</div> <div>Name</div>
filter	<div>string</div> <div>(query)</div> <div>filter</div>
pageNumber	<div>integer (\$int32)</div> <div>(query)</div> <div>1</div>
pageSize	<div>integer (\$int32)</div> <div>(query)</div> <div>10</div>

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7150/api/Products?sortBy=Name&pageNumber=1&pageSize=10' \
  -H 'accept: */*' \
  -H 'x-api-key: my-secret-api-key'
```

Request URL

https://localhost:7150/api/Products?sortBy=Name&pageNumber=1&pageSize=10

Server response

Code

Details

200

Response body

```
{
  "id": "1",
  "name": "Bike",
  "description": "A powerful bike with high-end specifications.",
  "price": 10000,
  "category": {
    "categoryId": 1,
    "name": "Bike"
  },
  "products": {
    "id": "4",
    "name": "Car",
    "description": "A powerful car with high-end specifications.",
    "price": 10000,
    "category": {
      "categoryId": 1,
      "name": "Bike"
    }
  }
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Wed, 25 Sep 2024 05:50:02 GMT
server: Kestrel
```

Response

