2/19/22, 8:41 AM Explore - LeetCode ு(/) Explore(/explore/) Problems(/problemset/all/) Interview (Contests is initially) கூடும் இது (https://leetcode.com/jobs/) ◆ Back to Explore (/explore/) ☆ Favorite Get Well Prepared for **Google Interview**

	Overview Google tech interviews are notoriously difficult and quite challenging. To get a phone screen, you will need to submit your resume to their online application system or via an internal referral from a Googler. Assuming you passed their resume
0	Interview Process You may receive an online assessment link as your first step of interview process. The assessment will expire within 7 days and contains two coding questions to be completed within an hour. Below are some Online Assessment questions for you to
	Arrays and Strings String manipulation problems are in the same category as arrays, because internally, a string is represented as an array of characters. Array problems usually do not require knowledge of advanced data structures, so just basic data structures
	Linked Lists According to our user survey data, Linked List problems are not asked frequently at Google. Perhaps, most linked list problems are not that complex and it is harder to ask follow up and complexity analysis questions Nonetheless, we strongly
	Trees and Graphs Tree is just a special case of graph. To understand the difference between trees and graphs, you can work on Graph Valid Tree. Graphs are generally breath-first search or depth-first search. The same applies to Trees, but trees never contain
	Recursion Recursion usually involves some kind of backtracking to enumerate all possibilities. Note that Recursion is a more general purpose algorithm. Depth-First search is a specific form of backtracking related to searching tree data structures.
	Sorting and Searching Interval related problems are quite often asked at Google interviews. Similar to "Arrays and Strings", interval related problems can be asked in the context of data stream.
	Dynamic Programming It can be tricky to identify the subproblems and connect them, which is essential in solving Dynamic Programming problems. Dynamic programming is not that scary as you might think, and you can improve your dynamic programming
	Design Google loves to ask lots of question variations based on the Iterator pattern, so make sure you are familiar with the concept of iterators and how iterators work in principle. A good way to learn is to read the open source code and try to code it

Others

Here are other type of problems you may encounter in a Google interview, such as Bit Manipulation.

20 topics - share ideas and ask questions about this card

(/discuss/explore/google)

2/19/22, 8:41 AM Explore - LeetCode

Introduction



Google tech interviews are notoriously difficult and quite challenging. To get a phone screen, you will need to submit your resume to their online application system or via an internal referral from a Googler.

Assuming you passed their resume screen, a recruiter will reach out to you. Usually there will be two phone screens, and if you do well, you'll be invited to onsite interviews.

Since Google operates at a large scale, be prepared to answer lots of follow up questions on how to scale the algorithm you wrote for multiple machines. Some examples are: Number of Islands (https://leetcode.com/problems/number-of-islands) and Intersection of Two Arrays II (https://leetcode.com/problems/intersection-of-two-arrays-ii/description/).

Interview Process
✓ M Unique Email Addresses
☐ ⓓ Odd Even Jump
☐ ☑ License Key Formatting
☐ ⓓ Fruit Into Baskets
✓ A Google Phone Interview
✓ A Google Onsite Interview
☐ A Google Hiring Committee
☐ A Google Offer Review
Arrays and Strings
☐ ⓓ Longest Substring Witho
☐ ☑ Container With Most Wat
☐
☐ Mext Permutation
☐ Multiply Strings
☐ Ӣ Rotate Image
☐ ☑ Jump Game
☐ ☑ Plus One
☐ ⓓ Minimum Window Substr
☐ 🖟 Read N Characters Given
☐ 🖟 Longest Substring with A

☐ Missing Ranges
☐ Mont Closest Time
☐ ☑ Expressive Words
☐ ☑ Find And Replace in String
☐ Maximize Distance to Cl
☐ ☑ Valid Parentheses
☐ Merge k Sorted Lists
☐ ⓓ Trapping Rain Water
☐ ⓓ Kth Largest Element in a
☐ Meeting Rooms II
☐ ☐ Backspace String Compa
☐ ⓓ Minimum Cost to Hire K
☐ Ӣ K Closest Points to Origin
Linked Lists
☐ ☑ Add Two Numbers
☐
☐ Ӣ Remove Nth Node From
□
□ ☑ Remove Nth Node From □ ☑ Merge Two Sorted Lists □ ☑ Copy List with Random P Trees and Graphs
□ Image: Remove Nth Node From □ Image: Remove Nth Node From □ Image: Marge Two Sorted Lists □ Image: Remove Nth Node From Trees and Graphs Image: Remove Nth Node From I
□ ⚠ Remove Nth Node From □ ☒ Merge Two Sorted Lists □ ☒ Copy List with Random P Trees and Graphs □ ☒ Binary Tree Maximum Pa □ ☒ Word Ladder
□ ⚠ Remove Nth Node From □ ⚠ Merge Two Sorted Lists □ ⚠ Copy List with Random P Trees and Graphs □ ☒ Binary Tree Maximum Pa □ ☒ Word Ladder □ ☒ Number of Islands
□ ⚠ Remove Nth Node From □ ⚠ Merge Two Sorted Lists □ ⚠ Copy List with Random P Trees and Graphs □ ☒ Binary Tree Maximum Pa □ ☒ Word Ladder □ ☒ Number of Islands □ ☒ Course Schedule II
□ Image: Remove Nth Node From □ Image: Remove Nth Node □ Image: Remove Nth Node <
□ Merge Two Sorted Lists □ Copy List with Random P Trees and Graphs □ Binary Tree Maximum Pa □ Word Ladder □ Number of Islands □ Course Schedule II □ Count Complete Tree No □ Longest Increasing Path i
☑ Remove Nth Node From ☑ Merge Two Sorted Lists ☑ Copy List with Random P Trees and Graphs ☐ Binary Tree Maximum Pa ☐ Word Ladder ☐ Number of Islands ☐ Course Schedule II ☐ Count Complete Tree No ☐ Longest Increasing Path i ☐ Decode String
□ Merge Two Sorted Lists □ Copy List with Random P Trees and Graphs □ Binary Tree Maximum Pa □ Word Ladder □ Number of Islands □ Course Schedule II □ Count Complete Tree No □ Longest Increasing Path i

☐ ⓓ Cracking the Safe	
☐ ☑ Robot Room Cleaner	₽
☐ Most Stones Removed wi	
☐ ⓓ Flip Equivalent Binary Tr	
Recursion	
☐ ☑ Word Squares	-
☐ ☑ Strobogrammatic Numb	<u> </u>
☐ M Word Search II	
☐ ☑ Android Unlock Patterns	-
☐ M Letter Combinations of a	
☐ ☑ Generate Parentheses	
Sorting and Searching	
☐ Median of Two Sorted Ar	
☐ Ӣ Find First and Last Positi	
☐ Merge Intervals	
☐ ☑ Insert Interval	
☐ ⓓ Valid Anagram	
☐ ☑ Count of Smaller Numbe	
☐ ☑ Peak Index in a Mountain	
Dynamic Programming	
☐ 励 Longest Palindromic Sub	
☐ ⓓ Maximum Subarray	
☐ ☑ Best Time to Buy and Sel	
☐ ☑ Maximum Product Subar	
☐ ☑ Coin Change	
☐ ☑ Split Array Largest Sum	
Design	

2/19/22, 8:41 AM Explore - LeetCode

☐ ⓓ LRU Cache		
☐ ⓓ Min Stack		
☐ ☑ Serialize and Deserialize		
☐ 🖟 Logger Rate Limiter		
☐ ⓓ Insert Delete GetRando		
☐ ☑ Design Search Autocom		
Others		
☐ ☑ Reverse Integer		
☐ ⓓ Candy		
☐ ⓓ Isomorphic Strings		
☐ ☑ Strobogrammatic Number		
☐ ⓓ Bulls and Cows		
☐ Ӣ Range Sum Query 2D		
☐ ⓓ My Calendar II		
☐ ⓓ Jewels and Stones		
☐ ☑ Swap Adjacent in LR String		
☐ ⓓ Guess the Word		
☐ Minimum Area Rectangle		
Copyright © 2022 LeetCode Help Center (/support) Jobs (/jobs) Bug Bounty (/bugbounty) Online Interview (/interview/) Students (/student) Terms (/terms) Privacy Policy (/privacy)		

United States (/region)