



Harsha Vardhan

- › UI Expert
- › .NET Expert
- › Module Lead
- › Corporate Instructor

Nullable Types

Whenever the data type supports null value, you can call it as Nullable Type. and whenever the datatype doesn't support null values, you can call it as Non-Nullable type.

Nullable Types

Value Types

(structures, enumerations)

- › Value Types are by default non-nullable types.
- › Non-nullable types doesn't support 'null' values to be assigned to its variables.

Reference Types

(classes, interfaces)

- › Reference Types are by default nullable types.
- › Nullable types support 'null' values assigned to its variables.
- › They doesn't require the following syntax.

**Converting Value-Types
to Nullable-Types**

Nullable Types - Example

```
Nullable<int> x = 10;  
[or]  
int? x = 10
```



Null coalescing operator



Harsha Vardhan

- › UI Expert
- › .NET Expert
- › Module Lead
- › Corporate Instructor



Null coalescing operator

What

- › The 'null coalescing operator' checks whether the value is null or not.
- › It returns the left-hand-side operand if the value is not null.
- › It returns the right-hand-side operand if the value is null.

Advantage

- › Simplifying the syntax of 'if statement' to check if the value is null.

Null Coalescing Operator

`variableName ?? valueIfNull`



Harsha Vardhan

- › UI Expert
- › .NET Expert
- › Module Lead
- › Corporate Instructor



Null Propagation Operator

Null Propagation Operator

What

- › The "Null Propagation Operator (?.) and (? []) checks the value of left-hand operand whether it is null or not.
- › It returns the right-hand-side operand (property or method), if the value is not null.
- › It returns null, if the value is null.
- › It accesses the property or method, only if the reference variable is "not null"; just returns "null", if the reference variable is "null".

Null Propagation Operator (?.)

`referenceVariable?.fieldName;`



-- is same as --

`(referenceVariable == null)? null : referenceVariable.fieldName;`

Null Propagation Operator

Advantage

- › We can invoke desired member (property or method) after checking if null.

using System;

namespace NullPropagationOperatorExample

{

2 references

class Person

{

public int Age;

}

0 references

class Program

{

0 references

static void Main()

{

//p1 is null

Person p1 = new Person() { Age = 20 };

//print age

Console.WriteLine(p1?.Age);

Console.ReadKey();

}



No issues found

Ln: 15 Col: 45 SPC CRLF