1.1   Technical order form

Please complete the relevant sections based on the choice of product

Name:	Morne
Surname:	Bester
ID Number:	8409265090089
Company name:	BitCo Telecoms
Link Africa product name:	Link NNI
Technical contact person:	Morne Bester
Technical contact details:	Office: 0871350000 Mobile: 0718811088
Technical contact email:	morne@bitco.co.za

1.2   A - LinkNNI

(*Interconnect request, between Link Africa and wholesale customer)

Please use one form per ENNI service order, complete and return ENNI Technical form together with Teraco service order form (if applicable) to Link Africa account manager.

Choose from the below Teraco Data Centre hosting environments. Select(Circle) primary/failover ENNI (Interconnect). (Mark your selection with an "X")			
Location	**ENNI**	**Cabinet Number**	**Selection ("X")**
Teraco Rondebosch	Primary ENNI / Failover ENNI	DC4_K19	

Select the interface type, speed and duplex setting required. The options specified below are the only interfaces that Link Africa supports. (Mark with an X).				
Interface	**Connector Type**	**Speed**	**Duplex Mode**	
			Full	**Auto Negotiate**
1000BaseLX	LC/UPC	1 Gbps	X	
10G BaseLR	LC/UPC	10 Gbps		

The terms and conditions related to this Order Form are governed by the FRAMEWORK AGREEMENT (the "Agreement") entered into between Link Africa and the Service Provider. Signing of the Order Form by both Parties constitute a binding contract between the Parties subject to the terms and conditions of the Agreement. Any terms and conditions inserted in any Order Form not agreed on in the Agreement will be of no force and effect.

Signed by _____Morne Bester_____ on this _14_ day of ___August_____.

_____   _____
[Full Name]   LinkAfrica (Pty) Ltd

VLAN requirements: VLAN ID(s) will be provided by Link Africa Service Planning Department.
      Select option "1" For Untagged UNI. Link Africa will strip off the s-tag and hand-off the chosen inner c-tag as
      untagged.
      Please fill in the Required Fields.
 	
      Select option "2" For Tagged UNI, Link Africa will strip off the s-tag and hand-off the inner c-tag.
      Please fill in the Required Fields.	

|	
Option 1: Untagged Subscriber (Q-in-Q, IEEE 802.1ad)	

Requirements	C-Tag (Please choose 1x VLAN that will be used for all Services): **VLAN 300**
	ENNI Handoff (Circle): C-Tag + S-Tag (Double Tag) / <u>C-Tag (Single Tag)</u> 3847

Option 2: Tagged Subscriber (Q-in-Q, IEEE 802.1ad)	

Requirements	C-Tag (Please provide Range of VLANs): **Allow all VLAN's**
	ENNI Handoff (Circle): C-Tag + S-Tag (Double Tag) / C-Tag (Single Tag) **3848**

Additional requirements: _____

_____

_____