

1.1 Technical order form

Please complete the relevant sections based on the choice of product

Name:	Khangwelo	
Surname:	Ramagwede	
ID Number:	900913 5224 089	
Company name:	Brilliant Telecommunication (PTY) Ltd	
Link Africa product name:	1 Gbps ENNI	
Technical contact person:	Khangwelo Ramagwede	
Technical contact details:	Office: 010 023 5000	Mobile: 081 032 2677
Technical contact email:	connectivity@brilliantel.co.za	

1.2 A - LinkNNI


(*Interconnect request, between Link Africa and wholesale customer)

Please use one form per ENNI service order, complete and return ENNI Technical form together with Teraco service order form (if applicable) to Link Africa account manager.

Choose from the below Teraco Data Centre hosting environments. Select(Circle) primary/failover ENNI (Interconnect). (Mark your selection with an "X")			
Location	ENNI	Cabinet Number	Selection ("X")
Teraco Rondebosch CT1	Primary ENNI / Failover ENNI	C_DC3_D17	

Select the interface type, speed and duplex setting required. The options specified below are the only interfaces that Link Africa supports. (Mark with an X).				
Interface	Connector Type	Speed	Duplex Mode	
			Full	Auto Negotiate
1000BaseLX	LC/UPC	1 Gbps	X	X
10G BaseLR	LC/UPC	10 Gbps		

The terms and conditions related to this Order Form are governed by the FRAMEWORK AGREEMENT (the "Agreement") entered into between Link Africa and the Service Provider. Signing of the Order Form by both Parties constitute a binding contract between the Parties subject to the terms and conditions of the Agreement. Any terms and conditions inserted in any Order Form not agreed on in the Agreement will be of no force and effect.

Signed by  on this 23 day of May 2023.


Khangwelo Ramagwede
[Full Name]

LinkAfrica (Pty) Ltd

VLAN requirements: VLAN ID(s) will be provided by Link Africa Service Planning Department.
 Select option "1" For Untagged UNI. Link Africa will strip off the s-tag and hand-off the chosen inner c-tag as untagged.
 Please fill in the Required Fields.

Select option "2" For Tagged UNI, Link Africa will strip off the s-tag and hand-off the inner c-tag.
 Please fill in the Required Fields.

**Option 1: Untagged Subscriber
(Q-in-Q, IEEE 802.1ad)**




Requirements

C-Tag (Please choose 1x VLAN that will be used for all Services):

ENNI Handoff (Circle): C-Tag + S-Tag (Double Tag) / C-Tag (Single Tag)

**Option 2: Tagged Subscriber
(Q-in-Q, IEEE 802.1ad)**



Requirements

C-Tag (Please provide Range of VLANs): 850-950

ENNI Handoff (Circle): C-Tag + S-Tag (Double Tag) / C-Tag (Single Tag)

Additional requirements: We are selecting Option 2
