

BIRLA INSTITUTE OF TECHNOLOGY AND SCIENCE PILANI-
K.K. BIRLA GOA CAMPUS
Second Semester 2014-2015
Lab-5
Lab-5 (Introduction to C Programming Language)

Topics to be covered:

1. C Program structure and execution
2. Data type
3. Reading input and printing output
4. Expression
5. Operator precedence
6. Typecasting
7. Conditional control structure

1. C PROGRAM STRUCTURE AND EXECUTION FLOW

let's write a simple C program.

Step-1: Typing the program. Using the vi editor create a file, **firstprog.c**

\$ vi firstprog.c

Step-2: Type the following program in the file, **firstprog.c**

```
#include<stdio.h>          /* Include Header Files */
int main()                 /* main() is the entry point of the program */
{
    printf ("Welcome to C Programming");
    return 0;
}
```

Note: In the above program, the statements that appear enclosed in “/* */” are called comments. These comments are not executable statements. The comments are added to improve the understanding of the program to the reader. These are ignored by the compiler and have no effect on the outcome of the program.

Header files contain definitions of functions and variables which can be incorporated into any C program by using the pre-processor **#include** statement. Standard header files are provided with each compiler, and cover a range of areas, string handling, mathematical, data conversion, printing and reading of variables.

To use any of the standard functions, the appropriate header file should be included. This is done at the beginning of the C source file.

For example, to use the function **printf()** (will be explained in detail in next program) in a program, the line **#include <stdio.h>** should be at the beginning of the source file, because the definition for **printf()** is found in the file **stdio.h**

All header files have the extension .h and generally reside in the /include subdirectory. The use of angle brackets <> informs the compiler to search the compilers include directory for the specified file. **#include <stdio.h>**

Each instruction in a C program is written as a separate statement, ending with a semicolon. These statements must appear in the same order in which we wish them to be executed.

Step-3: Save and quit from the file, **firstprog.c** (press **ESC** button and type **:wq**)

Step-4: Now, let's run gcc compiler over this source code to create the executable.

\$gcc firstprog.c -o exeFirstProg

In the above command:

- gcc – Invokes the GNU C compiler
- firstprog.c – Your C program file name (this contains your source code)
- -o firstprog – Instructs C compiler to create the executable with a name exeFirstProg. If you don't specify "-o" and the name of the output executable file, by default C compiler will create an output executable with a name a.out

If the program has any errors/mistakes, those will get listed. Most of the times, the error messages also contain the exact line number where we have made the mistake. Errors at this stage would be primarily because of incorrect usage of the syntax (bad typing of the code); these errors are known as syntax errors. Look at the given program carefully and correct errors, if any.

Step-6: Finally, execute **exeFirstProg**, if no errors are displayed in the above step. This step will execute **firstprog.c** program to display the final output.

\$/exeFirstProg

Or

\$/a.out if during compilation the name of the output file was not given, i.e. **\$gcc firstprog.c**

Now you have a basic idea about how gcc is used to convert a source code into executable.

2. DATA TYPES

C language supports various data types. Primitive data type stores a single value. Four primitive data types are integer, float, double and char. Integer data type stores whole value. Float and double data type stores integral and fraction value. Double data type has more precision and stores into 64 bits (of course this depends upon the underlying Instruction Set Architecture and compiler). Char data type stores a single character. Although range of primitive type varies from machine to machine. Below table describes size (in bytes) and range of primitive data types based on 16 bits machine.

Data type	Range	Bytes
char	-128 to 127	1
int	-32768 to 32767	2
Float	3.4 e-38 to 3.4 e+38	4
double	1.7e-308 to 1.7 e+308	8

Variable is named location of memory that is used to store different type of values, during the program execution. The values of variable can change during the execution of the program. Variable consists sequence of letters and digits, with a letter as a first character.

For example two variables are declared as follows

`int a=5,b=10;` // layout of the memory and variable is shown below.

1001	5
1002	
1003	10
1004	

}

A

B

}

Memory

`float f=6.23;` // f is float variable and it is also initialized

`char c = 'x';` // c is character variable and char variable is initialized in single quotes

`int w,x;` // we can declare more than one variable at a time;

Integer data type can be prefix with short, long, unsigned and signed keyword in order to increase the range of value. Floating point can be prefix with long keyword. Char can be prefix with signed and unsigned keyword. For example

`unsigned int = 40000;`

Although integer can store upto 32767 (refer to above table), due to unsigned its range has increased.

3. READING DATA FROM KEYBOARD

scanf function is used to accept the input from the user through keyboard. This function is defined in **stdio.h** file, that's why we have to include **stdio.h** file. scanf function has two parts; control string and variable/s. The control string specifies which data type (int, char, or float) it should accept. Variable specify the address of the locations where the data is stored. Syntax of scanf() is as follows

```
scanf("control string", &variable1, &variable2 ... variableN);
```

Variable name is prefixed with & (**ampersand**) symbol. It is known as “**Address Of**” operator and specifies a memory location to the **scanf** function where the value associated with variable will be stored in your computer's memory. The ampersand “&” symbol in **scanf** function is mandatory. **Missing the ampersand in scanf function is the most common C Programming error because in this case compiler will not produce any compile time error.**

Control String:

It contains field specifications which direct the interpretation of input data. It consists of conversion character % and type specifier. It is written in double quotes. Various type specifiers are listed below

Control string	Meaning
%d	Integer
%f	Float
%c	Char
%h	Short
%l	Long
%u	Unsigned
%lf	Double
%e	Scientific notation

For example:

```
int a;           // variable is declared
scanf("%d",&a);  // taking input into variable from user
```

Writing on screen:

printf function is used to print output on console or monitor screen. It is similar to **scanf** function, except it does not prefix with ampersand before the variable name. Syntax of printf as follows

```
printf("control string", variable , variable);
printf("any message"); // it will print whatever be written in double quotes
```

Type the following program into userinput.c

```
#include<stdio.h>
int main()
{
    int a;
    int b;
    printf("Enter value of a");
    scanf("%d",&a);           // Reading user input for the variable 'a'
    printf("Enter the value of b");
    scanf("%d",&b);           // Reading user input for the variable 'b'
    printf("a= %d",a);
    printf("b= %d",b);
    return 0;
}
```

Compile the program using the command

\$gcc userinput.c → this will create an executable output file with a name “a.out”

Execute the program using:

\$/a.out

3. Expression

It is sequence of operands and operators that reduces into single value. Operands can be variable, constants and an expression. Expression is written as follows

variable = expression;

When the statement is encountered, the expression is evaluated first, and then the result is stored into the variable.

Example of evaluation statements are

```
int a,x,y; // declaration
```

```
a=5; // initialization
```

```
x= a * 10; // x value will be 50 after evaluating expression
```

```
y=10+20; // y value will be 30
```

```
a= a*a; // a value will be 25
```

Type and run the following program into sum.c. .

```
#include<stdio.h>
```

```
int main()
```

```
{
```

```
    int a,b,c,sum;
```

```
    printf("Enter value of a ,b, c");
```

```
    scanf ("%d%d%d",&a,&b,&c); // Reading user input
```

```
    sum = a+b+c;
```

```
    printf("sum= %d,sum);
```

```
    return 0;
```

```
}
```

Exercise 1: Write a program to compute the simple interest, input principle, rate and year.

Exercise 2: Write a C program to calculate the area of a circle. Area of a circle of radius R is given by (Area=PI * R*R).

4. Operator

C language has rich set of operators. For example relation operators, logical operator and arithmetic operator. Table-2 lists c operators.

Arithmetic operator: arithmetic operator are used to perform arithmetic operation. It can be binary or unary. Binary operator requires two operands and unary operator requires one operand. For example

```
int a=10,A;
```

```
a=a+10 // is a binary operator it requires two operand that can be variable or constant, result of this expression is 20;
```

```
a=20%2 // is mod operator that works only on integers operands and returns the remainder, result of this expression is 0
```

```
a++ // is unary operator equivalent to a=a+1, result of this expression is 11
```

```
a--; // is unary operator equivalent to a=a-1, result of this expression is 9
```

```
++a; // is pre increment unary operator, if it is used in expression, first value of a is increment than used in expression. For example
```

```
A = ++a-10; // A will have 1 value because first a value is incremented
```

```
A= 6.07/2.2; // division on real variable.
```

Relation operator: are used to compare two quantities, depending on their relation, it returns the result. Result of relation operator is either true or false. True and false is represent as 1 and 0 respectively. For example

```
10<20 // its result is 0 that is false.
```

```
10==10 // its comparison of two values, it return 1 that true
```

Logical operator: are used to test more than one condition. Logical operator requires at least relational operator. C has the following three logical operator

&& meaning logical AND (it requires two relation operators, result is true if both conditions are true else false)

|| meaning logical OR (it requires two relation operators, result is true if at least one condition is true)

! meaning logical NOT (its result is true if condition is false)

For example

```
int a=10,b=12;
```

```
(a>b) && (a==10) // return false because one condition is false
```

```
(a>b) || (a==10) // returns true because of logical or and condition is true
```

Type the following program into logical.c and see the results

```
#include<stdio.h>
int main()
{
    int i=7,result;
    float f= 5.5;
    char c ='w';
    result= (i>= 6) && (c == 'w') // result is 1
    printf("result= %d, result);
    result = (i>=6) || (c== 119) // result is 1
    printf("result= %d, result);
    result = (f <11) && (i>100) // result is 0
    printf("result= %d, result);
    result =( c!='P') || ((i+f)) <=10) // result is 1
    printf("result= %d, result);
    return 0;
}
```

Conditional operator: A conditional expression is a compound expression that contains three expressions and segregated with (? :). Syntax of conditional operator is

Variable = expression1? expression2 : expression3

First, expression1 is evaluated, if the result of first expression is true, then expression2 is evaluated and its value is final result. Otherwise, expression3 is evaluated and its value is final result. For example

```
int m=1,n=2, min;
```

```
min = (m < n ? m : n);
```

Here m < n expression evaluates to be true therefore 1 is assigned to min. Type and run the following program into three.c

```
#include<stdio.h>          /* Include Header Files */
int main()                 /* main() is the entry point of the program */
{
    int a,b,c,min;
    printf("enter three numbers");
    scanf("%d%d%d",&a,&b,&c);
    min= (a< b ? (a < c ? a :c) : (b < c ? b : c));
    printf("min =%d",min);
    return 0;
}
```

5. OPERATOR PRECEDENCY AND ASSOCIATIVITY

If more than one operators are involved in an expression then, C language has predefined rule of priority of operators. This rule of priority of operators is called operator precedence. You have already done this in your class. In C, precedence of arithmetic operators(*,%,/,+,-) is higher than relational operators(==,!=,>,<,>=,<=) and precedence of relational operator is higher than logical operators(&&, || and !). Suppose an expression:

$a + b < c$

The + (addition) operation is performed before < (less than) operation because of precedence.

Associativity indicates in which order two operators of same precedence (priority) executes. Let us suppose an expression:

$a + b * c / d$

the * and / operations are performed before + because of precedence(refer to table 2), b is multiplied by c before it is divided by d because of associativity.

Note: Parentheses are also used to group sub-expressions to force a different precedence; such parenthetical expressions can be nested and are evaluated from inner to outer.

The table 2 shows all the operators in C with precedence and associativity.

Operator Symbol	Name	Category	Associative
!	Logical negation	Unary operator	Right to left
~	Bitwise(1's) complement		
+	Unary plus		
-	Unary minus		
++	Increment		
--	Decrement		
&	Dereference Operator(Address)		
*	Pointer reference		
sizeof (type)	Returns the size of an object Type cast(conversion)		
*	Multiply	Binary operator	Left to right
/	Divide		
%	Remainder		
+	Binary plus(Addition)	Binary operator	Left to right
-	Binary minus(subtraction)		
<	Less than	Relation operator	Left to right
<=	Less than or equal		
>	Greater than		
>=	Greater than or equal		
==	Equal to	Relation operator	Left to right
!=	Not equal to		
&&	Logical AND	Logical operator	Left to right
	Logical OR	Logical operator	Left to right
?:	Conditional Operator	Logical operator	Left to right
=	Simple assignment	Assignment operator	Right to left
*=	Assign product		
/=	Assign quotient		
%=	Assign remainder		
+=	Assign sum		
-=	Assign difference		
&=	Assign bitwise AND		
^=	Assign bitwise XOR		
=	Assign bitwise OR		
<<=	Assign left shift		
>>=	Assign right shift		

Table 2 Precedency and associative

Type the following program to evaluate the following expression

$x1 = \frac{-b + \sqrt{b^2 - 4ac}}{2a}$, where ^ denotes x raise to the power y, e.g. b^2
 $x2 = \frac{-b - \sqrt{b^2 - 4ac}}{2a}$

Input variables in given formula: a, b, c

Output variables in given formula: x1 and x2

Equivalent C programming expression:

```
x1 = (-b + sqrt((b*b) - (4*a*c)))/(2*a);  
x2 = (-b - sqrt((b*b) - (4*a*c)))/(2*a);
```

Type the following program in the file, **myroots.c**

```
#include<stdio.h>  
#include<math.h>  
int main()  
{  
    double  a,b,c,x1,x2;  
  
    printf("Enter values of a,b and c");  
    scanf("%d %d %d",&a,&b,&c);  
  
    x1 = (-b + sqrt((b*b) - (4*a*c)))/(2*a);  
    x2 = (-b - sqrt((b*b) - (4*a*c)))/(2*a);  
  
    printf("The first root of the quadratic eqn is %lf\n", x1);  
    printf("The second root of the quadratic eqn is %lf\n", x2);  
    return 0;  
}
```

Why is “math.h” included?

Since we are using sqrt() in our program which is a mathematical function to find the square root of a number. This function is present in “math.h” file.

Now try to compile the file **myroots.c** with the following command:

\$gcc myroots.c

Do you get an error message which says, “**Undefined reference to sqrt**”? Since we have a math feature in our program, we need to compile the program slightly differently.

\$ gcc myroots.c -lm

The option “**lm**” helps in linking the math library **math.h** to our program, **myroots.c**. After compilation, do a listing (ls command) to find that the “**a.out**” file has been created.

To execute:**\$/a.out**

6. TYPE CASTING

Typecasting is a way to convert a variable from one data type to another data type. It can be explicit or implicit.

Explicit type casting is performed by the programmer. Implicit type casting performed by the compiler whenever an expression is combination of different data type. Syntax of explicit type casting is

Variable=(data type) expression

For example if you want to compute the average of N students computer programming marks. Write the program in average.c

```
#include <stdio.h>
```

```

int main()
{
int total=65,n=7;
float average;
average = total/n;
printf("average=%f",average); // result would be 7.000000 because expression
                                type is integer
average= (float)total/n; // this will convert marks into float than expression is evaluated
printf("average=%f",average); // result would be 7.03.....
return 0;
}

```

It should be noted here that the cast operator has precedence over division, so the value of average is first converted to type float and finally it gets divided by n yielding a float value.

Implicit conversion: This conversion is performed by the compiler, automatically whenever two different types of operand encounter in an expression. The lower type is automatically converted into higher type before the operation proceeds. The result is higher type. For example if the above program is written as follows

```

#include <stdio.h>
int main()
{
float total=65,average;
int n=7;
average = total/n;
printf("average=%f",average);
/* result would be 9.285714 because n is automatically converted into float
for expression evaluation purpose */
return 0;
}

```

This conversion first performs integer promotion to data type, if operands still have different types then they are converted to the type that appears highest in the following hierarchy:

int->unsigned int -> long-> unsigned long-> float->double->long double

The usual arithmetic conversions are not performed for the assignment operators, nor for the logical operators && and ||.

Type the following program in conversion.c and predicate the output.

```

int main()
{
    int i = 17;
    char c = 'c'; /* ascii value is 99 */
    float sum;
    sum = i + c;
    printf("Value of sum : %f\n", sum );
    return 0;
}

```

Note: When the above code is compiled and executed, it produces the following result:

Value of sum : 116.000000

Because first c gets converted into integer, due to integer promotion and result is store into sum that is float type. Type the following program into conversion1.c and predicate the output.

```

#include<stdio.h>
int main()
{ char ch;
int i;

```



```

i=321;
ch=i;
printf("\n ch value is %d \n",ch); // what will be output ??
//return 0;
}

```

Note: The output is 65 because assignment will drop the upper bits of integer 321. The lower eight bits of the number 321 represented the number 65.

Type the following program in Example2.c

```

#include<stdio.h>
int main()
{
int a=10;
unsigned long b=40000;
float f=1.23, g;
double d;
g = a + f; // a transforms to float
d = a + b;
/* a and b transform to unsigned long, adding is produced in unsigned long
domain and then the result type unsigned long is transformed to double */
printf(" g value is %f \n g);
printf(" d value is %lf", d);
return 0;
}

```

Exercise-3

Write a C Program to swap contents of two characters.

Example:

Initial Value	Final Value
char1= 'A'	char1= 'B'
char2= 'B'	char2= 'A'

Type the following program in the file, **myswap.c**

```

#include<stdio.h>
int main()
{
char char1, char2, temp;
printf("Enter values of char1 and char2"); /* char1='A' and char2='B' */
scanf("%c %c", &char1, &char2);
/* Swap the characters using Temp variable */
temp = char1;
char1 = char2;
char2 = temp;
printf("%c%c", char1, char2)
return 0;
}

```

Compile and Execute:

\$ gcc myswap.c

\$/a.out

All the output that we have seen till now shows the output on the screen. How can we see the result of a C program on a file and not on the screen?

Hint: Use the output redirection '>' operator.

Exercise – 4

Write a C program to calculate the total distance travelled by a vehicle in 't' seconds, given by:

$$d = ut + \frac{1}{2} (at^2)$$

Where,

d = distance travelled, u = initial velocity in m/sec², a = acceleration in m/sec²

Use scanf() to read the values of 'u', 'a' and 't' from the user

Exercise – 5

Write a C program to evaluate the following expression:

$$\text{answer} = (a+b)^N$$

Hint: Use the pow() function present in math.h

Usage example:

x = pow(2,3)

Value of x would then be 8

Exercise – 6

Write a C program that takes two numbers from the user as an input and it calculates and displays the sum, multiplication, division and subtraction of these numbers.

Conditional Control Structure

Normally, program flows along line by line in the order in which it appears in your source code. But, it is sometimes required to execute a particular portion of code only if certain condition is true; or false i.e. you have to make decision in your program. There are three major decision making structures.

The one way decision using if statement

The if statement enables you to test for a condition (such as whether two variables are equal) and branch to different parts of your code, depending on the result or the conditions with relational and logical operators are also included. The simplest form is

```
if (TestExpr)
{block of statements executed if condition is true; }
```

Two way decision using if-else statement

If else statement is used when we want to take one branch if your condition is true, another if it is false. The form of if else is as follows

```
if (TestExpr)
{ block of statements executed if condition is true; }
else
{ block of statements executed if condition is true; }
```

Multi-way Decision

Multi-way decision statements use if-else-if nested ifs. They are used to evaluate a test expression that could have several possible values. It is often used to choose between ranges of values. The form of multi-way decision is as follows

```
if (TestExpr)
{ block of statements executed if condition is true; }
else if (TestExpr)
{ block of statements executed if condition is true; }
else
{ block of statements executed if condition is true; }
```

Note: If only one statement is to be followed by the if or else condition then there is no need of parenthesis.

Ex-1 Write a program that inputs an integer and determine if it is even or odd.

```
#include<stdio.h>
int main()
{ int i;
printf("Enter Number\n");
scanf("%d",&i);
if(i%2==0)
printf("number is even\n");
else
printf("number is odd\n");
return 0;
}
```

Ex-2 Write a program which takes three sides of a triangle input and calculates its area ,if these conditions are satisfied $a+b>c$, $b+c>a$, $a+c>b$, calculate $\text{area}=(a+b+c)/2$

```

#include<stdio.h>
int main()
{
    int side1,side2,side3;
    printf("\n enter the value of sides\n");
    scanf("%d%d%d",&side1,&side2,&side3);
    if(side1+side2 > side3)
    if(side1+side3> side2)
    if(side2+side3> side1)
    printf("\n Area = %f\n", (a+b+c)\2);
    return 0;
}

```

Ex-3 Write a program which takes a character input & checks if it is a vowel or consonant.

```

#include<stdio.h>
int main()
{char c;
    Printf("enter character\n");
    scanf(" %c",&c);
    if(c == 'a' || c == 'e' || c == 'i' || c == 'o' || c == 'u')
    printf(" %c is vowel\n",c);
    else
    printf("%c is consonant",c);
}

```

Ex-4 Write a program (calc.c) that does the job of a simple calculator with three operations(addition, division and power).

```

#include <stdio.h>
#include <math.h>
int main(void)
{
    int num1, num2;
    float res;
    char op;
    printf ("Enter First Number\n");
    scanf ("%d",&num1);
    printf ("Enter Second Number\n");
    scanf ("%d",&num2);
    printf ("Enter the operator (+ , / , ^)\n");
    scanf (" %c",&op);
    if (op == '+')
    res = num1 + num2; /*Implicit Type Casting */
    else if (op == '/')
    res = (float)num1/(float)num2; /*Explicit Type Casting */
    else if (op == '^')
    res = pow(num1,num2);
}

```

```

else
{
printf ("\n Invalid Operator");
return (0);
}
printf ("\n num1 %c num2 = %f",op,res);
return (0);
}

```

[NOTE: Since you have included math.h library, you need to explicitly link it during compile time. Therefore for compiling the above program write gcc -lm calc.c Also try the option gcc -lm calc.c -o mycalculator].

Switch Statement

The *switch* statement is provided by C to select one of several alternatives. The switch statement is especially useful when the selection is based on the value of a single variable or of a simple expression (also called the controlling expression). The value of this expression may be char or int but not double.

Ex-5 Consider again the same program (calc.c) using switch-case conditional construct. Try it and understand the difference between the two versions of the same program.

```

#include <stdio.h>
#include <math.h>
int main(void)
{
int num1, num2;
float res;
char op;
printf ("Enter First Number\n");
scanf ("%d",&num1);
printf ("Enter Second Number\n");
scanf ("%d",&num2);
printf ("Enter the operator (+ , / , ^)\n");
scanf (" %c",&op);
switch (op){
case '+':
res = num1 + num2;
break;
case '/':
res = (float)num1/(float)num2;
break;
case '^':
res = pow(num1,num2);
break;
default:
printf ("\n Invalid Operator");
return (0);
}
}

```

```

}
printf ("\n num1 %c num2 = %f",op,res);
return (0);
}

```

Exercises

- 1) Rewrite the program Ex-4 (calc.c) using simple if statement.
- 2) Replace the statement “res = (float)num1/(float)num2” in any version of the above programs by “res = (float)num1/num2” and observe what happens. Does the output change? Why.
- 3) Remove all the break statements from Ex-5 (with switch-case construct) and try to execute the program with few inputs. Observe the difference.
- 4) Write a program to find whether an entered year of a twenty-first century is a leap year or not. Your program should give an error message if the year entered does not belong to twenty-first century. Hint: A year is a leap year if it is divisible by 4, except that any year divisible by 100 is a leap year only if it is divisible by 400.
- 5) Write a program that returns a letter grade based on a quiz score. The input will be the integer score from a ten point quiz. (Use nested if-else)
The letter grades are assigned by:

9 - 10	“A”	7 - 8	“B”	5 - 6	“C”	3 - 4	“D”	< 3	“F”
--------	-----	-------	-----	-------	-----	-------	-----	-----	-----
- 6) Rewrite the program in Q.5 using switch statement.
- 7) Write a C program that takes month number as an input and displays the number of days in the month. If input is greater than 12 or less than 1 then program should display an error message.