

```
CREATE TABLE Stores (  
    StoreID INT PRIMARY KEY AUTO_INCREMENT,  
    StoreName  
    VARCHAR(100),  
    Location  
    VARCHAR(100)
```

21

22

23

24

25

26

```
)  
;
```

27

28

29

30

31

32

33

34

35

```
);
```

36

```
CREATE TABLE Orders  
(  
    OrderID INT PRIMARY KEY AUTO_INCREMENT,  
    CustomerID INT,  
    StoreID INT,  
    OrderDate DATE,  
    FOREIGN KEY (CustomerID) REFERENCES Customers  
    (CustomerID),  
    FOREIGN KEY (StoreID) REFERENCES Stores  
    (StoreID)
```

37. CREATE TABLE OrderDetails (

38
39
40
41
42
43
44
45

94

95

96

97

98

99

100

101

```
);  
    OrderDetailID INT PRIMARY KEY AUTO_INCREMENT,  
    OrderID INT,  
    ProductID INT,  
    Quantity  
    INT,  
    FOREIGN KEY (OrderID) REFERENCES Orders  
    (OrderID),  
    FOREIGN KEY (ProductID) REFERENCES Products  
    (ProductID)  
  
    (1,  
    800.00,  
    8. Insert 5 Records into Payments  
    INSERT INTO Payments (OrderID, Amount, PaymentDate, PaymentMethod)  
    VALUES  
        (2025-88-01', 'Credit Card'),  
  
    (2,  
    300.00,  
        (2025-88-02', 'PayPal'),  
  
    (3,  
    600.00,  
        (2025-88-83', 'Debit Card'),  
  
    (4,  
    500.00,  
        (2025-08-04', 'Net Banking'),
```

102

103

184.

```
(5, 600.00, 2025-08-05', 'Cash');
```

-- 9. UPDATE: Reduce stock quantity after a sale (e.g., Kavya bought 3 Bookshelves)

```
UPDATE Products
```

```
SET StockQuantity StockQuantity - 3
```

```
WHERE ProductID =  
53
```

--10. UPDATE: Increase price of all "Furniture" products by 10%

```
UPDATE Products
```

```
SET Price Price * 1.10
```

105

106

187

```
|
```

108

109

110

111

```
WHERE Category =  
'Furniture';
```

112

113

114

```
DELETE FROM Customers
```

115

--11. DELETE Example: Remove a customer record (say CustomerID = 5)

```
WHERE CustomerID = 5;
```

116