





PIZZA HUT

Pizza Resto



PIZZA SALES ANALYSIS USING MYSQL



HELLO, I AM ABHIMANYU SHARMA,
STRONG INTEREST IN DATA-DRIVEN
DECISION-MAKING AND BUSINESS
ANALYTICS. AS PART OF MY
LEARNING JOURNEY, I DESIGNED
AND IMPLEMENTED A PIZZA SALES
ANALYSIS SYSTEM USING MYSQL.
THE PROJECT INVOLVED THE USE OF
SQL FUNCTIONS, JOINS,
AGGREGATIONS, SUBQUERIES, AND
ANALYTICAL TECHNIQUES TO
PROCESS SALES DATA AND DERIVE
ACTIONABLE INSIGHTS RELATED TO
SALES PERFORMANCE, PRODUCT
DEMAND, CUSTOMER PREFERENCES,
AND REVENUE GENERATION.
THROUGH THIS PROJECT, I
ENHANCED MY SKILLS IN DATA
ANALYSIS, DATABASE MANAGEMENT,
AND BUSINESS INTELLIGENCE.

[Home](#)

[About](#)

[Contact](#)





RETRIVE THE TOTOAL NUMBER
OF ORDER PLACED

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```

Result Grid			 Filter Rows:
	total_orders		
▶	21350		



CALCULATE THE TOTAL REVENUE
GENERATED BY THE PIZZA SALES.



```
Query 1  SQL File 1* x  SQL File 2*  SQL File 3*  SQL File 4*  SQL File 5*
Limit to 1000 rows
1  -- Calculate the total revenue generated by the pizza sales.
2
3
4  SELECT
5      ROUND(SUM(order_details.quantity * pizzas.price),
6              2) AS total_sales
7  FROM
8      order_details
9      JOIN
10     pizzas ON pizzas.pizza_id = order_details.pizza_id
11
12
13
```

total_sales
817860.05



IDENTIFY THE HEIGEST PRIZED PIZZA



```
Query 1  SQL File 1*  SQL File 2* x  SQL File 3*  SQL File 4*  SQL
Limit to 1000 rows
1  -- identify the heigest prized pizza
2  SELECT
3      pizza_types.name, pizzas.price
4  FROM
5      pizza_types
6      JOIN
7      pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
8  ORDER BY pizzas.price DESC
9  LIMIT 6;
```

Result Grid			Filter Rows:	
	name	price		
▶	The Greek Pizza	35.95		
	The Greek Pizza	25.5		
	The Brie Carre Pizza	23.65		
	The Italian Vegetables Pizza	21		
	The Barbecue Chicken Pizza	20.75		
	The Spinach Supreme Pizza	20.75		

IDENTIFY THE MOST COMMON PIZA SIZE ORDERED



```
Query 1  SQL File 1*  SQL File 2*  SQL File 3* x  SQL File 4*  SQL File 5*  SQL File 6*  SQ
Limit to 1000 rows
1  -- Identify the most common piza size ordered
2  • SELECT
3      pizzas.size,
4      COUNT(order_details.order_details_id) AS order_count
5  FROM
6      pizzas
7      JOIN
8      order_details ON pizzas.pizza_id = order_details.pizza_id
9  GROUP BY pizzas.size
10 ORDER BY order_count DESC;
```

Result Grid			Filter Rows:
	size	order_count	
▶	L	18526	
	M	15385	
	S	14137	
	XL	544	
	XXL	28	



LIST THE TOP 5 MOST SELLING PIZZA TYPES ALONG WITH THEIR QUANTITIES.



```
Query 1  SQL File 1*  SQL File 2*  SQL File 3*  SQL File 4* x  SQL File 5*  SQL F
Limit to 1000 rows
3
4 • SELECT
5     pizza_types.name, SUM(order_details.quantity) AS quantity
6 FROM
7     pizza_types
8
9     JOIN
10    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
11    JOIN
12    order_details ON order_details.pizza_id = pizzas.pizza_id
13 GROUP BY pizza_types.name
14 ORDER BY quantity DESC
15 LIMIT 5;
```

Result Grid			Filter Rows:	
	name	quantity		
▶	The Classic Deluxe Pizza	2453		
	The Barbecue Chicken Pizza	2432		
	The Hawaiian Pizza	2422		
	The Pepperoni Pizza	2418		
	The Thai Chicken Pizza	2371		



JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF
-- EACH PIZZA CATEGORY ORDERED.



```
Query 1  SQL File 1*  SQL File 2*  SQL File 3*  SQL File 4*  SQL File 5* x
Limit to 1000 rows
4
5 • SELECT
6     pizza_types.category,
7     SUM(order_details.quantity) AS quantity
8 FROM
9     pizza_types
10    JOIN
11    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
12    JOIN
13    order_details ON order_details.pizza_id = pizzas.pizza_id
14 GROUP BY pizza_types.category
15 ORDER BY quantity DESC;
16
```

Result Grid			Filter Rows:
	category	quantity	
▶	Classic	14888	
	Supreme	11987	
	Veggie	11649	
	Chicken	11050	



DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.

```
Query 1  SQL File 1*  SQL File 2*  SQL File 3*  SQL File 4*  SQL File 5*  SQL File 6* x
Limit to 1000 rows
1  -- determine the distribution of orders by hour of the day.
2
3  •  SELECT
4      HOUR(order_time) AS hour, COUNT(order_id) AS order_count
5  FROM
6      orders
7  GROUP BY HOUR(order_time);
```



Result Grid				Filter
	hour	order_count		
▶	11	1231		
	12	2520		
	13	2455		
	14	1472		
	15	1468		
	16	1920		
	17	2336		
	18	2399		
	19	2009		
	20	1642		
	21	1198		
	22	663		
	23	28		
	10	8		
	9	1		



JOIN RELEVANT TABLES TO FIND THE CATEGORY WISE
DISTRIBUTION OF PIZZA



Query 1 SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 6*

Limit to 1000 rows

```
1  -- join relevant tables to find the category wise distribution of pizza
2
3  • select category, count(name) from pizza_types
4  group by category;
```

Result Grid Filter Rows: Export: Wrap Cell Content: ☐

	category	count(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9



PIZZA HUT

Pizza Resto



-- GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

```
Query 1  SQL File 1*  SQL File 2*  SQL File 3*  SQL File 4*  SQL File 5*  SQL File 6*  SQL File 7*
Limit to 1000 rows
1  -- group the orders by date and calculate the average number of pizzas ordered per day.
2  SELECT
3      ROUND(AVG(quantity), 0)
4  FROM
5      (SELECT
6          orders.order_date, SUM(order_details.quantity) AS quantity
7      FROM
8          orders
9      JOIN order_details ON orders.order_id = order_details.order_id
10     GROUP BY orders.order_date) AS order_quantity;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

round(avg(quantity),0)
138



DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES
BASED ON REVENUE.



```
le 1*  SQL File 2*  SQL File 3*  SQL File 4*  SQL File 5*  SQL File 6*  SQL File 7*
Limit to 1000 rows
2
3 • SELECT
4     pizza_types.name,
5     SUM(order_details.quantity * pizzas.price) AS revenue
6 FROM
7     pizza_types
8     JOIN
9     pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
10    JOIN
11    order_details ON order_details.pizza_id = pizzas.pizza_id
12 GROUP BY pizza_types.name
13 ORDER BY revenue DESC
14 LIMIT 3;
```

Result Grid			Filter Rows:
	name	revenue	
▶	The Thai Chicken Pizza	43434.25	
	The Barbecue Chicken Pizza	42768	
	The California Chicken Pizza	41409.5	



-- ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME.

```
4 • select order_date,
5     sum(revenue) over(order by order_date) as cum_revenue
6     from
7     (select orders.order_date,
8        sum(order_details.quantity * pizzas.price) as revenue
9        from order_details join pizzas
10       on order_details.pizza_id = pizzas.pizza_id
11       join orders
12      on orders.order_id = order_details.order_id
13      group by orders.order_date) as sales ;
14
```



Result Grid			Filter Rows:
	order_date	cum_revenue	
▶	2015-01-01	2713.8500000000004	
	2015-01-02	5445.75	
	2015-01-03	8108.15	
	2015-01-04	9863.6	
	2015-01-05	11929.55	
	2015-01-06	14358.5	
	2015-01-07	16560.7	
	2015-01-08	19399.05	
	2015-01-09	21526.4	
	2015-01-10	23990.350000000002	
	2015-01-11	25862.65	
	2015-01-12	27781.7	
	2015-01-13	29831.300000000003	
	2015-01-14	32358.700000000004	
	2015-01-15	34343.50000000001	



-- DETERMINE THE TOP 5 MOST ORDERED PIZZA TYPE
BASED ON REVENUE FOR EACH PIZZA CATEGORY

```
3 • select name, revenue from
4   (select category, name, revenue,
5    rank() over(partition by category order by revenue desc) as rn
6   from
7    (select pizza_types.category, pizza_types.name,
8     sum((order_details.quantity)* pizzas.price) as revenue
9    from pizza_types join pizzas
10   on pizza_types.pizza_type_id = pizzas.pizza_type_id
11   join order_details
12  on order_details.pizza_id = pizzas.pizza_id
13   group by pizza_types.category, pizza_types.name) as a) as b
14  where rn<= 3;
```



	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Hawaiian Pizza	32273.25
	The Pepperoni Pizza	30161.75
	The Spicy Italian Pizza	34831.25
	The Italian Supreme Pizza	33476.75
	The Sicilian Pizza	30940.5
	The Four Cheese Pizza	32265.70000000065
	The Mexicana Pizza	26780.75
	The Five Cheese Pizza	26066.5



PIZZA HUT

Pizza Resto

[Home](#)

[About](#)

[Contact](#)

THANK YOU

FOR ATTENTION

- PIZZA SALES ANALYSIS BY
ABHIMANYU SHARMA