

## References

- Abdalla, S., and L. Cavaleri (2002). Effect of wind variability and variable air density on wave modeling. *J. Geophys. Res.*, **107**(C7), 3080, doi:10.1029/2000JC000639.
- Aberson, S. D. (2003). Targeted observations to improve operational tropical cyclone track forecast guidance. *Mon. Wea. Rev.*, **131**, 1613–1628.
- Abramopoulos, F., C. Rosenzweig, and B. Choudhury (1988). Improved ground hydrology calculations for global climate models (GCMs): Soil water movement and evapotranspiration. *J. Climate*, **1**, 921–941.
- AchutaRao, K., and K. R. Sperber (2006). ENSO simulation in coupled ocean-atmosphere models: Are the current models better? *Climate Dyn.*, **27**, 1–15.
- AchutaRao, K., C. Covey, C. Doutriaux, *et al.* (2004). *An Appraisal of Coupled Climate Model Simulations*. Lawrence Livermore National Laboratory report UCRL-TR-202550, 16 August 2004.
- Adcroft, A., C. Hill, and J. Marshall (1997). Representation of topography by shaved cells in a height coordinate ocean model. *Mon. Wea. Rev.*, **125**, 2293–2315.
- Adcroft, A., J.-M. Campin, C. Hill, and J. Marshall (2004). Implementation of an atmosphere-ocean general circulation model on the expanded spherical cube. *Mon. Wea. Rev.*, **132**, 2845–2863.
- Adegoke, J. O., R. A. Pielke Sr, and A. M. Carleton (2006). Observational and modeling studies of the impacts of agriculture-related land use change on planetary boundary layer processes in the central U.S. *Agric. Forest Meteorol.*, **142**, 201–215.
- Ådlandsvik, B. (2008). Marine downscaling of a future climate scenario for the North Sea. *Tellus*, **60A**, 451–458.
- Afiesimama, E. A., J. S. Pal, B. J. Abiodun, W. J. Gutowski Jr, and A. Adedoyin (2006). Simulation of West African monsoon using the RegCM3. Part I: Model validation and interannual variability. *Theor. Appl. Climatol.*, **86**, 23–37.
- Albrecht, B. A. (1989). Aerosols, cloud microphysics, and fractional cloudiness. *Science*, **245**, 1227–1230.
- Albrecht, B. A., A. K. Betts, W. H. Schubert, and S. K. Cox (1979). A model for the thermodynamic structure of the trade-wind boundary layer: I. Theoretical formulation and sensitivity tests. *J. Atmos. Sci.*, **36**, 73–89.
- Alexander, L. V., and J. M. Arblaster (2009). Assessing trends in observed and modelled climate extremes over Australia in relation to future projections. *Int. J. Climatol.*, **29**, 417–435.
- Alexandru, A., R. de Elia, R. Laprise, L. Separovic, and S. Biner (2009). Sensitivity study of regional climate model simulations to large-scale nudging parameters. *Mon. Wea. Rev.*, **137**, 1666–1686.

- Alpert, P., S. O. Krichak, T. N. Krishnamurti, U. Stein, and M. Tsidulko (1996). The relative roles of lateral boundaries, initial conditions, and topography in mesoscale simulations of lee cyclogenesis. *J. Appl. Meteor.*, **35**, 1091–1099.
- Alpert, P., M. Tsidulko, and D. Itzigsohn (1999). A shallow, short-lived meso- $\beta$  cyclone over the Gulf of Antalya, eastern Mediterranean. *Tellus*, **51A**, 249–262.
- Anderson, D., T. Stockdale, M. Balmaseda, *et al.* (2003). *Comparison of the ECMWF Seasonal Forecast Systems 1 and 2, Including the Relative Performance for the 1997/8 El Niño*. Technical Memo. 404, European Centre for Medium-Range Weather Forecasts, Reading, UK.
- Anderson, J. L. (1996). A method for producing and evaluating probabilistic forecasts from ensemble model integrations. *J. Climate*, **9**, 1518–1530.
- Anderson, J. L. (2003). A local least squares framework for ensemble filtering. *Mon. Wea. Rev.*, **131**, 634–642.
- Anthes, R. A. (1970). Numerical experiments with a two-dimensional horizontal variable grid. *Mon. Wea. Rev.*, **98**, 810–822.
- Anthes, R. A. (1974). Data assimilation and initialization of hurricane prediction models. *J. Atmos. Sci.*, **31**, 702–719.
- Anthes, R. A. (1977). A cumulus parameterization scheme utilizing a one-dimensional cloud model. *Mon. Wea. Rev.*, **105**, 270–286.
- Anthes, R. A., and J. W. Trout (1971). Three dimensional particle trajectories in a model hurricane. *Weatherwise*, **24**, 174–178.
- Anthes, R. A., and T. T. Warner (1978). Development of hydrodynamic models suitable for air pollution and other mesometeorological studies. *Mon. Wea. Rev.*, **106**, 1045–1078.
- Anthes, R. A., Y.-H. Kuo, and J. R. Gyakum (1983). Numerical simulations of a case of explosive marine cyclogenesis. *Mon. Wea. Rev.*, **111**, 1174–1188.
- Anthes, R. A., Y. H. Kuo, D. P. Baumhefner, R. M. Errico, and T. W. Bettge (1985). Predictability of mesoscale motions. *Adv. in Geophys.*, Vol. 28, Academic Press, 159–202.
- Anthes, R. A., E.-Y. Hsie, and Y.-H. Kuo (1987). *Description of the Penn State/NCAR Mesoscale Model Version 4 (MM4)*. NCAR Tech. Note NCAR/TN-282+STR.
- Anthes, R. A., P. A. Bernhardt, Y. Chen, *et al.* (2008). The COSMIC/FORMOSAT-3 mission: Early results. *Bull. Amer. Meteor. Soc.*, **89**, 313–333.
- Antic, S., R. Laprise, B. Denis, and R. de Elía (2006). Testing the downscaling ability of a one-way nested regional climate model in regions of complex topography. *Climate Dyn.*, **26**, 305–325.
- Anyah, R. O., and F. H. M. Semazzi (2007). Variability of East African rainfall based on multiyear Regcm3 simulations. *Int. J. Climatol.*, **27**, 357–371.
- Arakawa, A. (1993). Closure assumptions in the cumulus parameterization problem. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, eds. K. A. Emanuel and D. J. Raymond. Meteorological Monograph, No. 46, Boston, USA: American Meteorological Society, pp. 1–15.
- Arakawa, A., and V. R. Lamb (1977). Computational design of the basic dynamical processes of the UCLA general circulation model. *Methods Comput. Phys.*, **17**, 173–265.
- Arakawa, A., and W. H. Schubert (1974). Interaction of a cumulus cloud ensemble with the large-scale environment. Part I. *J. Atmos. Sci.*, **31**, 674–701.

- Asselin, R. (1972). Integration of a semi-implicit model with time dependent boundary conditions. *Atmosphere*, **10**, 44–55.
- Atlas, R., R. N. Hoffman, S. M. Leidner, *et al.* (2001). The effects of marine winds from scatterometer data on weather analysis and forecasting. *Bull. Amer. Meteor. Soc.*, **82**, 1965–1990.
- Bacon, D. P., N. N. Ahmad, Z. Boybeyi, *et al.* (2000). A dynamically adaptive weather and dispersion model: The Operational Multiscale Environmental Model with Grid Adaptivity (OMEGA). *Mon. Wea. Rev.*, **128**, 2044–2076.
- Baer, F., and J. J. Tribbia (1977). On complete filtering of gravity modes through nonlinear initialization. *Mon. Wea. Rev.*, **105**, 1536–1539.
- Bagnold, R. A. (1954). *The Physics of Blown Sand and Desert Dunes*. London, UK: Methuen.
- Ballish, B., X. Cao, E. Kalnay, and M. Kanamitsu (1992). Incremental nonlinear normal-mode initialization. *Mon. Wea. Rev.*, **120**, 1723–1734.
- Bao, J.-W., and R. M. Errico (1997). An adjoint examination of a nudging method for data assimilation. *Mon. Wea. Rev.*, **125**, 1355–1373.
- Bao, J.-W., J. M. Wilczak, J.-K. Choi, and L. A. Kantha (2000). Numerical simulation of air–sea interaction under high wind conditions using a coupled model: A study of hurricane development. *Mon. Wea. Rev.*, **128**, 2190–2210.
- Barnes, S. (1964). A technique for maximizing details in numerical map analysis. *J. Appl. Meteor.*, **3**, 396–409.
- Barnes, S. (1978). Oklahoma thunderstorms on 29–30 April 1970, Part I: Morphology of a tornadic storm. *Mon. Wea. Rev.*, **108**, 673–684.
- Barnes, S. (1994a). Applications of the Barnes objective analysis scheme. Part I: Effects of undersampling, wave position, and station randomness. *J. Atmos. Oceanic Technol.*, **11**, 1433–1448.
- Barnes, S. (1994b). Applications of the Barnes objective analysis scheme. Part II: Improving derivative estimates. *J. Atmos. Oceanic Technol.*, **11**, 1449–1458.
- Barnett, T. P., and R. Preisendorfer (1987). Origins and levels of monthly and seasonal forecast skill for United States surface air temperatures determined by canonical correlation analysis. *Mon. Wea. Rev.*, **115**, 1825–1850.
- Barnston, A. G., and R. E. Livezey (1987). Classification, seasonality and persistence of low-frequency atmospheric circulation patterns. *Mon. Wea. Rev.*, **115**, 1083–1126.
- Barnston, A. G., S. J. Mason, L. Goddard, D. G. Dewitt, and S. E. Zebiak (2003). Multi-model ensembling in seasonal climate forecasting at IRI. *Bull. Amer. Meteor. Soc.*, **84**, 1783–1796.
- Barnum, B. H., N. S. Winstead, J. Wesely, *et al.* (2004). Forecasting dust storms using the CARMA-dust model and MM5 weather data. *Environ. Model. Software*, **19**, 129–140.
- Barstad, I., A. Sorteberg, F. Flatøy, and M. Déqué (2009). Precipitation, temperature and wind in Norway: dynamical downscaling of ERA40. *Climate Dyn.*, **33**, 769–776, doi: 10.1007/s00382-008-0476-5.
- Bartello, P., and H. L. Mitchell (1992). A continuous three-dimensional model of short-range error covariances. *Tellus*, **44A**, 217–235.

- Baumgardner, J. R., and P. O. Frederickson (1985). Icosahedral discretization of the two-sphere. *SIAM J. Numer. Anal.*, **22**, 1107–1115.
- Baumhefner, D. P., and D. J. Perkey (1982). Evaluation of lateral boundary errors in a limited-domain model. *Tellus*, **34**, 409–428.
- Beare, R. J., M. K. MacVean, A. A. M. Holtslag, *et al.* (2006). An intercomparison of large-eddy simulations of the stable boundary layer. *Bound.-Layer Meteor.*, **118**, 247–272.
- Beck, C., J. Grieser, and B. Rudolf (2005). A new monthly precipitation climatology for the global land areas for the period 1951 to 2000. *Klimastatusbericht*, Deutscher Wetterdienst (DWD), 181–190.
- Belair, S., D.-L. Zhang, and J. Mailhot (1994). Numerical prediction of the 10–11 June 1985 squall line with the Canadian Regional Finite-Element model. *Wea. Forecasting*, **9**, 157–172.
- Béland, M., and C. Beaudoin (1985). A global spectral model with a finite-element formulation for the vertical discretization: Adiabatic formulation. *Mon. Wea. Rev.*, **113**, 1910–1919.
- Béland, M., J. Côté, and A. Staniforth (1983). The accuracy of a finite-element vertical discretization scheme for primitive equation models: Comparison with a finite-difference scheme. *Mon. Wea. Rev.*, **111**, 2298–2318.
- Beldring, S., T. Engen-Skaugen, E. J. Førland, and L. A. Roald (2008). Climate change impacts on hydrologic processes in Norway based on two methods for transferring regional climate model results to meteorological station sites. *Tellus*, **60A**, 439–450.
- Beljaars, A. C. M., P. Viterbo, and M. J. Miller (1996). The anomalous rainfall over the United States during July 1993: Sensitivity to land surface parameterization and soil moisture anomalies. *Mon. Wea. Rev.*, **124**, 362–383.
- Bell, V. A., A. L. Kay, R. G. Jones, and R. J. Moore (2007). Use of a grid-based hydrological model and regional climate model outputs to assess changing flood risk. *Int. J. Climatol.*, **27**, 1657–1671.
- Beltrán-Przekurat, A., R. A. Pielke Sr, D. P. C. Peters, K. A. Snyder, and A. Rango (2008). Modeling the effects of historical vegetation change on near-surface atmosphere in the northern Chihuahuan Desert. *J. Arid Environ.*, **72**, 1897–1910.
- Benestad, R. E. (2001). A comparison between two empirical downscaling strategies. *Int. J. Climatol.*, **21**, 1645–1668.
- Benjamin, S. G. (1983). Some effects of surface heating and topography on the regional severe-storm environment. Ph.D. Thesis, Department of Meteorology, The Pennsylvania State University, PA, USA.
- Benjamin, S. G. (1989). An isentropic meso-alpha scale analysis system and its sensitivity to aircraft and surface observations. *Mon. Wea. Rev.*, **117**, 1586–1603.
- Benjamin, S. G., and N. L. Seaman (1985). A simple scheme for objective analyses in curved flow. *Mon. Wea. Rev.*, **113**, 1184–1198.
- Benjamin, S. G., D. Dévényi, S. S. Weygandt, *et al.* (2004a). An hourly assimilation–forecast cycle: The RUC. *Mon. Wea. Rev.*, **132**, 495–518.
- Benjamin, S. G., G. A. Grell, J. M. Brown, and T. G. Smirnova (2004b). Mesoscale weather prediction with the RUC hybrid isentropic-terrain-following coordinate model. *Mon. Wea. Rev.*, **132**, 473–494.

- Benoit, R., J. Côté, and J. Mailhot (1989). Inclusion of a TKE boundary layer parameterization in the Canadian regional finite element model. *Mon. Wea. Rev.*, **117**, 1726–1750.
- Berger, M., and J. Oliger (1984). Adaptive mesh refinement for hyperbolic partial differential equations. *J. Comput. Phys.*, **53**, 484–512.
- Bergot, T. (1999). Adaptive observations during FASTEX: A systematic survey of upstream flights. *Quart. J. Roy. Meteor. Soc.*, **125**, 3271–3298.
- Bergot, T. (2001). Influence of the assimilation scheme on the efficiency of adaptive observations. *Quart. J. Roy. Meteor. Soc.*, **127**, 635–660.
- Bergot, T., and A. Doerenbecher (2002). A study on the optimization of the deployment of targeted observations using adjoint-based methods. *Quart. J. Roy. Meteor. Soc.*, **128**, 1689–1712.
- Berghorsson, P., and B. Doos (1955). Numerical weather map analysis. *Tellus*, **7**, 329–340.
- Berliner, L. M., Z.-Q. Lu, and C. Snyder (1999). Statistical design for adaptive weather observations. *J. Atmos. Sci.*, **56**, 2536–2552.
- Berner, J., G. J. Shutts, M. Leutbecher, and T. N. Palmer (2009). A spectral stochastic kinetic energy backscatter scheme and its impact on flow-dependent predictability in the ECMWF ensemble prediction system. *J. Atmos. Sci.*, **66**, 603–626.
- Bernstein, A. B. (1966). Examination of certain terms appearing in Reynolds' equations under unsteady conditions and their implications for micrometeorology. *Quart. J. Roy. Meteor. Soc.*, **92**, 533–544.
- Bernstein, B. C., F. McDonough, M. K. Politovich, *et al.* (2005). Current icing potential: Algorithm description and comparison with aircraft observations. *J. Appl. Meteor.*, **44**, 969–986.
- Betts, A. K. (1986). A new convective adjustment scheme. Part I: Observational and theoretical basis. *Quart. J. Roy. Meteor. Soc.*, **112**, 677–692.
- Betts, A. K., and M. J. Miller (1986). A new convective adjustment scheme. Part II: Single column tests using GATE wave, BOMEX, ATEX, and Arctic air-mass data sets. *Quart. J. Roy. Meteor. Soc.*, **112**, 693–709.
- Betts, A. K., and M. J. Miller (1993). The Betts-Miller scheme. In *The Representation of Cumulus Convection in Numerical Models of the Atmosphere*, eds. K. A. Emanuel and D. J. Raymond. Meteorological Monograph, No. 46, Boston, USA: American Meteorological Society, pp. 107–121.
- Bidlot, J. R., D. J. Holmes, P. A. Wittmann, R. Lalbeharry, and H. S. Chen (2002). Intercomparison of the performance of operational ocean wave forecasting systems with buoy data. *Wea. Forecasting*, **17**, 287–310.
- Bishop, C. H., and Z. Toth (1999). Ensemble transformation and adaptive observations. *J. Atmos. Sci.*, **56**, 1748–1765.
- Bishop, C. H., B. J. Etherton, and S. J. Majumdar (2001). Adaptive sampling with the ensemble transform Kalman filter. Part I: Theoretical aspects. *Mon. Wea. Rev.*, **129**, 420–436.
- Black, T. L. (1994). The new NMC mesoscale Eta model: Description and forecast examples. *Wea. Forecasting*, **9**, 265–278.
- Black, T. L., D. G. Deaven, and G. J. DiMego (1993). *The Step-mountain Eta Coordinate Model: 80 km "Early" Version and Objective Verifications*. Technical Procedures

- Bulletin 412. NOAA/NWS. [Available from National Weather Service, Office of Meteorology, 1325 East–West Highway, Silver Spring, MD 20910.]
- Blackadar, A. K. (1978). Modeling pollutant transfer during daytime convection. *Preprints, Fourth Symposium on Atmospheric Turbulence, Diffusion, and Air Quality*, Reno, American Meteorological Society, pp. 443–447.
- Bleck, R. (2002). An oceanic general circulation model framed in hybrid isopycnic–Cartesian coordinates. *Ocean Modelling*, **4**, 55–88.
- Bleck, R., and M. A. Shapiro (1976). Simulation and numerical weather prediction framed in isentropic coordinates. In *Weather Forecasting and Weather Forecasts: Models, Systems, and Users*. Vol. 1, NCAR Colloquium, National Center for Atmospheric Research, 154–168.
- Bleck, R., C. Rooth, D. Hu, and L. T. Smith (1992). Salinity-driven thermocline transients in a wind- and thermohaline-forced isopycnic coordinate model of the North Atlantic. *J. Phys. Oceanogr.*, **22**, 1486–1505.
- Blenkinsop, S., and H. J. Fowler (2007). Changes in European drought characteristics projected by the PRUDENCE regional climate models. *Int. J. Climatol.*, **27**, 1595–1610.
- Bloom, S. C., L. L. Takacs, A. M. da Silva, and D. Ledvina (1996). Data assimilation using incremental analysis updates. *Mon. Wea. Rev.*, **124**, 1256–1271.
- Bluestein, H. (1992a). *Synoptic-dynamic Meteorology in Midlatitudes. Vol. 1: Principles of Dynamics and Kinematics*. New York, USA: Oxford University Press.
- Bluestein, H. (1992b). *Synoptic-dynamic Meteorology in Midlatitudes. Vol. 2: Observations and Theory of Weather Systems*. New York, USA: Oxford University Press.
- Boé, J., L. Terra, F. Habets, and E. Martin (2007). Statistical and dynamical downscaling of the Seine basin climate for hydro-meteorological studies. *Int. J. Climatol.*, **27**, 1643–1655.
- Boer, G. J., and S. J. Lambert (2001). Second order space-time climate difference statistics. *Climate Dyn.*, **17**, 213–218.
- Bonan, G. B. (1998). The land surface climatology of the NCAR land surface model (LSM 1.0) coupled to the NCAR Community Climate Model (CCM3). *J. Climate*, **11**, 1307–1326.
- Bonan, G. B., K. W. Oleson, M. Vertenstein, and S. Levis (2002). The land surface climatology of the Community Land Model coupled to the NCAR Community Climate Model. *J. Climate*, **15**, 3123–3149.
- Bonavita, M., L. Torrisi, and F. Marcucci (2008). The ensemble Kalman filter in an operational regional NWP system: Preliminary results with real observations. *Quart. J. Roy. Meteor. Soc.*, **134**, 1733–1744.
- Boo, K.-O., W.-T. Kwon, J.-H. Oh, and H.-J. Baek (2004). Response of global warming on regional climate change over Korea: An experiment with the MM5 model. *Geophys. Res. Lett.*, **31**, L21206, doi:10.1029/2004GL021171.
- Bosart, L. F. (1975). SUNYA experimental results in forecasting daily temperature and precipitation. *Mon. Wea. Rev.*, **103**, 1013–1020.
- Bosilovich, M. G., S. D. Schubert, M. Rienecker, *et al.* (2006). NASA's Modern Era Retrospective-analysis for Research and Applications. *U.S. CLIVAR Variations*, **4**, 5–8.



- Bourassa, M. A., D. M. Legler, J. J. O'Brien, and S. R. Smith (2003). SeaWinds validation with research vessels. *J. Geophys. Res.*, **108**, 3019, doi:10.1029/2001JC001028.
- Bourke, W. (1974). A multi-level spectral model. I. Formulation and hemispheric integrations. *Mon. Wea. Rev.*, **102**, 687–701.
- Boussinesq, J. (1903). *Théorie Analytique de la Chaleur, Vol. II*. Paris, France: Gauthier-Villars.
- Bouttier, F. (1994). A dynamical estimation of forecast error covariances in an assimilation system. *Mon. Wea. Rev.*, **122**, 2376–2390.
- Boville, B. A. (2000). Toward a complete model of the climate system. In *Numerical Modeling of the Global Atmosphere in the Climate System*, eds. P. Mote and A. O'Neill. Dordrecht, the Netherlands: Kluwer Academic Publishers, pp. 419–442.
- Boyd, J. P. (2005). Limited-area Fourier spectral models and data analysis schemes: Windows, Fourier extension, Davies relaxation, and all that. *Mon. Wea. Rev.*, **133**, 2030–2042.
- Braham, R. R., Jr. and P. Squires (1974). Cloud physics: 1974. *Bull. Amer. Meteor. Soc.*, **55**, 543–586.
- Branković, Č., and D. Gregory (2001). Impact of horizontal resolution on seasonal integrations. *Climate Dyn.*, **18**, 123–143.
- Branstetter, M. L. (2001). Development of a parallel river transport algorithm and application to climate studies. Ph.D. Dissertation, University of Texas, Austin, USA.
- Bratseth, A. M. (1986). Statistical interpolation by means of successive corrections. *Tellus*, **38A**, 439–447.
- Bremnes, J. B. (2004). Probabilistic forecasts of precipitation in terms of quantiles using NWP model output. *Mon. Wea. Rev.*, **132**, 338–347.
- Bretherton, C. S., C. Smith, and J. M. Wallace (1992). An intercomparison of methods for finding coupled patterns in climate data. *J. Climate*, **5**, 541–560.
- Bretherton, C. S., J. R. McCaa, and H. Grenier (2004). A new parameterization for shallow cumulus convection and its application to marine subtropical cloud-topped boundary layers. Part I: Description and 1D results. *Mon. Wea. Rev.*, **132**, 864–882.
- Briegleb, B. P., C. M. Bitz, E. C. Hunke, *et al.* (2004). *Scientific Description of the Sea Ice Component in the Community Climate System Model, Version Three*. Technical Note TN-463STR, NTIS #PB2004-106574, National Center for Atmospheric Research, Boulder, CO.
- Brochu, R., and R. Laprise (2007). Surface water and energy budgets over the Mississippi and Columbia River Basins as simulated by two generations of the Canadian regional climate model. *Atmos.-Ocean*, **45**, 19–35.
- Brock, F. V., K. C. Crawford, R. L. Elliott, *et al.* (1995). The Oklahoma Mesonet: a technical overview. *J. Atmos. Oceanic Technol.*, **12**, 5–19.
- Bronstert, A., V. Kolokotronis, D. Schwandt, and H. Straub (2007). Comparison and evaluation of regional climate scenarios for hydrological impact analysis: General scheme and application example. *Int. J. Climatol.*, **27**, 1579–1594.
- Brown, J. M. (1979). Mesoscale unsaturated downdrafts driven by rainfall evaporation: A numerical study. *J. Atmos. Sci.*, **36**, 313–338.

- Browning, G., H.-O. Kreiss, and J. Oliger (1973). Mesh refinement. *Math. Comp.*, **27**, 29–39.
- Browning, G. L., J. J. Hack, and P. N. Swarztrauber (1989). A comparison of three numerical methods for solving differential equations on the sphere. *Mon. Wea. Rev.*, **117**, 1058–1075.
- Brunet, N., R. Verret, and N. Yacowar (1988). An objective comparison of model output statistics and perfect prog systems in producing numerical weather element forecasts. *Wea. Forecasting*, **3**, 273–283.
- Bryan, G. H., J. C. Wyngaard, and J. M. Fritsch (2003). Resolution requirements for the simulation of deep moist convection. *Mon. Wea. Rev.*, **131**, 2394–2416.
- Buishand, T. A., M. V. Shabalova, and T. Brandsma (2004). On the choice of the temporal aggregation level for statistical downscaling of precipitation. *J. Climate*, **17**, 1816–1827.
- Buizza, R. (1997). Potential forecast skill of ensemble prediction and spread and skill distributions of the ECMWF Ensemble Prediction System. *Mon. Wea. Rev.*, **125**, 99–119.
- Buizza, R. (2001). Chaos and weather prediction – A review of recent advances in numerical weather prediction: Ensemble forecasting and adaptive observation targeting. *Il Nuovo Cimento*, **24C**, 273–301.
- Buizza, R. (2008). Comparison of a 51-member low-resolution ( $T_L399L62$ ) ensemble with a 6-member high-resolution ( $T_L799L91$ ) lagged-forecast ensemble. *Mon. Wea. Rev.*, **136**, 3343–3362.
- Buizza, R., and A. Montani (1999). Targeting observations using singular vectors. *J. Atmos. Sci.*, **56**, 2965–2985.
- Buizza, R., M. Miller, and T. N. Palmer (1999). Stochastic representation of model uncertainties in the ECMWF Ensemble Prediction System. *Quart. J. Roy. Meteor. Soc.*, **125**, 2887–2908.
- Burgers, G., P. J. van Leeuwen, and G. Evensen (1998). Analysis scheme in the ensemble Kalman filter. *Mon. Wea. Rev.*, **126**, 1719–1724.
- Burridge, D. M., J. Steppeler, and J. Strufing (1986). *Finite Element Schemes for the Vertical Discretization of the ECMWF Forecast Model Using Linear Elements*. ECMWF Technical Report 54.
- Busuioc, A., and H. von Storch (2003). Conditional stochastic model for generating daily precipitation time series. *Climate Res.*, **24**, 181–195.
- Busuioc, A., D. Chen, and C. Hellström (2001). Performance of statistical downscaling models in GCM validation and regional climate change estimates: Application for Swedish precipitation. *Int. J. Climatol.*, **21**, 557–578.
- Busuioc, A., F. Giorgi, X. Bi, and M. Ionita (2006). Comparison of regional climate model and statistical downscaling simulations of different winter precipitation change scenarios over Romania. *Theor. Appl. Climatol.*, **86**, 101–123.
- Busuioc, A., R. Tomozeiu, and C. Cacciamani (2008). Statistical downscaling model based on canonical correlation analysis for winter extreme precipitation events in the Emilia-Romagna region. *Int. J. Climatol.*, **28**, 449–464.
- Byrne, M. A., A. G. Laing, and C. Connor (2007). Predicting tephra dispersion with a mesoscale atmospheric model and a particle fall model: Application to Cerro Negro volcano. *J. Appl. Meteor. Climatol.*, **46**, 121–135.



- Byun, D., and K. L. Schere (2006). Review of the governing equations, computational algorithms, and other components of the Models-3 Community Multiscale Air Quality modeling system. *Appl. Mech. Rev.*, **59**, 51–77.
- Cantelaube, P., and J.-M. Terres (2005). Seasonal weather forecasts for crop yield modeling in Europe. *Tellus*, **57A**, 476–487.
- Carlson, T. N., and F. E. Boland (1978). Analysis of urban-rural canopy using a surface heat flux/temperature model. *J. Appl. Meteor.*, **17**, 998–1013.
- Carmichael, G. R., A. Sandu, T. Chai, *et al.* (2008). Predicting air quality: Improvements through advanced methods to integrate models and measurements. *J. Comput. Phys.*, **227**, 3540–3571.
- Carroll, E. B., and T. D. Hewson (2005). NWP grid editing at the Met Office. *Wea. Forecasting*, **20**, 1021–1033.
- Case, J. L., J. Manobianco, A. V. Dianic, *et al.* (2002). Verification of high-resolution RAMS forecasts over east-central Florida during the 1999 and 2000 summer months. *Wea. Forecasting*, **17**, 1133–1151.
- Cassano, J. J., P. Uotila, and A. Lynch (2006). Changes in synoptic weather patterns in the polar regions in the twentieth and twenty-first centuries, Part 1: Arctic. *Int. J. Climatol.*, **26**, 1027–1049.
- Castro, C. L., R. A. Pielke Sr, and G. Leoncini (2005). Dynamical downscaling: An assessment of value retained and added using the Regional Atmospheric Modeling System (RAMS). *J. Geophys. Res.*, **110**, D05108, doi:10.1029/2004JD004721.
- Castro, C. L., R. A. Pielke Sr, and J. O. Adegoke (2007a). Investigation of the summer climate of the contiguous United States and Mexico using the regional atmospheric modeling system (RAMS). Part I: Model climatology (1950–2002). *J. Climate*, **20**, 3844–3865.
- Castro, C. L., R. A. Pielke Sr, J. O. Adegoke, S. D. Schubert, and P. J. Pegion (2007b). Investigation of the summer climate of the contiguous United States and Mexico using the regional atmospheric modeling system (RAMS). Part II: Model climate variability. *J. Climate*, **20**, 3866–3887.
- Catry, B., J.-F. Geleyn, F. Bouyssel, *et al.* (2008). A new sub-grid scale lift formulation in a mountain drag parameterisation scheme. *Meteorol. Zeitschrift*, **17**, 193–208.
- Cattle, H., and J. Crossley (1995). Modelling Arctic climate change. *Phil. Trans. R. Soc. Lond. Ser. A*, **352**, 201–213.
- Cavazos, T., A. C. Comrie, and D. M. Liverman (2002). Intraseasonal variability associated with wet monsoons in southeast Arizona. *J. Climate*, **15**, 2477–2490.
- Caya, D., and R. Laprise (1999). A semi-implicit, semi-Lagrangian regional climate model: The Canadian RCM. *Mon. Wea. Rev.*, **127**, 341–362.
- CCSP (2008). *Climate Models: An Assessment of Strengths and Limitations*. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. Authors D. C. Bader, C. Covey, W. J. Gutowski Jr, *et al.* Department of Energy, Office of Biological and Environmental Research, Washington, DC, USA.
- Challinor, A. J., J. M. Slingo, T. R. Wheeler, and F. J. Doblas-Reyes (2005). Probabilistic simulations of crop yield over western India using the DEMETER seasonal hindcast ensembles. *Tellus*, **57A**, 498–512.

- Chang, J. -T., and P. J. Wetzel (1991). Effects of spatial variations of soil moisture and vegetation on the evolution of a prestorm environment: A numerical case study. *Mon. Wea. Rev.*, **119**, 1368–1390.
- Charles, S. P., B. C. Bates, I. N. Smith, and J. P. Hughes (2004). Statistical downscaling of daily precipitation from observed and modeled atmospheric fields. *Hydrological Processes*, **18**, 1373–1394.
- Charles, S. P., M. A. Bari, A. Kitsios, and B. C. Bates (2007). Effect of GCM bias on downscaled precipitation and runoff projections for the Serpentine catchment, Western Australia. *Int. J. Climatol.*, **27**, 1673–1690.
- Chase, T. N., R. A. Pielke Sr, T. G. F. Kittell, J. S. Baron, and T. J. Stohlgren (1999). Potential impacts on Colorado Rocky Mountain weather due to land use changes on the adjacent Great Plains. *J. Geophys. Res.*, **104**, 16673–16690.
- Chase, T. N., R. A. Pielke Sr, T. G. F. Kittel, R. R. Nemani, and S. W. Running (2000). Simulated impacts of historical land-cover changes on global climate in northern winter. *Climate Dyn.*, **16**, 93–105.
- Chaves, R. R., R. S. Ross, and T. N. Krishnamurti (2005). Weather and seasonal climate prediction for South America using a multi-model superensemble. *Int. J. Climatol.*, **25**, 1881–1914.
- Chen, D. L., and Y. M. Chen (2003). Association between winter temperature in China and upper air circulation over East Asia revealed by canonical correlation analysis. *Global Planet. Change*, **37**, 315–325.
- Chen, F., and R. Avissar (1994). The impact of shallow convective moist processes on mesoscale heat fluxes. *J. Appl. Meteor.*, **33**, 1382–1401.
- Chen, F., and J. Dudhia (2001). Coupling an advanced land surface-hydrology model with the Penn State - NCAR MM5 modeling system. Part I: Model implementation and sensitivity. *Mon. Wea. Rev.*, **129**, 569–585.
- Chen, F., K. Mitchell, J. Schaake, *et al.* (1996). Modeling of land surface evaporation by four schemes and comparison with FIFE observations. *J. Geophys. Res.*, **101**, 7251–7266.
- Chen, F., T. T. Warner, and K. Manning (2001). Sensitivity of orographic moist convection to landscape variability: A study of the Buffalo Creek, Colorado, flash flood case of 1996. *J. Atmos. Sci.*, **58**, 3204–3223.
- Chen, F., K. W. Manning, M. A. LeMone, *et al.* (2007). Description and evaluation of the characteristics of the NCAR High-Resolution Land Data Assimilation System during IHOP-02. *J. Appl. Meteor. Climatol.*, **46**, 694–713.
- Chen, T. H., A. Henderson-Sellers, P. C. D. Milly, *et al.* (1997). Cabauw experimental results from the project for intercomparison of land-surface parameterization schemes. *J. Climate*, **10**, 1194–1215.
- Cheong, H.-B. (2000). Application of double Fourier series to the shallow-water equations on a sphere. *J. Comput. Phys.*, **165**, 261–287.
- Cheong, H.-B. (2006). A dynamical core with double Fourier series: Comparison with the spherical harmonics method. *Mon. Wea. Rev.*, **134**, 1299–1315.
- Chin, H.-N. S., M. Leach, G. A. Sugiyama, *et al.* (2005). Evaluation of an urban canopy parameterization in a mesoscale model using VTMX and URBAN 2000 data. *Mon. Wea. Rev.*, **133**, 2043–2068.

- Christensen, J. H., T. R. Carter, M. Rummukainen, and G. Amanatidis (2007). Evaluating the performance and utility of regional climate models: the PRUDENCE project. *Climatic Change*, **81**, 1–6.
- Chu, J.-L., H. Kang, C.-Y. Tam, C.-K. Park, and C.-T. Chen (2008). Seasonal forecast for local precipitation over northern Taiwan using statistical downscaling. *J. Geophys. Res.*, **113**, D12118, doi:10.1029/2007JD009424.
- Chuang, H. Y., and P. J. Sousounis (2000). A technique for generating idealized initial and boundary conditions for the PSU–NCAR model MM5. *Mon. Wea. Rev.*, **128**, 2875–2884.
- Clark, M. P., and L. E. Hay (2004). Use of medium-range numerical weather prediction model output to produce forecasts of streamflow. *J. Hydrometeor.*, **5**, 15–32.
- Clark, T. L., and R. D. Farley (1984). Severe downslope windstorm calculations in two and three spatial dimensions using anelastic interactive grid nesting: A possible mechanism for gustiness. *J. Atmos. Sci.*, **41**, 329–350.
- Clark, T. L., and W. D. Hall (1991). Multi-domain simulations of the time dependent Navier Stokes equations: Benchmark error analysis of some nesting procedures. *J. Comp. Phys.*, **92**, 456–481.
- Clark, T. L., and W. D. Hall (1996). The design of smooth, conservative vertical grids for interactive grid nesting with stretching. *J. Appl. Meteor.*, **35**, 1040–1046.
- Clark, A. J., W. A. Gallus Jr, and T.-C. Chen (2008a). Contributions of mixed physics versus perturbed initial/lateral boundary conditions to ensemble-based precipitation forecast skill. *Mon. Wea. Rev.*, **136**, 2140–2156.
- Clark, P. A., S. A. Harcourt, B. MacPherson, *et al.* (2008b). Prediction of visibility and aerosol within the operational Met Office Unified Model. I: Model formulation and variational assimilation. *Quart. J. Roy. Meteor. Soc.*, **134**, 1801–1816.
- Clemen, R. T. (1989). Combining forecasts: a review and annotated bibliography. *Int. J. Forecasting*, **5**, 559–583.
- Cocke, S. (1998). Case study of Erin using the FSU nested regional spectral model. *Mon. Wea. Rev.*, **126**, 1337–1346.
- Cocke, S., T. E. LaRow, and D. W. Shin (2007). Seasonal rainfall predictions over the southeast United States using the Florida State University nested regional spectral model. *J. Geophys. Res.*, **112**, D04106, doi:10.1029/2006JD007535.
- Coen, J. L. (2005). Simulation of the Big Elk fire using coupled atmosphere–fire modeling. *Int. J. Wildland Fire*, **14**, 49–59.
- Coirier, W. J., D. M. Fricker, M. Furmaczyk, and S. Kim (2005). A computational fluid dynamics approach for urban area transport and dispersion modeling. *Environ. Fluid Mech.*, **15**, 443–479.
- Colle, B. A., and S. E. Yuter (2007). The impact of coastal boundaries and small hills on the precipitation distribution across southern Connecticut and Long Island, New York. *Mon. Wea. Rev.*, **135**, 933–954.
- Collins, W. D., P. J. Rasch, B. A. Boville, *et al.* (2004). *Description of the Community Atmosphere Model (CAM 3.0)*. Technical Note TN-464+STR, National Center for Atmospheric Research, Boulder, CO, USA.
- Collins, W. D., C. M. Bitz, M. L. Blackmon, *et al.* (2006a). The Community Climate System Model: CCSM3. *J. Climate*, **19**, 2122–2143.

- Collins, W. D., P. J. Rasch, B. A. Boville, *et al.* (2006b). The formulation and atmospheric simulation of the Community Atmospheric Model Version 3 (CAM3). *J. Climate*, **19**, 2144–2161.
- Cook, K. H., and E. K. Vizy (2006). Coupled model simulations of the West African monsoon system: Twentieth and twenty-first century simulations. *J. Climate*, **19**, 3681–3703.
- Cope, M. E., G. D. Hess, S. Lee, *et al.* (2004). The Australian air quality forecasting system. Part I: Project description and early outcomes. *J. Appl. Meteor.*, **43**, 649–662.
- Coppola, E., and F. Giorgi (2005). Climate change in tropical regions from high-resolution time-slice AGCM experiments. *Quart. J. Roy. Meteor. Soc.*, **131**, 3123–3145.
- Côté, J., M. Roch, A. Staniforth, and L. Fillion (1993). A variable-resolution semi-Lagrangian finite-element global model of the shallow-water equations. *Mon. Wea. Rev.*, **121**, 231–243.
- Côté, J., S. Gravel, A. Méthot, *et al.* (1998a). The operational CMC-MRB global environmental multiscale (GEM) model. Part I: Design considerations and formulation. *Mon. Wea. Rev.*, **126**, 1373–1395.
- Côté, J., J.-G. Desmarais, S. Gravel, *et al.* (1998b). The operational CMC-MRB global environmental multiscale (GEM) model. Part II: Results. *Mon. Wea. Rev.*, **126**, 1397–1418.
- Cotton, W. R., and R. A. Anthes (1989). *Storm and Cloud Dynamics*. London, UK: Academic Press.
- Courant, R., K. Friedrichs, and H. Lewy (1928). Über die partiellen Differenzengleichungen der mathematischen Physik. *Mathematische Annalen*, **100**, 32–74.
- Covey, C., K. M. AchutaRao, U. Cubasch, *et al.* (2003). An overview of results from the Coupled Model Intercomparison Project (CMIP). *Global Planet. Change*, **37**, 103–133.
- Cox, P. M., R. A. Betts, C. B. Bunton, *et al.* (1999). The impact of new land surface physics on the GCM simulation of climate and climate sensitivity. *Climate Dyn.*, **15**, 183–203.
- Cressman, G. P. (1959). An operational objective analysis system. *Mon. Wea. Rev.*, **87**, 367–374.
- Crook, N. A. (2001). Understanding Hector: The dynamics of island thunderstorms. *Mon. Wea. Rev.*, **129**, 1550–1563.
- CSMD (Climate System Modeling Division) (2005). An introduction to the first operational climate model at the National Climate Center. *Advances in Climate System Modeling*, 1, National Climate Center, China Meteorological Administration (in English and Chinese).
- Cubasch, U., H. von Storch, J. Waszkewitz, and E. Zorita (1996). Estimates of climate change in southern Europe using different downscaling techniques. *Climate Res.*, **7**, 129–149.
- Cullen, M. J. P. (1979). The finite-element method. In *Numerical Methods Used in Atmospheric Models, Volume II*, ed. A. Kasahara, Global Atmospheric Research Programme, GARP Publication Series No. 17. Geneva: World Meteorological Organization, pp. 300–337.
- Curry, J. A., and A. H. Lynch (2002). Comparing Arctic regional climate models. *EOS, Trans. Amer. Geophys. Union*, **83**, 87.

- Dai, A. (2006). Precipitation characteristics in eighteen coupled climate models. *J. Climate*, **19**, 4605–4630.
- Dai, Y., X. Zeng, R. E. Dickinson, *et al.* (2003). The Common Land Model. *Bull. Amer. Meteor. Soc.*, **84**, 1013–1023.
- Dalcher, A., E. Kalnay, and R. N. Hoffman (1988). Medium range lagged average forecasts. *Mon. Wea. Rev.*, **116**, 402–416.
- Daley, R. (1991). *Atmospheric Data Analysis*. Cambridge, UK: Cambridge University Press.
- Danard, M. (1985). On the use of satellite estimates of precipitation in initial analyses for numerical weather prediction. *Atmos.-Ocean*, **23**, 23–42.
- Darby, L. S., R. M. Banta, and R. A. Pielke Sr (2002). Comparison between mesoscale model terrain sensitivity studies and Doppler lidar measurements of the sea breeze at Monterey Bay. *Mon. Wea. Rev.*, **130**, 2813–2838.
- Darmenova, K., and I. Sokolik (2007). Assessing uncertainties in dust emission in the Aral Sea region caused by meteorological fields predicted with a mesoscale model. *Global Planet. Change*, **56**, 297–310.
- Davies, H. C. (1976). A lateral boundary formulation for multilevel prediction models. *Quart. J. Roy. Meteor. Soc.*, **102**, 405–418.
- Davies, H. C. (1983). Limitations of some common lateral boundary schemes used in regional NWP models. *Mon. Wea. Rev.*, **111**, 1002–1012.
- Davies, H. C., and R. E. Turner (1977). Updating prediction models by dynamical relaxation: An examination of the technique. *Quart. J. Roy. Meteor. Soc.*, **103**, 225–245.
- Davis, C., T. Warner, E. Astling, and J. Bowers (1999). Development and application of an operational, relocatable, mesogamma-scale weather analysis and forecasting system. *Tellus*, **51A**, 710–727.
- Davis, C., B. Brown, and R. Bullock (2006a). Object-based verification of precipitation forecasts, Part I: Methodology and application to mesoscale rain areas. *Mon. Wea. Rev.*, **134**, 1772–1784.
- Davis, C., B. Brown, and R. Bullock (2006b). Object-based verification of precipitation forecasts, Part II: Application to convective rain systems. *Mon. Wea. Rev.*, **134**, 1785–1795.
- Debernard, J. B., and L. P. Røed (2008). Future wind, wave and storm surge climate in the Northern Sea: a revisit. *Tellus*, **60A**, 427–438.
- Delle Monache, L., X. Deng, Y. Zhou, and R. Stull (2006a). Ozone ensemble forecasts: 1. A new ensemble design. *J. Geophys. Res.*, **111**, D05307, doi: 10.1029/2005JD006310.
- Delle Monache, L., T. Nipen, X. Deng, and Y. Zhou (2006b). Ozone ensemble forecasts: 2. A Kalman filter predictor bias correction. *J. Geophys. Res.*, **111**, D05308, doi: 10.1029/2005JD006311.
- Delle Monache, L., J. P. Hacker, Y. Zhou, X. Deng, and R. B. Stull (2006c). Probabilistic aspects of meteorological and ozone regional ensemble forecasts. *J. Geophys. Res.*, **111**, D24307, doi:10.1029/2005JD006917.
- Delle Monache, L., J. Wilczak, S. McKeen, *et al.* (2008). A Kalman-filter bias correction method applied to deterministic, ensemble averaged and probabilistic forecasts of surface ozone. *Tellus*, **60B**, 238–249.

- Delworth, T. L., A. J. Broccoli, A. Rosati, *et al.* (2006). GFDL's CM2 global coupled climate models – Part I: Formulation and simulation characteristics. *J. Climate*, **19**, 643–674.
- Deng, A., N. L. Seaman, and J. S. Kain (2003). A shallow convection parameterization for mesoscale models. Part I: Submodel description and preliminary applications. *J. Atmos. Sci.*, **60**, 34–56.
- Denis, B., R. Laprise, D. Caya, and J. Côté (2002). Downscaling ability of one-way nested regional climate models: the Big-Brother experiment. *Climate Dyn.*, **18**, 627–646.
- Déqué, M., and J. P. Piedelievre (1995). High resolution climate simulations over Europe. *Climate Dyn.*, **11**, 321–339.
- Déqué, M., C. Drevet, A. Braun, and D. Cariolle (1994). The ARPEGE/IFS atmosphere model: A contribution to the French community climate modeling. *Climate Dyn.*, **10**, 249–266.
- Déqué, M., P. Marquet, and R. Jones (1998). Simulation of climate change over Europe using a global variable resolution general circulation model. *Climate Dyn.*, **14**, 173–189.
- Déqué, M., R. G. Jones, M. Wild, *et al.* (2005). Global high resolution versus limited area model climate change projections over Europe: quantifying confidence level from PRUDENCE results. *Climate Dyn.*, **25**, 653–670.
- De Sales, F., and Y. Xue (2006). Investigation of seasonal prediction of the South American regional climate using the nested modeling system. *J. Geophys. Res.*, **111**, D20107, doi:10.1029/2005JD006989.
- Dévénny, D., and T. Schlatter (1994). Statistical properties of three-hour prediction “errors” derived from the Mesoscale Analysis and Prediction System. *Mon. Wea. Rev.*, **122**, 1263–1280.
- Diaconescu, E. P., R. Laprise, and L. Sushama (2007). The impact of lateral boundary data errors on the simulated climate of a nested regional climate model. *Climate Dyn.*, **28**, 333–350.
- Diansky, N. A., and E. M. Volodin (2002). Simulation of the present-day climate with a coupled atmosphere-ocean general circulation model. *Izv. Atmos. Ocean. Phys.*, **38**, 732–747 (English translation).
- Diansky, N. A., A. V. Bagno, and V. B. Zalesny (2002). Sigma model of global ocean circulation and its sensitivity to variations in wind stress. *Izv. Atmos. Ocean. Phys.*, **38**, 477–494 (English translation).
- Dickinson, R. E., R. M. Errico, F. Giorgi, and G. T. Bates (1989). A regional climate model for the western United States. *Climatic Change*, **15**, 383–422.
- Dietachmayer, G. S., and K. K. Droegemeier (1992). Application of continuous dynamic grid adaption techniques to meteorological modeling. I. Basic formulation and accuracy. *Mon. Wea. Rev.*, **120**, 1675–1706.
- Díez, E., C. Primo, J. A. García-Moya, J. M. Gutiérrez, and B. Orfila (2005). Statistical and dynamical downscaling of precipitation over Spain from DEMETER seasonal forecasts. *Tellus*, **57A**, 409–423.
- Di Giuseppe, F., M. Elementi, D. Cesari, and T. Paccagnella (2009). The potential of variational retrieval of temperature and humidity profiles from Meteosat Second Generation observations. *Quart. J. Roy. Meteor. Soc.*, **135**, 225–237.



- Dimitrijevic, M., and R. Laprise (2005). Validation of the nesting technique in a regional climate model and sensitivity tests to the resolution of the lateral boundary conditions during summer. *Climate Dyn.*, **25**, 555–580.
- Doblas-Reyes, F. J., R. Hagedorn, and T. N. Palmer (2005). The rationale behind the success of multi-model ensembles in seasonal forecasting: II. Calibration and combination. *Tellus*, **57A**, 234–252.
- Doms, G., and U. Schättler (1999). *The Nonhydrostatic Limited-area Model LM (Lokal Modell) of DWD. Part 1. Scientific Documentation*. Deutscher Wetterdienst (DWD), Offenbach, Germany.
- d'Orgeval, T., J. Polcher, and L. Li (2006). Uncertainties in modeling future hydrologic change over West Africa. *Climate Dyn.*, **26**, 93–108.
- Doswell, C. A., III (2004). Weather forecasting by humans: Heuristics and decision making. *Wea. Forecasting*, **19**, 1115–1126.
- Douville, H., J.-F. Royer, and J.-F. Mahfouf (1995). A new snow parameterization for the Meteo-France climate model. *Climate Dyn.*, **12**, 21–35.
- Driese, K. L., and W. A. Reiners (1997). Aerodynamic roughness parameters for semi-arid natural shrub communities of Wyoming, USA. *Agric. Forest Meteorol.*, **88**, 1–14.
- Druyan, L. M., M. Fulakeza, and P. Lonergan (2002). Dynamic downscaling of seasonal climate predictions over Brazil. *J. Climate*, **15**, 3411–3426.
- Druyan, L. M., M. Fulakeza, and P. Lonergan (2006). Mesoscale analyses of West African summer climate: focus on wave disturbances. *Climate Dyn.*, **27**, 459–481.
- Druyan, L. M., M. Fulakeza, and P. Lonergan (2007). Spatial variability of regional model simulated June–September mean precipitation over West Africa. *Geophys. Res. Lett.*, **34**, L18709, doi:10.1029/2007GL031270.
- Dudhia, J. (1989). Numerical study of convection observed during the winter monsoon experiment using a mesoscale two-dimensional model. *J. Atmos. Sci.*, **46**, 3077–3107.
- Dudhia, J. (1993). A nonhydrostatic version of the Penn State - NCAR mesoscale model: Validation tests and simulation of an Atlantic cyclone and cold front. *Mon. Wea. Rev.*, **121**, 1493–1513.
- Dudhia, J., and J. F. Bresch (2002). A global version of the PSU-NCAR mesoscale model. *Mon. Wea. Rev.*, **130**, 2980–3007.
- Duffy, P. B., B. Govindasamy, J. P. Iorio, *et al.* (2003). High-resolution simulations of global climate, part 1: Present climate. *Climate Dyn.*, **21**, 371–390.
- Duffy, P. B., R. W. Arritt, J. Coquard, *et al.* (2006). Simulations of present and future climates in the western United States with four nested regional climate models. *J. Climate*, **19**, 873–895.
- Dümenil, L., and E. Todini (1992). A rainfall-runoff scheme for use in the Hamburg climate model. In *Advances in Theoretical Hydrology: A Tribute to James Dooge*, ed. J. P. O'Kane, European Geophysical Society Series on Hydrological Sciences, Vol. 1, Amsterdam, the Netherlands: Elsevier Press, pp. 129–157.
- Durrán, D. R. (1989). Improving the anelastic approximation. *J. Atmos. Sci.*, **46**, 1453–1461.
- Durrán, D. R. (1991). The third-order Adams-Bashforth method: An attractive alternative to leapfrog time differencing. *Mon. Wea. Rev.*, **119**, 702–720.

- Durran, D. R. (1999). *Numerical Methods for Wave Equations in Geophysical Fluid Dynamics*. New York, USA: Springer.
- Durran, D. R., and J. B. Klemp (1983). A compressible model for the simulation of moist mountain waves. *Mon. Wea. Rev.*, **111**, 2341–2361.
- Dutton, J. A. (1976). *The Ceaseless Wind*. New York, USA: McGraw-Hill.
- Easter, R. C., S. J. Ghan, Y. Zhang, *et al.* (2004). MIRAGE: Model description and evaluation of aerosols and trace gases. *J. Geophys. Res.*, **109**, D20210, doi:10.1029/2004JD004571.
- Ebert, E., and J. L. McBride (2000). Verification of precipitation in weather systems: Determination of systematic errors. *J. Hydrology*, **239**, 179–202.
- Eckel, F. A., and C. F. Mass (2005). Aspects of effective mesoscale, short-range ensemble forecasting. *Wea. Forecasting*, **20**, 328–350.
- Eckel, F. A., and M. K. Walters (1998). Calibrated probabilistic quantitative precipitation forecasts based on the MRF ensemble. *Wea. Forecasting*, **13**, 1132–1147.
- Efron, B., and R. J. Tibshirani (1993). *An Introduction to the Bootstrap*. Dordrecht, the Netherlands: Chapman and Hall.
- Ehrendorfer, M. (1997). Predicting the uncertainty of numerical weather forecasts: a review. *Meteorol. Zeitschrift*, **6**, 147–183.
- Ehrendorfer, M., and J. J. Tribbia (1997). Optimal prediction of forecast error covariances through singular vectors. *J. Atmos. Sci.*, **54**, 286–313.
- Ek, M., and R. H. Cuenca (1994). Variation in soil parameters: Implications for modeling surface fluxes and atmospheric boundary-layer development. *Bound.-Layer Meteor.*, **70**, 369–383.
- Eliassen, E., B. Machenhauer, and E. Rasmussen (1970). *On a Numerical Method for Integration of the Hydrodynamic Equations with a Spectral Representation of the Horizontal Fields*. Report No. 2, Institute for Teoretisk Meteorologi, University of Copenhagen.
- Elshamy, M. E., H. S. Wheeler, N. Gedney, and C. Huntingford (2006). Evaluation of the rainfall component of a weather generator for climate impact studies. *J. Hydrology (Amsterdam)*, **326**, 1–24.
- Emanuel, K. A., and R. Langland (1998). FASTEX adaptive observations workshop. *Bull. Amer. Meteor. Soc.*, **79**, 1915–1919.
- Errico, R. M. (1997). What is an adjoint model? *Bull. Amer. Meteor. Soc.*, **78**, 2577–2591.
- Errico, R. M., and D. Baumhefner (1987). Predictability experiments using a high-resolution limited-area model. *Mon. Wea. Rev.*, **115**, 488–504.
- Errico, R. M., and T. Vukicevic (1992). Sensitivity analysis using an adjoint of the PSU–NCAR mesoscale model. *Mon. Wea. Rev.*, **120**, 1644–1660.
- Errico, R. M., T. Vukicevic, and K. Raeder (1993). Comparison of initial and lateral boundary condition sensitivity for a limited-area model. *Tellus*, **45A**, 539–557.
- Evans, J. P. (2008). 21st century climate change in the Middle East. *Climatic Change*, **92**, 417–432, doi:10.1007/s10584-008-9438-5.
- Evensen, G. (2003). The ensemble Kalman filter: theoretical formulation and practical implementation. *Ocean Dyn.*, **53**, 343–367.
- Evensen, G. (2007). *Data Assimilation: The Ensemble Kalman Filter*. Berlin, Germany: Springer.

- Fanelli, P. F., and P. R. Bannon (2005). Nonlinear atmospheric adjustment to thermal forcing. *J. Atmos. Sci.*, **62**, 4253–4272.
- Fast, J. D. (1995). Mesoscale modeling and four-dimensional data assimilation in areas of highly complex terrain. *J. Appl. Meteor.*, **34**, 2762–2782.
- Feddema, J. J., K. W. Oleson, G. B. Bonan, *et al.* (2005). The importance of land-cover change in simulating future climates. *Science*, **310**, 1674–1678.
- Fedderson, H. (2003). Predictability of seasonal precipitation in the Nordic region. *Tellus*, **55A**, 385–400.
- Fedderson, H., and U. Andersen (2005). A method for statistical downscaling of seasonal ensemble predictions. *Tellus*, **57A**, 398–408.
- Fedderson, H., A. Navarra, and M. N. Ward (1999). Reduction of model systematic error by statistical correction for dynamical seasonal predictions. *J. Climate*, **14**, 1974–1989.
- Feser, F. (2006). Enhanced detectability of added value in limited-area model results separated into different spatial scales. *Mon. Wea. Rev.*, **134**, 2180–2190.
- Fichefet, T., and M. A. Morales-Maqueda (1997). Sensitivity of a global sea ice model to the treatment of ice thermodynamics and dynamics. *J. Geophys. Res.*, **102**, 12609–12646.
- Fil, C., and L. Dubus (2005). Winter climate regimes over the North Atlantic and European region in ERA40 reanalysis and DEMETER seasonal hindcasts. *Tellus*, **57A**, 290–307.
- Fiorino, M. F., and T. T. Warner (1981). Incorporating surface winds and rainfall rates into the initialization of a mesoscale hurricane model. *Mon. Wea. Rev.*, **109**, 1914–1929.
- Fiorucci, P., F. Gaetani, A. Lanorte, and R. Lasaponara (2007). Dynamic fire danger mapping from satellite imagery and meteorological forecast data. *Earth Interactions*, **11**, 1–17.
- Flato, G. M., and G. J. Boer (2001). Warming asymmetry in climate change simulations. *Geophys. Res. Lett.*, **28**, 195–198.
- Flato, G. M., and W. D. Hibler (1992). Modeling pack ice as a cavitating fluid. *J. Phys. Oceanogr.*, **22**, 626–651.
- Fleagle, R., and J. Businger (1963). *An Introduction to Atmospheric Physics*. New York, USA: Academic Press.
- Fleming, R. J. (1971a). On stochastic-dynamic prediction. Part I, The energetics of uncertainty and the question of closure. *Mon. Wea. Rev.*, **99**, 851–872.
- Fleming, R. J. (1971b). On stochastic-dynamic prediction. Part II, Predictability and utility. *Mon. Wea. Rev.*, **99**, 927–938.
- Fletcher, N. H. (1962). *The Physics of Rain Clouds*. Cambridge, UK: Cambridge University Press.
- Fowler, H. J., and M. Ekström (2009). Multi-model ensemble estimates of climate change impacts on UK seasonal precipitation extremes. *Int. J. Climatol.*, **29**, 385–416.
- Fowler, H. J., and R. L. Wilby (2007). Beyond the downscaling comparison study (Editorial). *Int. J. Climatol.*, **27**, 1543–1545.
- Fowler, H. J., S. Blenkinsop, and C. Tebaldi (2007). Linking climate change modelling to impacts studies: Recent advances in downscaling techniques for hydrological modelling. *Int. J. Climatol.*, **27**, 1547–1568.
- Fox-Rabinovitz, M. S. (1996). Diabatic dynamic initialization with an iterative time integration scheme as a filter. *Mon. Wea. Rev.*, **124**, 1544–1557.

- Fox-Rabinovitz, M. S., and B. D. Gross (1993). Diabatic dynamic initialization. *Mon. Wea. Rev.*, **121**, 549–564.
- Fox-Rabinovitz, M. S., G. L. Stenchikov, M. J. Suarez, and L. L. Takacs (1997). A finite-difference GCM dynamical core with a variable-resolution stretched grid. *Mon. Wea. Rev.*, **125**, 2943–2968.
- Fox-Rabinovitz, M. S., G. L. Stenchikov, M. J. Suarez, L. L. Takacs, and R. C. Govindaraju (2000). A uniform- and variable-resolution stretched-grid GCM dynamical core with realistic orography. *Mon. Wea. Rev.*, **128**, 1883–1898.
- Fox-Rabinovitz, M. S., L. L. Takacs, R. C. Govindaraju, and M. J. Suarez (2001). A variable-resolution stretched-grid general circulation model: Regional climate simulations. *Mon. Wea. Rev.*, **129**, 453–469.
- Fox-Rabinovitz, M. S., L. L. Takacs, and R. C. Govindaraju (2002). A variable-resolution stretched-grid general circulation model and data-assimilation system with multiple areas of interest: Studying the anomalous regional climate events of 1998. *J. Geophys. Res.*, **107** (D24), 4768, doi:10.1029/2002JD002177.
- Fox-Rabinovitz, M. S., E. H. Berbery, L. L. Takacs, and R. C. Govindaraju (2005). A multiyear ensemble simulation of the U.S. climate with a stretched-grid GCM. *Mon. Wea. Rev.*, **133**, 2505–2525.
- Fox-Rabinovitz, M. S., J. Côté, B. Dugas, M. Déqué, and J. L. McGregor (2006). Variable-resolution general circulation models: Stretched-grid model intercomparison project (SGMIP). *J. Geophys. Res.*, **111**, D16104, doi:10.1029/2005JD006520.
- Frank, W. M. (1983). Review: The cumulus parameterization problem. *Mon. Wea. Rev.*, **111**, 1859–1871.
- Frank, W. M., and C. Cohen (1987). Simulation of tropical convective systems. *J. Atmos. Sci.*, **44**, 3787–3799.
- Frank, W. M., and E. A. Ritchie (1999). Effects of environmental flow upon tropical cyclone structure. *Mon. Wea. Rev.*, **127**, 2044–2061.
- Frehlich, R., and R. Sharman (2008). The use of structure functions and spectra from numerical model output to determine effective model resolution. *Mon. Wea. Rev.*, **136**, 1537–1553.
- Frei, C., J. H. Christensen, M. Déqué, *et al.* (2003). Daily precipitation statistics in regional climate models: Evaluation and intercomparison for the European Alps. *J. Geophys. Res.*, **108**(D3), 4124, doi:10.1029/2002JD002287.
- Frías, M. D., J. Fernández, J. Sáenz, and C. Rodríguez-Puebla (2005). Operational predictability of monthly average maximum temperature over the Iberian Peninsula using DEMETER simulations and downscaling. *Tellus*, **57A**, 448–463.
- Friend, A. D., and N. Y. Kiang (2005). Land surface model development for the GISS GCM: Effects of improved canopy physiology on simulated climate. *J. Climate*, **18**, 2883–2902.
- Fritsch, J. M., and C. F. Chappell (1980). Numerical prediction of convectively driven mesoscale pressure systems. Part I: Convective parameterization. *J. Atmos. Sci.*, **37**, 1722–1733.
- Fritsch, J. M., J. Hilliker, J. Ross, and R. L. Vislocky (2000). Model consensus. *Wea. Forecasting*, **15**, 571–582.

- Fu, C., S. Wang, Z. Xiong, *et al.* (2005). Regional climate model intercomparison project for Asia. *Bull. Amer. Meteor. Soc.*, **86**, 257–266.
- Fujioka, F. M. (2002). A new method for the analysis of fire spread modeling errors. *Int. J. Wildland Fire*, **11**, 193–203.
- Fujita, T., D. J. Stensrud, and D. C. Dowell (2007). Surface data assimilation using an ensemble Kalman filter approach with initial condition and model physics uncertainties. *Mon. Wea. Rev.*, **135**, 1846–1868.
- Fuller, D. O., A. Troyo, and J. C. Beier (2009). El Niño Southern Oscillation and vegetation dynamics as predictors of dengue fever cases in Costa Rica. *Environ. Res. Lett.*, **4**, 014011, doi: 10.1088/1748-9326/4/1/014011.
- Fulton, R. A., J. P. Breidenbach, D.-J. Seo, and D. A. Miller (1998). The WSR-88D rainfall algorithm. *Wea. Forecasting*, **13**, 377–395.
- Furevik, T., M. Bentsen, H. Drange, *et al.* (2003). Description and evaluation of the Bergen climate model: ARPEGE coupled with MICOM. *Climate Dyn.*, **21**, 27–51.
- Gachon, P., and Y. Dibike (2007). Temperature change signals in northern Canada: convergence of statistical downscaling results using two driving GCMs. *Int. J. Climatol.*, **27**, 1623–1641.
- Gal-Chen, T., and R. C. J. Somerville (1975). On the use of a coordinate transformation for the solution of the Navier-Stokes equations. *J. Comput. Phys.*, **17**, 209–228.
- Galín, V. Ya., E. M. Volodin, and S. P. Smyshliaev (2003). Atmospheric general circulation model of INM RAS with ozone dynamics. *Russ. Meteorol. Hydrol.*, **5**, 13–22.
- Gall, R. L., R. T. Williams, and T. L. Clark (1988). Gravity waves generated during frontogenesis. *J. Atmos. Sci.*, **45**, 2204–2219.
- García-Morales, M. B., and L. Dubus (2007). Forecasting precipitation for hydroelectric power management: how to exploit GCM's seasonal ensemble forecasts. *Int. J. Climatol.*, **27**, 1691–1705.
- García-Pintado, J., G. G. Barberá, M. Erena, and V. M. Castillo (2009). Rainfall estimation by rain gauge-radar combination: A concurrent multiplicative-additive approach. *Water Resour. Res.*, **45**, W01415, doi:10.1029/2008WR007011.
- George, S. E., and R. T. Sutton (2006). Predictability and skill of boreal winter forecasts made with the ECMWF Seasonal Forecast System II. *Quart. J. Roy. Meteor. Soc.*, **132**, 2031–2053.
- Georgelin, M., P. Bougeault, T. Black, *et al.* (2000). The second COMPARE exercise: A model intercomparison using a case of a typical mesoscale orographic flow, the PYREX IOP3. *Quart. J. Roy. Meteor. Soc.*, **126**, 991–1029.
- GFDL GAMDT (The GFDL Global Atmospheric Model Development Team) (2004). The new GFDL global atmosphere and land model AM2-LM2: Evaluation with prescribed SST simulations. *J. Climate*, **17**, 4641–4673.
- Ghan, S. J., and T. Shippert (2006). Physically based global downscaling: Climate change projections for a full century. *J. Climate*, **19**, 1589–1604.
- Ghan, S. J., X. Bian, A. G. Hunt, and A. Coleman (2002). The thermodynamic influence of subgrid orography in a global climate model. *Climate Dyn.*, **20**, 31–44, doi:10.1007/s00382-002-0257-5.
- Ghan, S. J., T. Shippert, and J. Fox (2006). Physically based global downscaling: Regional evaluation. *J. Climate*, **19**, 429–445.

- Ghil, M., and P. Malanotte-Rizzoli (1991). Data assimilation in meteorology and oceanography. *Adv. Geophys.*, **33**, 141–266.
- Ghosh, S., and P. P. Mujundar (2008). Statistical downscaling of GCM simulations to streamflow using relevance vector machine. *Adv. Water Resour.*, **31**, 132–146.
- Gibelin, A. L., and M. Déqué (2003). Anthropogenic climate change over the Mediterranean region simulated by a global variable resolution model. *Climate Dyn.*, **20**, 327–339.
- Gilleland, E., D. Ahijevych, B. G. Brown, B. Casati, and E. E. Ebert (2009). Intercomparison of spatial forecast verification metrics. *Wea. Forecasting*, **24**, 1416–1430.
- Gilmour, I., L. A. Smith, and R. Buizza (2001). Linear regime duration: Is 24 hours a long time in synoptic weather forecasting? *J. Atmos. Sci.*, **58**, 3525–3539.
- Glahn, B. (2008). Comments – Reforecasts: An important data set for improving weather predictions. *Bull. Amer. Meteor. Soc.*, **89**, 1373–1378.
- Glahn, H., and R. Lowry (1972). The use of model output statistics (MOS) in objective weather forecasting. *J. Appl. Meteor.*, **11**, 1203–1211.
- Gnanadesikan, A., K. W. Dixon, S. M. Griffies, *et al.* (2006). GFDL's CM2 global coupled climate models – Part 2: The baseline ocean simulation. *J. Climate*, **19**, 675–697.
- Gochis, D. J., W. J. Shuttleworth, and Z.-L. Yang (2002). Sensitivity of the modeled North American monsoon regional climate to convective parameterization. *Mon. Wea. Rev.*, **130**, 1282–1298.
- Gochis, D. J., W. J. Shuttleworth, and Z.-L. Yang (2003). Hydrological response of the modeled North American monsoon to convective parameterization. *Mon. Wea. Rev.*, **130**, 235–250.
- Goddard, L., S. J. Mason, S. E. Zebiak, *et al.* (2001). Current approaches to seasonal-to-interannual climate predictions. *Int. J. Climatol.*, **21**, 1111–1152.
- Goerss, J. S. (2009). Impact of satellite observations on the tropical cyclone track forecasts of the Navy Operational Global Atmospheric Prediction System. *Mon. Wea. Rev.*, **137**, 41–50.
- Goosse, H., and T. Fichefet (1999). Importance of ice-ocean interactions for the global ocean circulation: A model study. *J. Geophys. Res.*, **104**, 23337–23355.
- Gordon, C., C. Cooper, C. A. Senior, *et al.* (2000). The simulation of SST, sea ice extents and ocean heat transports in a version of the Hadley Centre coupled model without flux adjustments. *Climate Dyn.*, **16**, 147–168.
- Gordon, H. B., L. D. Rotstain, J. L. McGregor, *et al.* (2002). *The CSIRO Mk3 Climate System Model*. CSIRO Atmospheric Research Technical Paper No. 60, Commonwealth Scientific and Industrial Research Organisation, Aspendale, Victoria, Australia.
- Graham, R. J., M. Gordon, P. J. Mclean, *et al.* (2005). A performance comparison of coupled and uncoupled versions of the Met Office seasonal prediction general circulation model. *Tellus*, **57A**, 320–339.
- Gray, D., J. Daniels, S. Nieman, S. Lord, and G. Dimego (1996). NESDIS and NWS Assessment of GOES 8/9 Operational satellite motion vectors. *Proceedings 3rd International Winds Workshop*, Ascona, Switzerland. EUMETSAT Pub. EUM P18, pp.175–183.
- Gregory, D., and P. R. Rowntree (1990). A mass flux convection scheme with representation of cloud ensemble characteristics and stability-dependent closure. *Mon. Wea. Rev.*, **118**, 1483–1506.



- Grell, G. A. (1993). Prognostic evaluation of assumptions used by cumulus parameterizations. *Mon. Wea. Rev.*, **121**, 764–787.
- Grell, G. A., and D. Dévényi (2002). A generalized approach to parameterizing convection combining ensemble and data assimilation techniques. *Geophys. Res. Lett.*, **29**, 1693, doi:10.1029/2002GL015311.
- Grell, G. A., J. Dudhia, and D. R. Stauffer (1994). *A Description of the Fifth Generation Penn State/NCAR Mesoscale Model (MM5)*. NCAR Technical Note NCAR/TN-398+STR. [Available from NCAR, P.O. Box 3000, Boulder, CO 80307-3000.]
- Grell, G. A., S. E. Peckham, R. Smítz, *et al.* (2005). Fully coupled “online” chemistry within the WRF model. *Atmos. Environ.*, **39**, 6957–6975.
- Grimit, E. P., and C. F. Mass (2007). Measuring the ensemble spread-error relationship with a probabilistic approach: Stochastic ensemble results. *Mon. Wea. Rev.*, **135**, 203–221.
- Grimmer, M., and D. B. Shaw (1967). Energy-preserving integrations of the primitive equations on the sphere. *Quart. J. Roy. Meteor. Soc.*, **93**, 337–349.
- Gualdi, S., A. Alessandri, and A. Navarra (2005). Impact of atmospheric horizontal resolution on El Niño Southern Oscillation forecasts. *Tellus*, **57A**, 357–374.
- Gustafsson, N. (1990). Sensitivity of limited area model data assimilation to lateral boundary condition fields. *Tellus*, **42A**, 109–115.
- Gutiérrez, J. M., R. Cano, A. S. Cofiño, and C. Sordo (2005). Analysis and downscaling multi-model seasonal forecasts in Peru using self-organizing maps. *Tellus*, **57A**, 435–447.
- Gutman, G., and A. Ignatov (1998). The derivation of green vegetation fraction from NOAA/AVHRR data for use in numerical weather prediction models. *Int. J. Remote Sens.*, **19**, 1533–1543.
- Gyakum, J. R. (1986). Experiments in temperature and precipitation forecasting. *Wea. Forecasting*, **1**, 77–88.
- Ha, S.-Y., Y.-H. Kuo, Y.-R. Guo, and G.-H. Lim (2003). Variational assimilation of slant-path wet delay measurements from a hypothetical ground-based GPS network. Part I: Comparison with precipitable water assimilation. *Mon. Wea. Rev.*, **131**, 2635–2655.
- Hacker, J. (2010). Spatial and temporal scales of boundary-layer wind predictability in response to small-amplitude land-surface uncertainty. *J. Atmos. Sci.*, **67**, 217–233.
- Hacker, J. P., and D. L. Rife (2007). A practical approach to sequential estimation of systematic error on near-surface mesoscale grids. *Wea. Forecasting*, **22**, 1257–1273.
- Hagedorn, R., F. J. Doblas-Reyes, and T. N. Palmer (2005). The rationale behind the success of multi-model ensembles in seasonal forecasting – I. Basic concept. *Tellus*, **57A**, 219–233.
- Hagemann, S. (2002). *An Improved Land Surface Parameter Data set for Global and Regional Climate Models*. Max Planck Institute for Meteorology Report 162, MPI for Meteorology, Hamburg, Germany.
- Hagemann, S., and L. Dümenil-Gates (2001). Validation of the hydrological cycle of ECMWF and NCEP reanalyses using the MPI hydrological discharge model. *J. Geophys. Res.*, **106**, 1503–1510.

- Hahmann, A. N., D. Rostkier-Edelstein, T. T. Warner, *et al.* (2010). A dynamical downscaling system for the generation of mesoscale climatographies. *J. Appl. Meteor. Climatol.*, in press.
- Haidvogel, D. B., and A. Beckmann (1999). *Numerical Ocean Modeling*. London, UK: Imperial College Press.
- Hall, M. C. G., and D. G. Cacuci (1983). Physical interpretation of adjoint functions for sensitivity analysis of atmospheric models. *J. Atmos. Sci.*, **40**, 2537–2546.
- Haltiner, G. J., and R. T. Williams (1980). *Numerical Prediction and Dynamic Meteorology*. New York, USA: John Wiley and Sons.
- Hamill, T. M. (2001). Interpretation of rank histograms for verifying ensemble forecasts. *Mon. Wea. Rev.*, **129**, 550–560.
- Hamill, T. M. (2006). Ensemble-based atmospheric data assimilation. In *Predictability of Weather and Climate*, eds. T. Palmer and R. Hagedorn. Cambridge, UK: Cambridge University Press, pp. 123–156.
- Hamill, T. M., and S. J. Colucci (1997). Verification of Eta-RSM short-range ensemble forecasts. *Mon. Wea. Rev.*, **125**, 1312–1327.
- Hamill, T. M., and S. J. Colucci (1998). Evaluation of Eta-RSM ensemble probabilistic precipitation forecasts. *Mon. Wea. Rev.*, **126**, 711–724.
- Hamill, T. M., and C. Snyder (2000). A hybrid ensemble Kalman filter / 3d variational analysis scheme. *Mon. Wea. Rev.*, **128**, 2905–2919.
- Hamill, T. M., and J. S. Whitaker (2006). Probabilistic quantitative precipitation forecasts based on reforecast analogs: Theory and application. *Mon. Wea. Rev.*, **134**, 3209–3229.
- Hamill, T. M., J. S. Whitaker, and C. Snyder (2001). Distance-dependent filtering of background-error covariance estimates in an ensemble Kalman filter. *Mon. Wea. Rev.*, **129**, 2776–2790.
- Hamill, T. M., J. S. Whitaker, and X. Wei (2004). Ensemble reforecasting: Improving medium-range forecast skill using retrospective forecasts. *Mon. Wea. Rev.*, **132**, 1434–1447.
- Hamill, T. M., J. S. Whitaker, and S. L. Mullen (2006). Reforecasts: An important data set for improving weather predictions. *Bull. Amer. Meteor. Soc.*, **87**, 33–46.
- Han, J., and H.-L. Pan (2006). Sensitivity of hurricane intensity to convective momentum transport parameterization. *Mon. Wea. Rev.*, **134**, 664–674.
- Han, J., and J. Roads (2004). U.S. climate sensitivity simulated with the NCEP regional spectral model. *Climatic Change*, **62**, 115–154.
- Hannachi, A., I. T. Jolliffe, and D. B. Stephenson (2007). Empirical orthogonal functions and related techniques in atmospheric science: A review. *Int. J. Climatol.*, **27**, 1119–1152.
- Hanson, C. E., J. P. Palutikof, M. T. J. Livermore, *et al.* (2007). Modelling the impact of climate extremes: an overview of the MICE project. *Climate Change*, **81**, 163–177.
- Hanssen-Bauer, I., E. J. Førland, J. E. Haugen, and O. E. Tveito (2003). Temperature and precipitation scenarios for Norway: comparison of results from dynamical and empirical downscaling. *Climate Res.*, **25**, 15–27.
- Hanssen-Bauer, I., C. Achberger, R. E. Benestad, D. Chen, and E. J. Førland (2005). Statistical downscaling of climate scenarios over Scandinavia. *Climate Res.*, **29**, 255–268.

- Harder, M. (1996). *Dynamik, Rauigkeit und Alter des Meereises in der Arktis*. Ph.D. Dissertation, Alfred-Wegener-Institut für Polar und Meeresforschung, Bremerhaven, Germany.
- Harper, K. C. (2008). *Weather by the Numbers: The Genesis of Modern Meteorology*. Cambridge, MA, USA: MIT Press.
- Harrison, E. J., and R. L. Elsberry (1972). A method for incorporating nested grids in the solution of systems of geophysical equations. *J. Atmos. Sci.*, **29**, 1235–1245.
- Hart, K. A., W. J. Steenburgh, D. J. Onton, and A. J. Siffert (2004). An evaluation of mesoscale-model-based Model Output Statistics (MOS) during the 2002 Olympic and Paralympic Winter Games. *Wea. Forecasting*, **19**, 200–218.
- Hartmann, D. L. (1988). On the comparison of finite-element to finite-difference methods for the representation of vertical structure in model atmospheres. *Mon. Wea. Rev.*, **116**, 269–273.
- Haugen, J. E., and T. Iversen (2008). Response in extremes of daily precipitation and wind from a downscaled multi-model ensemble of anthropogenic global climate change scenarios. *Tellus*, **60A**, 411–426.
- Hay, L. E., and M. P. Clark (2003). Use of statistically and dynamically downscaled atmospheric model output for hydrologic simulations in three mountainous basins in the western United States. *J. Hydrol.*, **282**, 56–75.
- Haylock, M. R., G. C. Cawley, C. Harpham, R. L. Wilby, and C. M. Goodess (2006). Downscaling heavy precipitation over the United Kingdom: A comparison of dynamical and statistical methods and their future scenarios. *Int. J. Climatol.*, **26**, 1397–1415.
- Haywood, J., M. Bush, S. Abel, *et al.* (2008). Prediction of visibility and aerosol within the operational Met Office Unified Model. II: Validation of model performance using operational data. *Quart. J. Roy. Meteor. Soc.*, **134**, 1817–1832.
- Heckley, W. A., G. Kelly, and M. Tiedtke (1990). On the use of satellite-derived heating rates for data-assimilation within the tropics. *Mon. Wea. Rev.*, **118**, 1743–1757.
- Heemink, A. W., M. Verlaan, and A. J. Segers (2001). Variance-reduced ensemble Kalman filtering. *Mon. Wea. Rev.*, **129**, 1718–1728.
- Heffter, J. L., and B. J. B. Stunder (1993). Volcanic Ash Forecast Transport and Dispersion (VAFTAD) Model. *Wea. Forecasting*, **8**, 533–541.
- Hegerl, G. C., F. W. Zwiers, P. Braconnot, *et al.* (2007). Understanding and Attributing Climate Change. In *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, eds. S. Solomon, D. Qin, M. Manning, *et al.* Cambridge, UK and New York, USA: Cambridge University Press.
- Heimann, D. (2001). A model-based wind climatology of the eastern Adriatic coast. *Meteorol. Zeitschrift*, **10**, 5–16.
- Heintzenberg, J., and R. J. Charlson (eds.) (2007). *Clouds in the Perturbed Climate System: Their Relationship to Energy Balance, Atmospheric Dynamics, and Precipitation*. Cambridge, USA: MIT Press.
- Henderson, S. T. (1977). *Daylight and its Spectrum*. Bristol, UK: Adam Hilger.

- Henderson-Sellers, A., A. J. Pitman, P. K. Love, P. Irannejad, and T. H. Chen (1995). The Project for Intercomparison of Land-surface Parameterization Schemes (PILPS): Phases 2 and 3. *Bull. Amer. Meteor. Soc.*, **76**, 489–503.
- Herceg, D., A. H. Sobel, L. Sun, and S. E. Zebiak (2006). The Big Brother Experiment and seasonal predictability in the NCEP regional spectral model. *Climate Dyn.*, **27**, 69–82.
- Hessami, M., P. Gachon, T. B. M. J. Ouarda, and A. St-Hilaire (2008). Automated regression-based statistical downscaling tool. *Environ. Modeling and Software*, **23**, 813–834.
- Hewitson, B. C., and R. G. Crane (2002). Self-organizing maps: application to synoptic climatology. *Climate Res.*, **22**, 13–26.
- Hewitson, B. C., and R. G. Crane (2006). Consensus between GCM climate change projections with empirical downscaling: precipitation downscaling over South Africa. *Int. J. Climatol.*, **26**, 1315–1337.
- Hewitt, C. D. (2005). The ENSEMBLES Project: Providing ensemble-based predictions of climate changes and their impacts. *EGGS Newsletter*, **13**, 22–25.
- Hibler, W. D. (1979). A dynamic thermodynamic sea ice model. *J. Phys. Oceanogr.*, **9**, 817–846.
- Hodur, R. M. (1997). The Naval Research Laboratory's Coupled Ocean/Atmosphere Mesoscale Prediction System (COAMPS). *Mon. Wea. Rev.*, **125**, 1414–1430.
- Hoffman, R. N., and E. Kalnay (1983). Lagged average forecasting, an alternative to Monte Carlo forecasting. *Tellus*, **35A**, 100–118.
- Hoffman, R. N., and S. M. Leidner (2005). An introduction to the near-real-time QuikSCAT data. *Wea. Forecasting*, **20**, 476–493.
- Hoffman, R. N., C. Grassotti, R. G. Isaacs, J.-F. Louis, and T. Nehr Korn (1990). Assessment of the impact of simulated satellite lidar wind and retrieved 183 GHz water vapor observations on a global data assimilation system. *Mon. Wea. Rev.*, **118**, 2513–2542.
- Hollingsworth, A., and P. Lönnberg (1986). The statistical structure of short-range forecast errors as determined from radiosonde data, Part I: The wind field. *Tellus*, **38A**, 111–136.
- Hollingsworth, A., D. B. Shaw, P. Lönnberg, *et al.* (1986). Monitoring of observation and analysis quality by a data-assimilation system. *Mon. Wea. Rev.*, **114**, 861–879.
- Holt, T., and J. Pullen (2007). Urban canopy modeling of the New York City metropolitan area: A comparison and validation of single- and multilayer parameterizations. *Mon. Wea. Rev.*, **135**, 1906–1930.
- Holt, T., J. Pullen, and C. H. Bishop (2009). Urban and ocean ensembles for improved meteorological and dispersion modelling of the coastal zone. *Tellus*, **61A**, 232–249.
- Holton, J. R. (2004). *An Introduction to Dynamic Meteorology*. Oxford, UK: Elsevier, Academic Press.
- Holtlag, B. (2006). GEWEX Atmospheric Boundary-Layer Study (GABLS) on stable boundary layers. *Bound.-Layer Meteor.*, **118**, 243–246.
- Homar, V., R. Romero, D. J. Stensrud, C. Ramis, and S. Alonso (2003). Numerical diagnosis of a small, quasi-tropical cyclone over the western Mediterranean: Dynamical vs. boundary factors. *Quart. J. Roy. Meteor. Soc.*, **129**, 1469–1490.
- Horel, J., M. Splitt, L. Dunn, *et al.* (2002). MesoWest: Cooperative mesonets in the western United States. *Bull. Amer. Meteor. Soc.*, **83**, 211–226.

- Hortal, M., and A. J. Simmons (1991). Use of reduced Gaussian grids in spectral models. *Mon. Wea. Rev.*, **119**, 1057–1074.
- Horvath, K., L. Fita, R. Romero, and B. Ivancan-Picek (2006). A numerical study of the first phase of a deep Mediterranean cyclone: Cyclogenesis in the lee of the Atlas Mountains. *Meteorol. Zeitschrift*, **15**, 133–146.
- Hoshen, M. B., and A. P. Morse (2004). A weather-driven model of malaria transmission. *Malaria J.*, **3**, 32, doi:10.1186/1475-2875-3-32.
- Hourdin, F., I. Musat, S. Bony, *et al.* (2006). The LMDZ4 general circulation model: Climate performance and sensitivity to parameterized physics with emphasis on tropical convection. *Climate Dyn.*, **27**, 787–813.
- Houtekamer, P. L., and H. L. Mitchell (1998). Data assimilation using an ensemble Kalman filter technique. *Mon. Wea. Rev.*, **126**, 796–811.
- Houtekamer, P. L., and H. L. Mitchell (1999). Reply to comment on “Data assimilation using an ensemble Kalman filter technique”. *Mon. Wea. Rev.*, **127**, 1378–1379.
- Houtekamer, P. L., and H. L. Mitchell (2001). A sequential ensemble Kalman filter for atmospheric data assimilation. *Mon. Wea. Rev.*, **129**, 123–137.
- Houtekamer, P. L., H. L. Mitchell, G. Pellerin, *et al.* (2005). Atmospheric data assimilation with the ensemble Kalman filter: results with real observations. *Mon. Wea. Rev.*, **133**, 604–620.
- Houtekamer, P. L., H. L. Mitchell, and X. Deng (2009). Model error representation in an operational ensemble Kalman filter. *Mon. Wea. Rev.*, **137**, 2126–2143.
- Houze, R. A., Jr (1993). *Cloud Dynamics*. London, UK: Academic Press.
- Huffman, G. J., R. F. Adler, D. T. Bolvin, *et al.* (2007). The TRMM multi-satellite precipitation analysis: Quasi-global, multi-year, combined-sensor precipitation estimates at fine scale. *J. Hydrometeor.*, **8**, 38–55.
- Hundecha, Y., and A. Bárdossy (2008). Statistical downscaling of extremes of daily precipitation and temperature and construction of their future scenarios. *Int. J. Climatol.*, **28**, 589–610.
- Hunke, E. C., and J. K. Dukowicz (1997). An elastic-viscous-plastic model for sea ice dynamics. *J. Phys. Oceanogr.*, **27**, 1849–1867.
- Hunke, E. C., and J. K. Dukowicz (2003). *The Sea Ice Momentum Equation in the Free Drift Regime*. Technical Report LA-UR-03-2219, Los Alamos National Laboratory, Los Alamos, USA.
- Huth, R. (1999). Statistical downscaling in central Europe: evaluation of methods and potential predictors. *Climate Res.*, **13**, 91–101.
- Huth, R. (2002). Statistical downscaling of daily temperature in Central Europe. *J. Climate*, **15**, 1731–1741.
- Huth, R. (2004). Sensitivity of local daily temperature change estimates to the selection of downscaling models and predictors. *J. Climate*, **17**, 640–652.
- Huth, R., J. Kysely, and M. Dubrovsky (2001). Time structure of observed GCM-simulated downscaled and stochastically generated daily temperature series. *J. Climate*, **14**, 4047–4061.
- Huth, R., S. Kliegrová, and L. Metelka (2008). Non-linearity in statistical downscaling: Does it bring an improvement for daily temperature in Europe? *Int. J. Climatol.*, **28**, 465–477.

- Ide, K., P. Courtier, M. Ghil, and A. C. Lorenc (1997). Unified notation for data assimilation: Operational, sequential, and variational. *J. Meteor. Soc. Japan*, **75**, 181–189.
- Inclán, M. G., R. Forkel, R. Dlugi, and R. B. Stull (1996). Application of transilient turbulent theory to study the interactions between the atmospheric boundary layer and forest canopies. *Bound.-Layer Meteor.*, **79**, 315–344.
- IPCC (2007). *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, eds. S. Solomon, D. Qin, M. Manning, *et al.* Cambridge, UK and New York, USA: Cambridge University Press.
- Isard, S. A., J. M. Russo, and E. D. DeWolf (2006). The establishment of a National Pest Information Platform for extension and education. *Plant Health Progress*, doi:10.94/PHP-2006-0915-01-RV.
- Israeli, M., and S. A. Orzag (1981). Approximation of radiation boundary conditions. *J. Comp. Phys.*, **41**, 115–135.
- Iversen, T. (2008). Preface to special issue on RegClim. *Tellus*, **60A**, 395–397.
- Jacks, E., J. B. Bower, V. J. Dagostaro, *et al.* (1990). New NGM-based MOS guidance for maximum/minimum temperature, probability of precipitation, cloud amount, and surface wind. *Wea. Forecasting*, **5**, 128–138.
- Jacobson, M. Z. (1999). *Fundamentals of Atmospheric Modeling*. Cambridge, UK: Cambridge University Press.
- Janjić, Z. I. (1994). The step-mountain Eta coordinate model: Further developments of the convection, viscous sublayer, and turbulence closure schemes. *Mon. Wea. Rev.*, **122**, 927–945.
- Janjić, Z. I. (2000). Comments on “Development and evaluation of a convection scheme for use in climate models”. *J. Atmos. Sci.*, **57**, 3686.
- Jankov, I., W. A. Galus Jr, M. Segal, B. Shaw, and S. E. Koch (2005). The impact of different WRF model physical parameterizations and their interactions on warm season MCS rainfall. *Wea. Forecasting*, **20**, 1048–1060.
- Jankov, I., W. A. Galus Jr, M. Segal, and S. E. Koch (2007). Influence of initial conditions on the WRF-ARW model QPF response to physical parameterization changes. *Wea. Forecasting*, **22**, 501–519.
- Janssen, P. A. E. M. (2008). Progress in ocean wave forecasting. *J. Comp. Phys.*, **227**, 3572–3594.
- Jastrow, R., and M. Halem (1970). Simulation studies related to GARP. *Bull. Amer. Meteor. Soc.*, **51**, 490–513.
- Ji, Y., and A. D. Vernekar (1997). Simulation of the Asian summer monsoons of 1987 and 1988 with a regional model nested in a global GCM. *J. Climate*, **10**, 1965–1979.
- Jiang, X., C. Wiedinmyer, F. Chen, Z.-L. Yang, and J. C.-F. Lo (2008). Predicted impacts of climate and land-use change on surface ozone in the Houston, Texas area. *J. Geophys. Res.*, **113**, D20312, doi:10.1029/2008JD009820.
- Jin, M., and J. M. Shepherd (2005). Inclusion of urban landscape in a climate model: How can satellite data help? *Bull. Amer. Meteor. Soc.*, **86**, 681–689.
- Jin, X. Z., X. H. Zhang, and T. J. Zhou (1999). Fundamental framework and experiments of the third generation of the IAP/LASG World Ocean General Circulation Model. *Adv. Atmos. Sci.*, **16**, 197–215.



- Johansson, B., and D. Chen (2003). The influence of wind and topography on precipitation distribution in Sweden: statistical analysis and modelling. *Int. J. Climatol.*, **23**, 1523–1535.
- Johns, T. C., C. F. Durman, H. T. Banks, *et al.* (2006). The new Hadley Centre climate model HadGEM1: Evaluation of coupled simulations. *J. Climate*, **19**, 1327–1353.
- Jolliffe, I. T. (2002). *Principal Component Analysis*. Berlin, Germany: Springer.
- Jolliffe, I. T., and D. B. Stephenson (2003). *Forecast Verification: A Practitioner's Guide in Atmospheric Science*. Chichester, UK: Wiley and Sons Ltd.
- Joly, A., K. A. Browning, P. Bessemoulin, *et al.* (1999). Overview of the field phase of the Fronts and Atlantic Storm-Track EXperiment (FASTEX) project. *Quart. J. Roy. Meteor. Soc.*, **125**, 3131–3163.
- Jones, C. D., and B. Macpherson (1997). A latent heat nudging scheme for the assimilation of precipitation data into an operational mesoscale model. *Meteor. Applic.*, **4**, 269–277.
- Jones, M. S., B. A. Colle, and J. S. Tongue (2007). Evaluation of a mesoscale short-range ensemble forecast system over the northeast United States. *Wea. Forecasting*, **22**, 36–55.
- Jones, R. G., J. M. Murphy, and M. Noguer (1995). Simulation of climate change over Europe using a nested regional-climate model. I: Assessment of control climate, including sensitivity to location of lateral boundaries. *Quart. J. Roy. Meteor. Soc.*, **121**, 1413–1449.
- Jones, R. G., J. M. Murphy, M. Noguer, and A. B. Keen (1997). Simulation of climate change over Europe using a nested regional-climate model. II: Comparison of driving and regional model responses to a doubling of carbon dioxide. *Quart. J. Roy. Meteor. Soc.*, **123**, 265–292.
- Juang, H.-M. H. (2000). The NCEP mesoscale spectral model: A revised version of the nonhydrostatic regional spectral model. *Mon. Wea. Rev.*, **128**, 2329–2362.
- Juang, H.-M. H., and S.-Y. Hong (2001). Sensitivity of the NCEP regional spectral model to domain size and nesting strategy. *Mon. Wea. Rev.*, **129**, 2904–2922.
- Juang, H.-M. H., and M. Kanamitsu (1994). The NMC nested regional spectral model. *Mon. Wea. Rev.*, **122**, 3–26.
- Juang, H.-M. H., S.-Y. Hong, and M. Kanamitsu (1997). The NMC nested regional spectral model. An update. *Bull. Amer. Meteor. Soc.*, **78**, 2125–2143.
- Jung, T., T. N. Palmer, and G. J. Shutts (2005). Influence of a stochastic parameterization on the frequency of occurrence of North Pacific weather regimes in the ECMWF model. *Geophys. Res. Lett.*, **32**, L23811, doi:10.1029/2005GL024248.
- Jungclaus, J. H., N. Keenlyside, M. Botzet, *et al.* (2006). Ocean circulation and tropical variability in the AOGCM ECHAM5/MPI-OM. *J. Climate*, **19**, 3952–3972.
- K-1 Developers (2004). *K-1 Coupled Model (MIROC) Description*. K-1 Technical Report 1. eds. H. Hasumi, and S. Emori. Center for Climate System Research, University of Tokyo, Tokyo, Japan.
- Kain, J. S. (2004). The Kain-Fritsch convective parameterization: An update. *J. Appl. Meteor.*, **43**, 170–181.
- Kain, J. S., and J. M. Fritsch (1992). The role of the convective “trigger function” in numerical forecasts of mesoscale convective systems. *Meteor. Atmos. Phys.*, **49**, 93–106.

- Kain, J. S., and J. M. Fritsch (1993). Convective parameterization for mesoscale models: The Kain-Fritsch scheme. In *The Representation of Cumulus Convection in Numerical Models*. Meteorological Monograph, No. 46, American Meteorological Society, Boston, USA, pp. 165–170.
- Kalnay de Rivas, E. (1972). On the use of nonuniform grids in finite difference equations. *J. Comput. Phys.*, **10**, 202–210.
- Kalnay, E. (2003). *Atmospheric Modeling, Data Assimilation and Predictability*. Cambridge, UK: Cambridge University Press.
- Kalnay, E., M. Kanamitsu, R. Kistler, *et al.* (1996). The NCEP/NCAR 40-year reanalysis project. *Bull. Amer. Meteor. Soc.*, **77**, 437–472.
- Kalnay, E., D. L. T. Anderson, A. F. Bennett, *et al.* (1997). Data assimilation in the ocean and atmosphere: What should be next. *J. Meteor. Soc. Japan*, **75**, 489–496.
- Kanamaru, H., and M. Kanamitsu (2007a). Scale-selective bias correction in a downscaling of global analysis using a regional model. *Mon. Wea. Rev.*, **135**, 334–350.
- Kanamaru, H., and M. Kanamitsu (2007b). Fifty-seven-year California Reanalysis downscaling at 10 km (CaRD10). Part II: Comparison with North American Regional Reanalysis. *J. Climate*, **20**, 5572–5592.
- Kanamaru, H., and M. Kanamitsu (2008). Dynamical downscaling of global analysis and simulation over the Northern Hemisphere. *Mon. Wea. Rev.*, **136**, 2796–2803.
- Kanamitsu, M. (1989). Description of the NMC global data assimilation and forecast system. *Wea. Forecasting*, **4**, 335–342.
- Kanamitsu, M., and H. Kanamaru (2007). Fifty-seven-year California Reanalysis downscaling at 10 km (CaRD10). Part I: System detail and validation with observations. *J. Climate*, **20**, 5553–5571.
- Kanamitsu, M., J. C. Alpert, K. A. Campana, *et al.* (1991). Recent changes implemented into the global forecast system at NMC. *Wea. Forecasting*, **6**, 425–435.
- Kanamitsu, M., W. Ebisuzaki, J. Woollen, *et al.* (2002a). NCEP-DOE AMIP-II reanalysis (R-2). *Bull. Amer. Meteor. Soc.*, **83**, 1631–1643.
- Kanamitsu, M., A. Kumar, H.-M. H. Juang, *et al.* (2002b). NCEP dynamical seasonal forecast system 2000. *Bull. Amer. Meteor. Soc.*, **83**, 1019–1037.
- Kang, H.-S., D.-H. Cha, and D.-K. Lee (2005). Evaluation of the mesoscale model/land surface model (MM5/LSM) coupled model for East Asian summer monsoon simulations. *J. Geophys. Res.*, **110**, D10105, doi:10.1029/2004JD005266.
- Kar, S. K., and R. P. Turco (1995). Formulation of a lateral sponge layer for limited-area shallow water models and an extension for the vertically stratified case. *Mon. Wea. Rev.*, **123**, 1542–1559.
- Karyampudi, V. M., and H. F. Pierce (2002). Synoptic-scale influence of the Saharan air layer on tropical cyclogenesis over the Eastern Atlantic. *Mon. Wea. Rev.*, **130**, 3100–3128.
- Kasahara, A. (1974). Various vertical coordinate systems used for numerical weather prediction. *Mon. Wea. Rev.*, **102**, 509–522.
- Kasahara, A., J.-I. Tsutsui, and H. Hidakuchi (1996). Inversion methods of three cumulus parameterizations for diabatic initialization of a tropical cyclone model. *Mon. Wea. Rev.*, **124**, 2304–2321.

- Katz, R. W. (1996). Use of conditional stochastic models to generate climate change scenarios. *Climatic Change*, **32**, 237–255.
- Katz, R. W., M. B. Parlange, and C. Tebaldi (2003). Stochastic modelling of the effects of large-scale circulation on daily weather in the southeastern US. *Climatic Change*, **60**, 189–216.
- Kaufman, Y. J., and T. Nakajima (1993). Effect of Amazon smoke on cloud microphysics and albedo: Analysis from satellite imagery. *J. Appl. Meteor.*, **32**, 729–744.
- Kawai, Y., and A. Wada (2007). Diurnal sea surface temperature variation and its impact on the atmosphere and ocean: A review. *J. Oceanog.*, **63**, 721–744.
- Keenlyside, N., M. Latif, M. Botzet, J. Jungclaus, and U. Schulzweida (2005). A coupled method for initializing El Niño Southern Oscillation forecasts using sea surface temperature. *Tellus*, **57A**, 340–356.
- Keenlyside, N. S., M. Latif, J. Jungclaus, L. Kornblueh, and E. Roeckner (2008). Advancing decadal-scale climate prediction in the North Atlantic sector. *Nature*, **453**, 84–88, doi:10.1038/nature06921.
- Keppenne, C. L. (2000). Data assimilation into a primitive equation model with a parallel ensemble Kalman filter. *Mon. Wea. Rev.*, **128**, 1971–1981.
- Keppenne, C. L., and M. M. Rienecker (2002). Initial testing of a massively parallel ensemble Kalman filter with the Poseidon isopycnal ocean general circulation model. *Mon. Wea. Rev.*, **130**, 2951–2965.
- Kesel, P. G., and F. J. Winninghoff (1972). The Fleet Numerical Weather Central operational primitive equation model. *Mon. Wea. Rev.*, **100**, 360–373.
- Kessler, E., III (1969). *On the Distribution and Continuity of Water Substance in Atmospheric Circulations*. Meteorological Monograph No. 32, American Meteorological Society, Boston, USA.
- Kidson, J. W., and C. S. Thompson (1998). A comparison of statistical and model-based downscaling techniques for estimating local-climate variations. *J. Climate*, **11**, 735–753.
- Kiehl, J. T., and K. E. Trenberth (1997). Earth's annual global mean energy budget. *Bull. Amer. Meteor. Soc.*, **78**, 197–208.
- Kiehl, J. T., J. J. Hack, G. B. Bonan, *et al.* (1998). The National Center for Atmospheric Research Community Climate Model: CCM3. *J. Climate*, **11**, 1131–1149.
- Kilsby, C. G., P. D. Jones, A. Burton, *et al.* (2007). A daily weather generator for use in climate change studies. *Environ. Model. Software*, **22**, 1705–1719.
- Kim, S.-J., G. M. Flato, G. J. Boer, and N. A. McFarlane (2002). A coupled climate model simulation of the Last Glacial Maximum, Part 1: Transient multi-decadal response. *Climate Dyn.*, **19**, 515–537.
- Kinnmark, I. (1985). *The Shallow Water Wave Equations: Formulation, Analysis and Application*. Lecture Notes in Engineering, Vol. 15. Berlin, Germany: Springer-Verlag.
- Klein, T., and G. Heinemann (2001). On the forcing mechanisms of mesocyclones in the eastern Weddell Sea region, Antarctica: process studies using a mesoscale numerical model. *Meteorol. Zeitschrift*, **10**, 113–122.
- Klein, W. H., B. M. Lewis, and I. Enger (1959). Objective prediction of five-day mean temperatures during winter. *J. Atmos. Sci.*, **16**, 672–682.

- Klemp, J. B., and D. R. Durran (1983). An upper boundary condition permitting internal gravity-wave radiation in numerical mesoscale models. *Mon. Wea. Rev.*, **111**, 430–444.
- Klemp, J. B., and D. K. Lilly (1978). Numerical simulation of hydrostatic mountain waves. *J. Atmos. Sci.*, **35**, 78–107.
- Klemp, J. B., and R. Wilhelmson (1978). The simulation of three-dimensional convective-storm dynamics. *J. Atmos. Sci.*, **35**, 1070–1096.
- Klemp, J. B., W. C. Skamarock, and J. Dudhia (2007). Conservative split-explicit time integration methods for the compressible nonhydrostatic equations. *Mon. Wea. Rev.*, **135**, 2897–2913.
- Knievel, J. C., G. H. Bryan, and J. P. Hacker (2007). Explicit numerical diffusion in the WRF model. *Mon. Wea. Rev.*, **135**, 3808–3824.
- Knutson, T. R., J. J. Sirutis, S. T. Garner, G. A. Vecchi, and I. M. Held (2008). Simulated reduction in Atlantic hurricane frequency under twenty-first-century warming conditions. *Nature Geoscience*, **1**, 359–364.
- Kohonen, T. (2000). *Self-Organizing Maps*. New York, USA: Springer.
- Køltzow, M., T. Iversen, and J. E. Haugen (2008). Extended Big-Brother experiments: the role of lateral boundary data quality and size of integration domain in regional climate modelling. *Tellus*, **60A**, 398–410.
- Kondo, H., Y. Genchi, Y. Kikegawa, *et al.* (2005). Development of a multi-layer urban canopy model for the analysis of energy consumption in a big city: Structure of the urban canopy model and its basic performance. *Bound.-Layer Meteor.*, **116**, 395–421.
- Koren, I., Y. J. Kaufman, R. Washington, *et al.* (2006). The Bodélé depression: a single spot in the Sahara that provides most of the mineral dust for the Amazon forest. *Environ. Res. Lett.*, **1**, doi:10.1088/1748-9326/1/1/014005.
- Koren, V., J. Schaake, K. Mitchell, *et al.* (1999). A parameterization of snowpack and frozen ground intended for NCEP weather and climate models. *J. Geophys. Res.*, **104**, 19569–19585.
- Koshyk, J. N., and K. Hamilton (2001). The horizontal kinetic energy spectrum and spectral budget simulated by a high-resolution troposphere-stratosphere-mesosphere GCM. *J. Atmos. Sci.*, **58**, 329–348.
- Koster, R. D., and M. J. Suarez (1996). *Energy and Water Balance Calculations in the Mosaic LSM*. NASA Tech. Memo. 104606, Vol. 9.
- Kreitzberg, C. W., and D. Perkey (1976). Release of potential instability. Part I: A sequential plume model within a hydrostatic primitive equation model. *J. Atmos. Sci.*, **33**, 456–475.
- Krinner, G., N. Viovy, N. de Noblet-Ducoudré, *et al.* (2005). A dynamic global vegetation model for studies of the coupled atmosphere-biosphere system. *Global Biogeochem. Cycles*, **19**, GB1015, doi:10.1029/2003GB002199.
- Krishnamurti, T. N., J. Xue, H. S. Bedi, K. Ingles, and D. Oosterhof (1991). Physical initialization for numerical weather prediction in the tropics. *Tellus*, **43AB**, 53–81.
- Krishnamurti, T. N., G. Rohaly, and H. S. Bedi (1994). On the improvement of precipitation forecast skill from physical initialization. *Tellus*, **46A**, 598–614.

- Krishnamurti, T. N., C. M. Kishtawal, T. E. LaRow, *et al.* (1999). Improved weather and seasonal climate forecasts from multimodel superensemble. *Science*, **285**, 1548–1550.
- Krishnamurti, T. N., H. S. Bedi, V. M. Hardiker, and L. Ramaswamy (2006a). *An Introduction to Global Spectral Modeling*. New York, USA: Springer.
- Krishnamurti, T. N., A. Chakraborty, R. Krishnamurti, W. K. Dewar, and C. A. Clayson (2006b). Seasonal prediction of sea surface temperature anomalies using a suite of 13 coupled atmosphere-ocean models. *J. Climate*, **19**, 6069–6088.
- Krishnamurti, T. N., S. Pattnaik, and D. V. Bhaskar Rao (2007). Mesoscale moisture initialization for monsoon and hurricane forecasts. *Mon. Wea. Rev.*, **135**, 2716–2736.
- Kuhn, K., D. Campbell-Lendrum, A. Haines, and J. Cox (2005). *Using Climate to Predict Infectious Disease Epidemics*. Geneva: World Health Organization.
- Kuo, H.-L. (1965). On the formation and intensification of tropical cyclones through latent heat release by cumulus convection. *J. Atmos. Sci.*, **22**, 40–63.
- Kuo, H.-L. (1974). Further studies of the parameterization of the influence of cumulus convection on large-scale flow. *J. Atmos. Sci.*, **31**, 1232–1240.
- Kuo, Y.-H., and R. A. Anthes (1984). Accuracy of diagnostic heat and moisture budgets using SESAME-79 field data as revealed by observing system simulation experiments. *Mon. Wea. Rev.*, **112**, 1465–1481.
- Kuo, Y.-H., and Y.-R. Guo (1989). Dynamic initialization using observations from a hypothetical network of profilers. *Mon. Wea. Rev.*, **117**, 1975–1998.
- Kuo, Y.-H., M. Skumanich, P. L. Haagenson, and J. S. Chang (1985). The accuracy of trajectory models as revealed by the observing system simulation experiments. *Mon. Wea. Rev.*, **113**, 1852–1867.
- Kuo, Y.-H., E. G. Donall, and M. A. Shapiro (1987). Feasibility of short-range numerical weather prediction using observations from a network of profilers. *Mon. Wea. Rev.*, **115**, 2402–2427.
- Kuo, Y.-H., X. Zou, and W. Huang (1998). The impact of global positioning system data on the prediction of an extratropical cyclone: An observing system simulation experiment. *Dyn. Atmos. Oceans*, **27**, 439–470.
- Kusaka, H., H. Kondo, Y. Kikegawa, and F. Kimura (2001). A simple single-layer urban canopy model for atmospheric models: Comparisons with multi-layer and slab models. *Bound.-Layer Meteor.*, **101**, 329–358.
- Kutzbach, J. (1967). Empirical eigenvectors of sea-level pressure, surface temperature, and precipitation complexes over North America. *J. Appl. Meteor.*, **6**, 791–802.
- Lacarra, J. F., and O. Talagrand (1988). Short-range evolution of small perturbations in a barotropic model. *Tellus*, **40A**, 81–95.
- Lackmann, G. M., D. Keyser, and L. F. Bosart (1999). Energetics of an intensifying jet streak during the Experiment on Rapidly Intensifying Cyclones over the Atlantic (ERICA). *Mon. Wea. Rev.*, **127**, 2777–2795.
- Lainé, A., M. Kageyama, D. Salas-Mélia, *et al.* (2009). An energetic study of wintertime Northern Hemisphere storm tracks under  $4 \times \text{CO}_2$  conditions in two ocean-atmosphere coupled models. *J. Climate*, **22**, 819–839.
- Lakhtakia, M. N., and T. T. Warner (1987). A real-data numerical study of the development of the precipitation along the edge of an elevated mixed layer. *Mon. Wea. Rev.*, **115**, 156–168.

- Lambert, S. J., and G. J. Boer (2001). CMIP1 evaluation and intercomparison of coupled climate models. *Climate Dyn.*, **17**, 83–116.
- Landberg, L., L. Myllerup, O. Rathmann, *et al.* (2003). Wind-resource estimation: An overview. *Wind Energy*, **6**, 261–271.
- Langland, R. H. (2005). Observation impact during the North Atlantic TReC-2003. *Mon. Wea. Rev.*, **133**, 2297–2309.
- Langland, R. H., Z. Toth, R. Gelaro, *et al.* (1999). The North Pacific Experiment (NORPEX-98). Targeted observations for improved North American weather forecasts. *Bull. Amer. Meteor. Soc.*, **80**, 1363–1384.
- Lanzinger, A., and R. Steinacker (1990). A fine mesh analysis scheme designed for mountainous terrain. *Meteor. Atmos. Phys.*, **43**, 213–219.
- Lapeyre, G., and I. M. Held (2004). The role of moisture in the dynamics and energetics of turbulent baroclinic eddies. *J. Atmos. Sci.*, **61**, 1693–1710.
- Laprise, R. (1992). The resolution of global spectral models. *Bull. Amer. Meteor. Soc.*, **73**, 1453–1454.
- Laprise, R. (2008). Regional climate modelling. *J. Comput. Phys.*, **227**, 3641–3666.
- Laprise, R., M. R. Varma, B. Denis, D. Caya, and I. Zawadzki (2000). Predictability of a nested limited-area model. *Mon. Wea. Rev.*, **128**, 4149–4154.
- Laprise, R., R. de Elia, D. Caya, *et al.* (2008). Challenging some tenets of regional climate modeling. *Meteor. Atmos. Phys.*, **100**, 3–22.
- Laursen, L., and E. Eliassen (1989). On the effects of the damping mechanisms in an atmospheric general circulation model. *Tellus*, **41A**, 385–400.
- Lavoie, R. L. (1972). A mesoscale numerical model of lake-effect storms. *J. Atmos. Sci.*, **29**, 1025–1040.
- Lawton, R. O., U. S. Nair, R. A. Pielke Sr, and R. M. Welch (2001). Climatic impacts of tropical lowland deforestation on nearby montane cloud forests. *Science*, **294**, 584–587.
- Lax, P. D., and B. Wendroff (1960). Systems of conservation laws. *Comm. Pure Appl. Math.*, **13**, 217–237.
- Lean, H. W., and P. A. Clark (2003). The effects of changing resolution on mesoscale modelling of line convection and slantwise circulations in FASTEX IOP 16. *Quart. J. Roy. Meteor. Soc.*, **129**, 2255–2278.
- Leavesley, G. H., R. W. Lichty, B. M. Troutman, and L. G. Saindon (1983). *Precipitation-runoff Modeling System: User's Manual*. U.S. Geological Survey Water Investment Rep. 83–4238.
- LeDimet, F.-X., and O. Talagrand (1986). Variational algorithms for analysis and initialization of meteorological observations: theoretical aspects. *Tellus*, **38A**, 97–110.
- Legg, T. P., and K. R. Mylne (2004). Early warnings of severe weather from ensemble forecast information. *Wea. Forecasting*, **19**, 891–906; Corrigendum, **22**, 216–219.
- Legg, T. P., K. R. Mylne, and C. Woodcock (2002). Use of medium-range ensembles at the Met Office I: PREVIN – a system for the production of probabilistic forecast information from the ECMWF EPS. *Meteor. Applic.*, **9**, 255–271.
- Le Marshall, J. F., L. M. Leslie, and C. Spinoso (1997). The generation and assimilation of cloud-drift winds in numerical weather prediction. *J. Meteor. Soc. Japan*, **75**, Special Issue 1B, 383–393.



- Leslie, L. M., J. F. LeMarshall, R. P. Morrison, *et al.* (1998). Improved hurricane track forecasting from the continuous assimilation of high quality satellite wind data. *Mon. Wea. Rev.*, **126**, 1248–1257.
- Leuenberger, D., and A. Rossa (2007). Revisiting the latent heat nudging scheme for the rainfall assimilation of a simulated convective storm. *Meteor. Atmos. Phys.*, **98**, 195–215.
- Leung, L. R., and S. J. Ghan (1995). A subgrid parameterization of orographic precipitation. *Theor. Appl. Climatol.*, **52**, 95–118.
- Leung, L. R., and S. J. Ghan (1998). Parameterizing subgrid orographic precipitation and surface cover in climate models. *Mon. Wea. Rev.*, **126**, 3271–3291.
- Leung, L. R., Y. Qian, X. Bian, *et al.* (2004). Mid-century ensemble regional climate change scenarios for the western United States. *Climate Change*, **62**, 75–113.
- Leutbecher, M., and T. N. Palmer (2008). Ensemble forecasting. *J. Comput. Phys.*, **227**, 3515–3539.
- Levin, Z., and W. R. Cotton (eds.) (2009). *Air Pollution Impact on Precipitation*. Berlin, Germany: Springer.
- Li, P. W., and E. S. T. Lai (2004). Short-range quantitative precipitation forecasting in Hong Kong. *J. Hydrol.*, **288**, 189–209.
- Liang, X.-Z., L. Li, K. E. Kunkel, M. Ting, and J. X. L. Wang (2004). Regional climate model simulation of U.S. precipitation during 1982–2002. Part I: Annual cycle. *J. Climate*, **17**, 3510–3529.
- Liang, X.-Z., J. Pan, J. Zhu, *et al.* (2006). Regional climate model downscaling of the U.S. summer climate and future change. *J. Geophys. Res.*, **111**, D10108, doi:10.1029/2005JD006685.
- Liljegren, J. C., S. Tschopp, K. Rogers, *et al.* (2009). Quality control of meteorological data for the Chemical Stockpile Emergency Preparedness Program. *J. Atmos. and Oceanic Technol.*, **26**, 1510–1526.
- Lin, J. W.-B., and J. D. Neelin (2000). Influence of a stochastic moist convective parameterization on tropical climate variability. *Geophys. Res. Lett.*, **27**, 3691–3694.
- Lin, Y., and K. Mitchell (2005). The NCEP Stage II/IV hourly precipitation analyses: Development and applications. Preprints, *19th Conference on Hydrology*, San Diego, CA, American Meteorological Society, Paper 1.2.
- Lin, Y.-L., R. D. Farley, and H. D. Orville (1983). Bulk parameterization of the snow field in a cloud model. *J. Climate Appl. Meteor.*, **22**, 1065–1092.
- Lindzen, R. S., and M. Fox-Rabinovitz (1989). Consistent vertical and horizontal resolution. *Mon. Wea. Rev.*, **117**, 2575–2583.
- Liou, K.-N. (1980). *An Introduction to Atmospheric Radiation*. London, UK: Academic Press.
- Lipps, F., and R. Hemler (1982). A scale analysis of deep moist convection and some related numerical calculations. *J. Atmos. Sci.*, **29**, 2192–2210.
- Lipscomb, W. H. (2001). Remapping the thickness distribution in sea ice models. *J. Geophys. Res.*, **106**, 13989–14000.
- List, R. J. (1966). *Smithsonian Meteorological Tables*. Washington, DC, USA: Smithsonian Institution Press.

- Liu, H., and M. Xue (2008). Prediction of convective initiation and storm evolution on 12 June 2002 during IHOP 2002. Part I: Control simulation and sensitivity experiments. *Mon. Wea. Rev.*, **136**, 2261–2282.
- Liu, H., X. Zhang, W. Li, Y. Yu, and R. Yu (2004). An eddy-permitting oceanic general circulation model and its preliminary evaluations. *Adv. Atmos. Sci.*, **21**, 675–690.
- Liu, J., G. A. Schmidt, D. Martinson, *et al.* (2003). Sensitivity of sea ice to physical parameterizations in the GISS global climate model. *J. Geophys. Res.*, **108**, 3053, doi:10.1029/2001JC001167.
- Liu, M., D. L. Westphal, A. L. Walker, *et al.* (2007). COAMPS real-time dust storm forecasting during Operation Iraqi Freedom. *Wea. Forecasting*, **22**, 192–206.
- Liu, Y., F. Chen, T. Warner, and J. Basara (2006). Verification of a mesoscale data-assimilation and forecasting system for the Oklahoma City area during the Joint Urban 2003 Field Project. *J. Appl. Meteor. Climatol.*, **45**, 912–929.
- Liu, Y., T. T. Warner, J. F. Bowers, *et al.* (2008a). The operational mesogamma-scale analysis and forecast system of the U.S. Army Test and Evaluation Command. Part 1: Overview of the modeling system, the forecast products, and how the products are used. *J. Appl. Meteor. Climatol.*, **47**, 1077–1092.
- Liu, Y., T. T. Warner, E. G. Astling, *et al.* (2008b). The operational mesogamma-scale analysis and forecast system of the U.S. Army Test and Evaluation Command. Part 2: Verification of model analyses and forecasts. *J. Appl. Meteor. Climatol.*, **47**, 1093–1104.
- Liu, Z.-Q., and F. Rabier (2003). The potential of high-density observations for numerical weather prediction: A study with simulated observations. *Quart. J. Roy. Meteor. Soc.*, **129**, 3013–3035.
- Lo, J. C.-F., Z.-L. Yang, and R. A. Pielke Sr (2008). Assessment of three dynamical climate downscaling methods using the Weather Research and Forecasting (WRF) model. *J. Geophys. Res.*, **113**, D09112, doi:10.1029/2007JD009216.
- Lönnberg, P., and A. Hollingsworth (1986). The statistical structure of short-range forecast errors as determined from radiosonde data, Part II: The covariance of height and wind errors. *Tellus*, **38A**, 137–161.
- Lorant, V., and J. F. Royer (2001). Sensitivity of equatorial convection to horizontal resolution in aqua-planet simulations with variable resolution. *Mon. Wea. Rev.*, **129**, 2730–2745.
- Lorenc, A. (1986). Analysis methods for numerical weather prediction. *Quart. J. Roy. Meteor. Soc.*, **112**, 1177–1194.
- Lorenc, A. C. (2003). The potential of the ensemble Kalman filter for NWP: A comparison with 4D-Var. *Quart. J. Roy. Meteor. Soc.*, **129**, 3183–3203.
- Lorenc, A. C., R. S. Bell, and B. Macpherson (1991). The Meteorological Office analysis correction data assimilation scheme. *Quart. J. Roy. Meteor. Soc.*, **117**, 59–89.
- Lorenz, E. N. (1963a). Deterministic nonperiodic flow. *J. Atmos. Sci.*, **20**, 130–141.
- Lorenz, E. N. (1963b). The predictability of hydrodynamic flow. *Trans. NY Acad. Sci., Series II*, **25**, 409–432.
- Lorenz, E. N. (1968). Climate determinism. In *Causes of Climatic Change*, ed. J. M. Mitchell. Meteorological Monograph No. 8, Boston, USA: American Meteorological Society, 1–3.

- Lott, F., and M. J. Miller (1997). A new subgrid-scale orographic drag parameterization: Its formulation and testing. *Quart. J. Roy. Meteor. Soc.*, **123**, 101–127.
- Loveland, T. R., J. W. Merchant, J. F. Brown, *et al.* (1995). Seasonal land-cover regions of the United States. *Ann. Assoc. Amer. Geogr.*, **85**, 339–355.
- Lu, C., H. Yuan, B. E. Schwartz, and S. G. Benjamin (2007). Short-range numerical weather prediction using time-lagged ensembles. *Wea. Forecasting*, **22**, 580–595.
- Lynch, P. (2007). The origins of computer weather prediction and climate modeling. *J. Comp. Phys.*, **227**, 3431–3444.
- Lynn, B. H., L. Druyan, C. Hogrefe, *et al.* (2005). Sensitivity of present and future surface temperature to precipitation characteristics. *Climate Res.*, **28**, 53–65.
- Machenhauer, B. (1977). On the dynamics of gravity oscillations in a shallow water model, with applications to normal mode initialization. *Contrib. Atmos. Phys.*, **50**, 253–271.
- Machenhauer, B. (1979). The spectral method. In *Numerical Methods Used in Atmospheric Models, Volume II*, ed. A. Kasahara. Global Atmospheric Research Programme, GARP Publication Series No. 17. Geneva: World Meteorological Organization. pp 121–275.
- Machenhauer, B., E. Kaas, and P. H. Lauritzen (2008). Finite volume methods in meteorology. In *Computational Methods for the Atmosphere and Oceans*, eds. R. Tenan and J. Tribia. Amsterdam, the Netherlands: Elsevier.
- Madec, G., P. Delecluse, M. Imbard, and C. Lévy (1998). *OPA Version 8.1 Ocean General Circulation Model Reference Manual*. Notes du Pôle de Modélisation No. 11, Institut Pierre-Simon Laplace, Paris, France.
- Magarey, R. D., G. A. Fowler, D. M. Borchert, *et al.* (2007). NAPPFAST: An internet system for the weather-based mapping of plant pathogens. *Plant Disease*, **91**, 336–345.
- Mahfouf, J.-F., A. O. Manzi, J. Noilhan, H. Giordani, and M. DéQué (1995). The land surface scheme ISBA within the Meteo-France climate model ARPEGE. Part 1: Implementation and preliminary results. *J. Climate*, **8**, 2039–2057.
- Majewski, D., D. Liermann, P. Prohl, *et al.* (2002). The operational global icosahedral-hexagonal gridpoint model GME: Description and high-resolution tests. *Mon. Wea. Rev.*, **130**, 319–338.
- Majumdar, S. J., C. H. Bishop, R. Buizza, and R. Gelaro (2002a). A comparison of ensemble transform Kalman filter targeting guidance with ECMWF and NRL total energy singular vector guidance. *Quart. J. Roy. Meteor. Soc.*, **128**, 2527–2549.
- Majumdar, S. J., C. H. Bishop, B. J. Etherton, and Z. Toth (2002b). Adaptive sampling with the ensemble transform Kalman filter. Part II: Field program implementation. *Mon. Wea. Rev.*, **130**, 1356–1369.
- Majumdar, S. J., S. D. Aberson, C. H. Bishop, *et al.* (2006). A comparison of adaptive observing guidance for Atlantic tropical cyclones. *Mon. Wea. Rev.*, **134**, 2354–2372.
- Maltrud, M. E., R. D. Smith, A. J. Semtner, and R. C. Malone (1998). Global eddy-resolving ocean simulations driven by 1985–1995 atmospheric winds. *J. Geophys. Res.*, **103**, 30825–30853.

- Mann, G. E., R. B. Wagenmaker, and P. J. Sousounis (2002). The influence of multiple lake interactions upon lake-effect storms. *Mon. Wea. Rev.*, **130**, 1510–1530.
- Mao, Q., R. T. McNider, S. F. Mueller, and H. H. Juang (1999). An optimal model output calibration algorithm suitable for objective temperature forecasting. *Wea. Forecasting*, **14**, 190–202.
- Mapes, B. E. (1997). Equilibrium vs. activation control of large-scale variations of tropical deep convection. In *The Physics and Parameterization of Moist Atmospheric Convection*, ed. R. K. Smith. Dordrecht, the Netherlands: Kluwer Academic Publishers. pp. 321–358.
- Marchuk, G. I. (1965). *A New Approach to the Numerical Solution of Differential Equations of Atmospheric Processes*. World Meteorological Organization Technical Note No. 66, Geneva, pp. 286–294.
- Marchuk, G. I. (1974). *Numerical Methods in Weather Prediction*. New York, USA: Academic Press.
- Marletto, V., F. Zinoni, L. Criscuolo, *et al.* (2005). Evaluation of downscaled DEMETER multi-model ensemble seasonal hindcasts in a northern Italy location by means of a model of wheat growth and soil water balance. *Tellus*, **57A**, 488–497.
- Marshall, C. H., R. A. Peilke Sr, L. T. Steyaert, and D. A. Willard (2004). The impact of anthropogenic land-cover change on the Florida Peninsula sea breezes and warm season sensible weather. *Mon. Wea. Rev.*, **132**, 28–52.
- Marsigli, C., F. Boccanera, A. Montani, and T. Paccagnella (2005). The COSMO-LEPS mesoscale ensemble system: validation of the methodology and verification. *Nonlinear Processes Geophys.*, **12**, 527–536.
- Marsland, S. J., H. Haak, J. H. Jungclaus, M. Latif, and F. Röske (2003). The Max-Planck-Institute global ocean/sea ice model with orthogonal curvilinear coordinates. *Ocean Modelling*, **5**, 91–127.
- Marti, O., P. Braconnot, J. Bellier, *et al.* (2005). *The New IPSL Climate System Model: IPSL-CM4*. Note du Pôle de Modélisation No. 26, Institut Pierre Simon Laplace des Sciences de l'Environnement Global, Paris, France.
- Martilli, A. (2007). Current research and future challenges in urban mesoscale modelling. *Int. J. Climatol.*, **27**, 1909–1918.
- Martilli, A., A. Clappier, and M. W. Rotach (2002). An urban surface exchange parameterization for mesoscale models. *Bound.-Layer Meteor.*, **104**, 261–304.
- Martin, G. M., C. Dearden, C. Greeves, *et al.* (2004). *Evaluation of the Atmospheric Performance of HadGAM/GEM1*. Hadley Centre Technical Note No. 54, Hadley Centre for Climate Prediction and Research/Met Office, Exeter, UK.
- Marzban, C., and S. Sandgathe (2006). Cluster analysis for verification of precipitation fields. *Wea. Forecasting*, **21**, 824–838.
- Marzban, C., and S. Sandgathe (2008). Cluster analysis for object-oriented verification of fields: A variation. *Mon. Wea. Rev.*, **136**, 1013–1025.
- Mass, C. F., D. Ovens, K. Westrick, and B. A. Colle (2002). Does increasing horizontal resolution produce more skillful forecasts? *Bull. Amer. Meteor. Soc.*, **83**, 407–430.
- Masson, V. (2000). A physically based scheme for the urban energy budget in atmospheric models. *Bound.-Layer Meteor.*, **94**, 357–397.

- Matsuno, T. (1966). Numerical integrations of the primitive equations by a simulated backward difference method. *J. Meteor. Soc. Japan*, **44**, 76–84.
- Matulla, C., H. Scheifinger, A. Menzel, and E. Koch (2003). Exploring two methods for statistical downscaling of Central European phenological time series. *Int. J. Biometeor.*, **48**, 56–64.
- May, W., and E. Roeckner (2001). A time-slice experiment with the ECHAM4 AGCM at high resolution: The impact of horizontal resolution on annual mean climate change. *Climate Dyn.*, **17**, 407–420.
- McCollor, D., and R. Stull (2008a). Hydrometeorological short-range ensemble forecasts in complex terrain. Part I: Meteorological evaluation. *Wea. Forecasting*, **23**, 533–556.
- McCollor, D., and R. Stull (2008b). Hydrometeorological short-range ensemble forecasts in complex terrain. Part II: Economic evaluation. *Wea. Forecasting*, **23**, 557–574.
- McCollor, D., and R. Stull (2008c). Hydrometeorological accuracy enhancement via post-processing of numerical weather forecasts in complex terrain. *Wea. Forecasting*, **23**, 131–144.
- McFarlane, N. A., G. J. Boer, J.-P. Blanchet, and M. Lazare (1992). The Canadian Climate Centre second-generation general circulation model and its equilibrium climate. *J. Climate*, **5**, 1013–1044.
- McGregor, J. L. (1996). Semi-Lagrangian advection on conformal-cubic grids. *Mon. Wea. Rev.*, **124**, 1311–1322.
- McGregor, J. L. (1997). Regional climate modelling. *Meteorol. Atmos. Phys.*, **63**, 105–117.
- McGregor, J. L., and M. R. Dix (2001). The CSIRO conformal-cubic atmospheric GCM. *Proc. IUTAM Symposium on Advances in Mathematical Modeling of Atmospheric and Ocean Dynamics*, Limerick, Ireland. Dordrecht, the Netherlands: Kluwer Academic Publishers, pp. 197–202.
- McWilliams, J. C. (2006). *Fundamentals of Geophysical Fluid Dynamics*. Cambridge, UK: Cambridge University Press.
- Meehl, G. A., and C. Tebaldi (2004). More intense, more frequent, and longer lasting heat waves in the 21st century. *Science*, **305**, 994–997.
- Meehl, G. A., G. J. Boer, C. Covey, M. Latif, and R. J. Stouffer (2000). The Coupled Model Intercomparison Project (CMIP). *Bull. Amer. Meteor. Soc.*, **81**, 313–318.
- Meehl, G. A., C. Covey, B. McAvaney, M. Latif, and R. J. Stouffer (2005). Overview of the coupled model intercomparison project. *Bull. Amer. Meteor. Soc.*, **86**, 89–93.
- Meehl, G. A., T. F. Stocker, W. D. Collins, *et al.* (2007). Global Climate Projections. In *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, eds. S. Solomon, D. Qin, M. Manning, *et al.*, Cambridge, UK and New York, USA: Cambridge University Press.
- Mehrotra, R., A. Sharma, and I. Cordery (2004). Comparison of two approaches for downscaling synoptic atmospheric patterns to multisite precipitation occurrence. *J. Geophys. Res.*, **109**, D14107, doi:10.1029/2004JD004823.
- Mellor, G. L., and L. Kantha (1989). An ice-ocean coupled model. *J. Geophys. Res.*, **94**, 10937–10954.

- Menendez, C. G., V. Serafini, and H. Le Treut (1999). The storm tracks and the energy cycle of the Southern Hemisphere: sensitivity to sea-ice boundary conditions. *Ann. Geophys. Atmos. Hydros. Space Sci.*, **17**, 1478–1492.
- Meng, Z., and F. Zhang (2008). Tests of an ensemble Kalman filter for mesoscale and regional-scale data assimilation. Part IV: Comparison with 3DVAR in a month-long experiment. *Mon. Wea. Rev.*, **136**, 3671–3682.
- Mera, R. J., D. Niyogi, G. S. Buol, G. G. Wilkerson, and F. H. M. Semazzi (2006). Potential individual versus simultaneous climate change effects on soybean (C3) and maize (C4) crops: An agrotechnology model based study. *Global Planet. Change*, **54**, 163–182.
- Mesinger, F., Z. I. Janjić, S. Ničković, D. Gavrilov, and D. G. Deaven (1988). The step-mountain coordinate: model description and performance for cases of Alpine lee cyclogenesis and for a case of an Appalachian redevelopment. *Mon. Wea. Rev.*, **116**, 1491–1520.
- Mesinger, F., G. DiMego, E. Kalnay, *et al.* (2006). North American Regional Reanalysis. *Bull. Amer. Meteor. Soc.*, **87**, 343–360.
- Michaelsen, J. (1987). Cross-validation in statistical climate forecast models. *J. Climate Appl. Meteor.*, **26**, 1589–1600.
- Miguez-Macho, G., G. L. Stenchikov, and A. Robock (2004). Spectral nudging to eliminate the effects of domain position and geometry in regional climate simulations. *J. Geophys. Res.*, **109**, D13104, doi:10.1029/2003JD004495.
- Milan, M., V. Venema, D. Schüttemeyer, and C. Simmer (2008). Assimilation of radar and satellite data in mesoscale models: A physical initialization scheme. *Meteorol. Zeitschrift*, **17**, 887–902.
- Miller, D. A., and R. A. White (1998). A conterminous United States multilayer soil characteristics data set for regional climate and hydrology modeling. *Earth Interactions*, **2**, 1–26.
- Miller, D. H. (1981). *Energy at the Surface of the Earth: An Introduction to the Energetics of Ecosystems*. New York, USA: Academic Press.
- Miller, J. R., G. L. Russell, and G. Caliri (1994). Continental-scale river flow in climate models. *J. Climate*, **7**, 914–928.
- Miller, N. L., K. Hayhoe, J. Jin, and M. Auffhammer (2008). Climate, extreme heat, and electricity demand in California. *J. Appl. Meteor. Climatol.*, **47**, 1834–1844.
- Miller, P. A., and S. G. Benjamin (1992). A system for the hourly assimilation of surface observations in mountainous and flat terrain. *Mon. Wea. Rev.*, **120**, 2342–2359.
- Miller, R. N. (2007). *Numerical Modeling of Ocean Circulation*. Cambridge, UK: Cambridge University Press.
- Milly, P. C. D., and A. B. Shmakin (2002). Global modeling of land water and energy balances, Part I: The Land Dynamics (LaD) model. *J. Hydrometeor.*, **3**, 283–299.
- Min, S.-K., and A. Hense (2006). A Bayesian approach to climate model evaluation and multi-model averaging with an application to global mean surface temperatures from IPCC AR4 coupled climate models. *Geophys. Res. Lett.*, **33**, L08708, doi:10.1029/2006GL025779.
- Min, S.-K., S. Legutke, A. Hense, and W.-T. Kwon (2005). Climatology and internal variability in a 1000-year control simulation with the coupled climate model



- ECHO-G–I. Near-surface temperature, precipitation and mean sea level pressure. *Tellus*, **57A**, 605–621.
- Misra, V. (2005). Simulation of the intraseasonal variance of the South American summer monsoon. *Mon. Wea. Rev.*, **133**, 663–676.
- Mitchell, H. L., and P. L. Houtekamer (2000). An adaptive ensemble Kalman filter. *Mon. Wea. Rev.*, **128**, 416–433.
- Mitchell, H. L., P. L. Houtekamer, and G. Pellerin (2002). Ensemble size, balance, and model-error representation in an ensemble Kalman filter. *Mon. Wea. Rev.*, **130**, 2791–2808.
- Mitchell, J. F. B. (1989). The “greenhouse” effect and climate change. *Rev. Geophys.*, **27**, 115–139.
- Mittermaier, M. P. (2007). Improving short-range high-resolution model precipitation forecast skill using time lagged ensembles. *Quart. J. Roy. Meteor. Soc.*, **133**, 1487–1500.
- Miyakoda, K., and A. Rosati (1977). One way nested grid models: The interface conditions and the numerical accuracy. *Mon. Wea. Rev.*, **105**, 1092–1107.
- Mohanty, U. C., R. K. Paliwal, A. Tyagi, and A. John (1990). Evaluation of a limited area model for short range prediction over Indian region: Sensitivity studies. *Mausam*, **41**, 251–256.
- Molinari, J., and T. Corsetti (1985). Incorporation of cloud-scale and mesoscale downdrafts into a cumulus parameterization: Results of one- and three-dimensional integrations. *Mon. Wea. Rev.*, **113**, 485–501.
- Molteni, F., R. Buizza, T. N. Palmer, and T. Petroliagis (1996). The new ECMWF Ensemble Prediction System: methodology and validation. *Quart. J. Roy. Meteor. Soc.*, **122**, 73–119.
- Moninger, W. R., R. D. Mamrosh, and P. M. Pauley (2003). Automated meteorological reports from commercial aircraft. *Bull. Amer. Meteor. Soc.*, **84**, 203–216.
- Monobianco, J., S. Koch, V. M. Karyampudi, and A. J. Negri (1994). The impact of assimilating satellite-derived precipitation rates on numerical simulations of the ERICA IOP 4 cyclone. *Mon. Wea. Rev.*, **122**, 341–365.
- Monobianco, J., J. G. Dreher, R. J. Evans, J. L. Case, and M. L. Adams (2008). The impact of simulated super pressure balloon data on regional weather analyses and forecasts. *Meteor. Atmos. Phys.*, **101**, 21–41.
- Montani, A., A. J. Thorpe, R. Buizza, and P. Undén (1999). Forecast skill of the ECMWF model using targeted observations during FASTEX. *Quart. J. Roy. Meteor. Soc.*, **125**, 3219–3240.
- Monteith, J. L., and M. H. Unsworth (1990). *Principles of Environmental Physics*. London, UK: Edward Arnold.
- Moore, R. W., and M. T. Montgomery (2004). Reexamining the dynamics of short-scale, diabatic Rossby waves and their role in midlatitude moist cyclogenesis. *J. Atmos. Sci.*, **61**, 754–768.
- Moore, R. W., and M. T. Montgomery (2005). Analysis of an idealized, three-dimensional diabatic Rossby vortex: A coherent structure of the moist baroclinic atmosphere. *J. Atmos. Sci.*, **62**, 2703–2725.
- Moriondo, M., and M. Bindi (2006). Comparisons of temperatures simulated by GCMs, RCMs and statistical downscaling: potential application in studies of future crop development. *Climate Res.*, **30**, 149–160.

- Morse, A. P., F. J. Doblas-Reyes, M. B. Hoshen, R. Hagedorn, and T. N. Palmer (2005). A forecast quality assessment of an end-to-end probabilistic multi-model seasonal forecast system using a malaria model. *Tellus*, **57A**, 464–475.
- Mu, M., and G. J. Zhang (2006). Energetics of Madden-Julian oscillations in the National Center for Atmospheric Research Community Atmosphere Model version 3 (NCAR CAM3). *J. Geophys. Res.*, **111**, D24112, doi:10.1029/2005JD007003.
- Mullen, S. L., and D. P. Baumhefner (1989). The impact of initial condition uncertainty on numerical simulations of large-scale explosive cyclogenesis. *Mon. Wea. Rev.*, **117**, 2800–2821.
- Mullen, S. L., and R. Buizza (2002). The impact of horizontal resolution and ensemble size on probabilistic forecasts of precipitation by the ECMWF Ensemble Prediction System. *Wea. Forecasting*, **17**, 173–191.
- Murphy, A. H. (1988). Skill scores based on the mean square error and their relationships to the correlation coefficient. *Mon. Wea. Rev.*, **116**, 2417–2424.
- Murphy, A. H., B. G. Brown, and Y.-S. Chen (1989). Diagnostic verification of temperature forecasts. *Wea. Forecasting*, **4**, 485–501.
- Murphy, J. M., D. M. H. Sexton, D. N. Barnett, *et al.* (2004). Quantification of modelling uncertainties in a large ensemble of climate simulations. *Nature*, **430**, 768–772.
- Nachamkin, J. E., S. Chen, and J. Schmidt (2005). Evaluation of heavy precipitation forecasts using composite-based methods: A distributions-oriented approach. *Mon. Wea. Rev.*, **133**, 2163–2177.
- Nadiga, B. T., L. G. Margolin, and P. K. Smolarkiewicz (1996). Different approximations of shallow fluid flow over an obstacle. *Phys. Fluids*, **8**, 2066–2077.
- Nair, U. S., H. R. Mark, and R. A. Pielke Sr (1997). Numerical simulation of the 9–10 June 1972 Black Hills storm using CSU RAMS. *Mon. Wea. Rev.*, **125**, 1753–1766.
- Nakicenovic, N. (ed.) (2000). *Special Report on Emissions Scenarios*. Cambridge, UK: Cambridge University Press.
- Nehrkorn, T., R. N. Hoffman, J.-F. Louis, R. G. Isaacs, and J.-L. Moncet (1993). Analysis and forecast improvements from simulated satellite water vapor profiles and rainfall using a global data assimilation system. *Mon. Wea. Rev.*, **121**, 2727–2739.
- Nickovic, S. (1994). On the use of hexagonal grids for simulation of atmospheric processes. *Beitr. Phys. Atmos.*, **67**, 103–107.
- Nickovic, S., G. Kallos, A. Papadopoulos, and O. Kakaliagou (2001). A model for prediction of desert dust cycle in the atmosphere. *J. Geophys. Res.*, **106**, 18113–18129.
- Nieman, S. J., W. P. Menzel, C. M. Hayden, D. Gray, S. Wanzong, C. Velden, and J. Daniels (1997). Fully automated cloud-drift winds in NESDIS operations. *Bull. Amer. Meteor. Soc.*, **78**, 1121–1133.
- Ninomiya, K., and K. Kurihara (1987). Forecast experiment of a long-lived mesoscale convective system in Baiu frontalzone. *J. Meteor. Soc. Japan*, **65**, 885–899.
- Nitta, T., and J. B. Hovermale (1969). A technique of objective analysis and initialization for the primitive forecast equations. *Mon. Wea. Rev.*, **97**, 652–658.
- Novak, M. D. (1986). Theoretical values of daily atmospheric and soil thermal admittances. *Bound. Layer Meteor.*, **34**, 17–34.

- NRC (2001). *Under the Weather: Climate, Ecosystems, and Infectious Disease*. National Research Council, Washington, DC, USA: National Academy Press.
- Nunes, A. M. B., and S. Cocke (2004). Implementing a physical initialization procedure in a regional spectral model: impact on the short-range rainfall forecasting over South America. *Tellus*, **56A**, 125–140.
- Nunes, A. M. B., and J. O. Roads (2007a). Dynamical influences of precipitation assimilation on regional downscaling. *Geophys. Res. Lett.*, **34**, L16817, doi:10.1029/2007GL030247.
- Nunes, A. M. B., and J. O. Roads (2007b). Influence of precipitation assimilation on a regional climate model's surface water and energy budgets. *J. Hydrometeor.*, **8**, 642–664.
- Nuss, W. A., and R. A. Anthes (1987). A numerical investigation of low-level processes in rapid cyclogenesis. *Mon. Wea. Rev.*, **115**, 2728–2743.
- Nutter, P. A. (2003). Effects of nesting frequency and lateral boundary perturbations on the dispersion of limited-area ensemble forecasts. Ph.D. Dissertation, University of Oklahoma, Norman, USA.
- O'Farrell, S. P. (1998). Investigation of the dynamic sea ice component of a coupled atmosphere sea-ice general circulation model. *J. Geophys. Res.*, **103**, 15751–15782.
- Ogura, Y., and N. Phillips (1962). Scale analysis for deep and shallow convection in the atmosphere. *J. Atmos. Sci.*, **19**, 173–179.
- Okamoto, K., and J. C. Derber (2006). Assimilation of SSM/I radiances in the NCEP Global Data Assimilation System. *Mon. Wea. Rev.*, **134**, 2612–2631.
- Oke, T. R. (1987). *Boundary Layer Climates*. London, UK: Methuen.
- Oki, T., and Y. C. Sud (1998). Design of total runoff integrating pathways (TRIP): A global river channel network. *Earth Interactions*, **2**, 1–37.
- O'lenic, E. A., D. A. Unger, M. S. Halpert, and K. S. Pelman (2008). Developments in operational long-range climate prediction at CPC. *Wea. Forecasting*, **23**, 496–515.
- Oleson, K. W., G. Bonan, S. Levis, *et al.* (2004). *Technical Description of the Community Land Model (CLM)*. NCAR Technical Note NCAR/TN-461+STR, National Center for Atmospheric Research, Boulder, CO, USA.
- Oleson, K. W., G.-Y. Niu, Z.-L. Yang, *et al.* (2008). Improvements to the Community Land Model and their impact on the hydrologic cycle. *J. Geophys. Res.*, **113**, G01021, doi:10.1029/2007JG000563.
- Oliger, J., and A. Sundstrom (1978). Theoretical and practical aspects of some initial boundary value problems in fluid dynamics. *S.I.A.M. J. Appl. Math.*, **35**, 419–446.
- Onogi, K., J. Tsutsui, H. Koide, *et al.* (2007). The JRA-25 Reanalysis. *J. Meteor. Soc. Japan*, **85**, 369–432.
- Ooyama, K. V. (1982). Conceptual evolution of the theory and modeling of the tropical cyclone. *J. Meteor. Soc. Japan*, **60**, 369–379.
- Orlanski, I., and J. Katzfey (1991). The life cycle of a cyclone wave in the Southern Hemisphere. Part I: Eddy energy budget. *J. Atmos. Sci.*, **48**, 1972–1998.
- Orlanski, I., and J. Katzfey (1995). Stages in the energetics of baroclinic systems. *Tellus*, **47A**, 605–628.
- Orzag, S. A. (1970). Transform method for the calculation of vector-coupled sums: Application to the spectral form of the vorticity equation. *J. Atmos. Sci.*, **27**, 890–895.

- Otte, T. L., N. L. Seaman, and D. R. Stauffer (2001). A heuristic study on the importance of anisotropic error distributions in data assimilation. *Mon. Wea. Rev.*, **129**, 766–783.
- Pacanowski, R. C., K. Dixon, and A. Rosati (1993). *The GFDL Modular Ocean Model Users Guide, Version 1.0*. GFDL Ocean Group Technical Report No. 2, Geophysical Fluid Dynamics Laboratory, Princeton, NJ, USA.
- Paegle, J., J. Nogues-Paegle, and K. C. Mo (1996). Dependence of simulated precipitation on surface evaporation during the 1993 United States summer floods. *Mon. Wea. Rev.*, **124**, 345–361.
- Paeth, H., K. Born, R. Podzun, and D. Jacob (2005). Regional dynamical downscaling over West Africa: Model evaluation and comparison of wet and dry years. *Meteorol. Zeitschrift*, **14**, 349–367.
- Pagowski, M., and G. A. Grell (2006). Ensemble-based ozone forecasts: Skill and economic value. *J. Geophys. Res.*, **111**, D23S30, doi: 10.1029/2006JD007124.
- Palmer, T. N. (1993). Extended-range atmospheric prediction and the Lorenz model. *Bull. Amer. Meteor. Soc.*, **74**, 49–65.
- Palmer, T. N. (2001). A nonlinear dynamical perspective on model error: A proposal for non-local stochastic-dynamic parameterization in weather and climate prediction models. *Quart. J. Roy. Meteor. Soc.*, **127**, 279–304.
- Palmer, T. N. (2002). The economic value of ensemble forecasts as a tool for risk assessment: From days to decades. *Quart. J. Roy. Meteor. Soc.*, **128**, 747–774.
- Palmer, T. N., R. Gelaro, J. Barkmeijer, and R. Buizza (1998). Singular vectors, metrics, and adaptive observations. *J. Atmos. Sci.*, **55**, 633–653.
- Palmer, T. N., A. Alessandri, U. Andersen, *et al.* (2004). Development of a European multimodel ensemble system for seasonal to interannual prediction (DEMETER). *Bull. Amer. Meteor. Soc.*, **85**, 853–872.
- Palmer, T. N., G. J. Shutts, R. Hagedorn, *et al.* (2005). Representing model uncertainty in weather and climate prediction. *Annu. Rev. Earth Planet. Sci.*, **33**, 163–193.
- Palutikof, J. P., C. M. Goodess, S. J. Watkins, and T. Holt (2002). Generating rainfall and temperature scenarios at multiple sites: examples from the Mediterranean. *J. Climate*, **15**, 3529–3548.
- Pardyjak, E. R., M. J. Brown, and N. L. Bagal (2004). Improved velocity deficit parameterizations for a fast response urban wind model. Preprints, *Symposium on Planning, Nowcasting, and Forecasting in the Urban Zone*, Seattle, WA, American Meteorological Society.
- Parrish, D. F., and J. D. Derber (1992). The National Meteorological Center spectral statistical interpolation analysis system. *Mon. Wea. Rev.*, **120**, 1747–1763.
- Paul, S., C. M. Liu, J. M. Chen, and S. H. Lin (2008). Development of a statistical downscaling model for projecting monthly rainfall over East Asia from a general circulation model output. *J. Geophys. Res.*, **113**, D15117, doi:10.1029/2007JD009472.
- PCMDI (2007). IPCC Model Output. [Available online at [http://www-pcmdi.llnl.gov/ipcc/about\\_ipcc.php](http://www-pcmdi.llnl.gov/ipcc/about_ipcc.php)]
- Pecnick, M. J., and D. Keyser (1989). The effect of spatial resolution on the simulation of upper-tropospheric frontogenesis using a sigma-coordinate primitive-equation model. *Meteor. Atmos. Phys.*, **40**, 137–149.

- Pedlosky, J. (1987). *Geophysical Fluid Dynamics*. Berlin, Germany: Springer.
- Perkey, D. J., and C. W. Kreitzberg (1976). A time-dependent lateral boundary scheme for limited area primitive equation models. *Mon. Wea. Rev.*, **104**, 744–755.
- Perkey, D. J., and R. A. Maddox (1985). A numerical investigation of a mesoscale convective system. *Mon. Wea. Rev.*, **113**, 553–566.
- Persson, A. (2005). Early operational numerical weather prediction outside the USA: an historical introduction. Part 1: Internationalism and engineering NWP in Sweden, 1952–69. *Meteorol. Appl.*, **12**, 135–159.
- Persson, P. O. G., and T. T. Warner (1991). Model generation of spurious gravity waves due to the inconsistency of the vertical and horizontal resolution. *Mon. Wea. Rev.*, **119**, 917–935.
- Persson, P. O. G., and T. T. Warner (1995). The nonlinear evolution of idealized, unforced, conditional symmetric instability: A numerical study. *J. Atmos. Sci.*, **52**, 3449–3474.
- Petersen, E. L., N. G. Mortensen, L. Landberg, J. Højstrup, and H. P. Frank (1998a). Wind power meteorology. Part I: Climate and turbulence. *Wind Energy*, **1**, 2–22.
- Petersen, E. L., N. G. Mortensen, L. Landberg, J. Højstrup, and H. P. Frank (1998b). Wind power meteorology. Part II: Siting and models. *Wind Energy*, **1**, 55–72.
- Phillips, N. A. (1957a). A map-projection system suitable for large-scale numerical weather prediction. *J. Meteor. Soc. Japan*, **35**, 262–267.
- Phillips, N. A. (1957b). A coordinate system having some special advantages for numerical forecasting. *J. Meteor.*, **14**, 184–185.
- Phillips, N. A. (1962). Numerical integration of the hydrostatic system of equations with a modified version of the Eliassen finite-difference grid. *Proc. International Symposium on Numerical Weather Prediction*, Tokyo, Meteorological Society of Japan, 109–120.
- Phillips, N., and J. Shukla (1973). On the strategy of combining coarse and fine grid meshes in numerical weather prediction. *J. Appl. Meteor.*, **12**, 763–770.
- Pielke, R. A. (1991). A recommended specific definition of “resolution”. *Bull. Amer. Meteor. Soc.*, **72**, 1914.
- Pielke, R. A. (2001). Influence of the spatial distribution of vegetation and soils on the prediction of cumulus convective rainfall. *Rev. Geophys.*, **39**, 151–177.
- Pielke, R. A. (2002a). *Mesoscale Meteorological Modeling*. London, UK: Academic Press.
- Pielke, R. A., Sr (2002b). Overlooked issues in the U.S. National climate and IPCC assessments. *Climate Change*, **52**, 1–11.
- Pielke, R., Sr (2005). Land use and climate change. *Science*, **310**, 1625–1626.
- Pielke, R. A., Sr, G. E. Liston, J. L. Eastman, and L. Lu (1999a). Seasonal weather prediction as an initial value problem. *J. Geophys. Res.*, **104**, 19463–19479.
- Pielke, R. A., Sr, R. L. Walko, L. T. Steyaert, *et al.* (1999b). The influence of anthropogenic landscape changes on weather in South Florida. *Mon. Wea. Rev.*, **127**, 1663–1673.
- Plant, R. S., and G. C. Craig (2008). A stochastic parameterization for deep convection based on equilibrium statistics. *J. Atmos. Sci.*, **65**, 87–105.
- Pope, V. D., M. L. Gallani, P. R. Rowntree, and R. A. Stratton (2000). The impact of new physical parametrizations in the Hadley Centre climate model: HadAM3. *Climate Dyn.*, **16**, 123–146.

- Powers, J. G., A. J. Monaghan, A. M. Cayette, *et al.* (2003). Real-time mesoscale modeling over Antarctica. *Bull. Amer. Meteor. Soc.*, **84**, 1533–1545.
- Preisendorfer, R. W. (1988). In *Principal Component Analysis in Meteorology and Oceanography*, ed. C. Mobley. Amsterdam, the Netherlands: Elsevier Press.
- Priestley, C. H. B. (1959). *Turbulent Transfer in the Lower Atmosphere*. Chicago, USA: University of Chicago Press.
- Pruppacher, H. R., and J. D. Klett (2000). *Microphysics of Clouds and Precipitation*. Dordrecht, the Netherlands: Kluwer Academic Publishers.
- Pryor, S. C., R. J. Barthelmie, and E. Kjellström (2005a). Potential climate change impact on wind energy resources in northern Europe: analyses using a regional climate model. *Climate Dyn.*, **25**, 815–835.
- Pryor, S. C., J. T. Schoof, and R. J. Barthelmie (2005b). Climate change impacts on wind speeds and wind energy density in northern Europe: empirical downscaling of multiple AOGCMs. *Climate Res.*, **29**, 183–198.
- Pryor, S. C., J. T. Schoof, and R. J. Barthelmie (2006). Winds of change?: Projections of near-surface winds under climate change scenarios. *Geophys. Res. Lett.*, **33**, L11702, doi:10.1029/2006GL026000.
- Pu, Z. X., S. Lord, and E. Kalnay (1998). Forecast sensitivity with dropwindsonde data and targeted observations. *Tellus*, **50A**, 391–410.
- Pudykiewicz, J. (1988). Numerical simulation of the transport of radioactive cloud from the Chernobyl nuclear accident. *Tellus*, **40B**, 241–259.
- Pullen, J., J. D. Doyle, and R. P. Signell (2006). Two-way air-sea coupling: A study of the Adriatic. *Mon. Wea. Rev.*, **134**, 1465–1483.
- Puri, K. (1987). Some experiments on the use of tropical diabatic heating information for initial state specification. *Mon. Wea. Rev.*, **115**, 1394–1406.
- Purser, R. J. (2007). Accuracy considerations of time-splitting methods for models using two-time-level schemes. *Mon. Wea. Rev.*, **135**, 1158–1164.
- Purser, R. J., and M. Rančić (1997). Conformal octagon: An attractive framework for global models offering quasi-uniform regional enhancement of resolution. *Meteor. Atmos. Phys.*, **62**, 33–48.
- Purser, R. J., and M. Rančić (1998). Smooth quasi-homogeneous gridding of the sphere. *Quart. J. Roy. Meteor. Soc.*, **124**, 637–647.
- Rabier, F., A. McNally, E. Andersson, *et al.* (1998). The ECMWF implementation of three-dimensional variational assimilation (3D-Var). II: Structure function. *Quart. J. Roy. Meteor. Soc.*, **124**, 1809–1830.
- Raftery, A. E., T. Gneiting, F. Balabdaoui, and M. Polakowski (2005). Using Bayesian model averaging to calibrate forecast ensembles. *Mon. Wea. Rev.*, **133**, 1155–1174.
- Rajagopalan, B., U. Lall, and S. E. Zebiak (2002). Categorical climate forecasts through regularization and optimal combination of multiple GCM ensembles. *Mon. Wea. Rev.*, **130**, 1792–1811.
- Ramage, C. S. (1983). Teleconnections and the siege of time. *J. Climatol.*, **3**, 223–231.
- Ramos da Silva, R., G. Bohrer, D. Werth, M. J. Otte, and R. Avissar (2006). Sensitivity of ice storms in the southeastern United States to Atlantic SST: Insights from a case study of the December 2002 storm. *Mon. Wea. Rev.*, **134**, 1454–1464.



- Rančić, M., R. J. Purser, and F. Mesinger (1996). A global shallow-water model using an expanded spherical cube: Gnomonic versus conformal coordinates. *Quart. J. Roy. Meteor. Soc.*, **122**, 959–982.
- Randall, D. A., T. D. Ringler, R. P. Heikes, P. Jones, and J. Baumgardner (2002). Climate modeling with spherical geodesic grids. *Computing Sci. Eng.*, **4**, 32–41.
- Randall, D. A., R. A. Wood, S. Bony, *et al.* (2007). Climate models and their evaluation. In *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, eds. S. Solomon, D. Qin, M. Manning, *et al.* Cambridge, UK and New York, USA: Cambridge University Press.
- Rauscher, S. A., A. Seth, B. Liebmann, J.-H. Qian, and S. J. Camargo (2007). Regional climate model-simulated timing and character of seasonal rains in South America. *Mon. Wea. Rev.*, **135**, 2642–2657.
- Raymond, T. M., and S. N. Pandis (2002). Cloud activation of single-component organic aerosol particles. *J. Geophys. Res.*, **107**, 4787, doi:10.1029/2002JD002159.
- Raymond, W. H. (1988). High-order low-pass implicit tangent filters for use in finite area calculations. *Mon. Wea. Rev.*, **116**, 2132–2141.
- Raymond, W. H., and A. Garder (1976). Selective damping in a Galerkin method for solving wave problems with variable grids. *Mon. Wea. Rev.*, **104**, 1583–1590.
- Raymond, W. H., and A. Garder (1988). A spatial filter for use in finite area calculations. *Mon. Wea. Rev.*, **116**, 209–222.
- Raymond, W. H., W. S. Olson, and G. Callan (1995). Diabatic forcing and initialization with assimilation of cloud water and rainwater in a forecast model. *Mon. Wea. Rev.*, **123**, 366–382.
- Reale, O., J. Terry, M. Masutani, *et al.* (2007). Preliminary evaluation of the European Centre for Medium-Range Weather Forecasts' (ECMWF) Nature Run over the tropical Atlantic and African monsoon region. *Geophys. Res. Lett.*, **34**, L22810, doi:10.1029/2007GL031640.
- Reichler, T., and J. Kim (2008). How well do coupled models simulate today's climate? *Bull. Amer. Meteor. Soc.*, **89**, 303–311.
- Reisner, J., R. M. Rasmussen, and R. T. Bruintjes (1998). Explicit forecasting of super-cooled liquid water in winter storms using the MM5 mesoscale model. *Quart. J. Roy. Meteor. Soc.*, **124**, 1071–1107.
- Reynolds, O. (1895). On the dynamical theory of incompressible fluids and the determination of the criterion. *Phil. Trans. R. Soc., A*, **186**, 123–164.
- Reynolds, R. W., N. A. Rayner, T. M. Smith, D. C. Stokes, and W. Wang (2002). An improved in situ and satellite SST analysis for climate. *J. Climate*, **11**, 3320–3323.
- Richardson, D. S. (2000). Skill and relative economic value of the ECMWF ensemble prediction system. *Quart. J. Roy. Meteor. Soc.*, **126**, 649–667.
- Richardson, D. S. (2001). Measures of skill and value of ensemble prediction systems, their relationship and the effect of ensemble size. *Quart. J. Roy. Meteor. Soc.*, **127**, 2473–2489.
- Richardson, L. F. (1922). *Weather Prediction by Numerical Process*. Cambridge, UK: Cambridge University Press.

- Riemer, M., S. C. Jones, and C. A. Davis (2008). The impact of extratropical transition on the downstream flow: An idealized modeling study with a straight jet. *Quart. J. Roy. Meteor. Soc.*, **134**, 69–91.
- Rife, D. L., and C. A. Davis (2005). Verification of temporal variations in mesoscale numerical wind forecasts. *Mon. Wea. Rev.*, **133**, 3368–3381.
- Rife, D. L., T. T. Warner, F. Chen, and E. A. Astling (2002). Mechanisms for diurnal boundary-layer circulations in the Great Basin Desert. *Mon. Wea. Rev.*, **130**, 921–938.
- Rife, D. L., C. A. Davis, Y. Liu, and T. T. Warner (2004). Predictability of low-level winds by mesoscale meteorological models. *Mon. Wea. Rev.*, **132**, 2553–2569.
- Ringler, T. D., and D. A. Randall (2002). A potential enstrophy and energy conserving numerical scheme for solution of the shallow-water equations on a geodesic grid. *Mon. Wea. Rev.*, **130**, 1397–1410.
- Ringler, T. D., R. P. Heikes, and D. A. Randall (2000). Modeling the atmospheric general circulation using a spherical geodesic grid: A new class of dynamical cores. *Mon. Wea. Rev.*, **128**, 2471–2490.
- Rinke, A., K. Dethloff, J. J. Cassano, *et al.* (2005). Evaluation of an ensemble of Arctic regional climate models: spatiotemporal fields during the SHEBA year. *Climate Dyn.*, **26**, 459–472.
- Roads, J. (2000). The second annual regional spectral model workshop. *Bull. Amer. Meteor. Soc.*, **81**, 2979–2981.
- Roads, J. (2004). Experimental weekly to seasonal U.S. forecasts with the regional spectral model. *Bull. Amer. Meteor. Soc.*, **85**, 1887–1902.
- Roads, J., S.-C. Chen, and M. Kanamitsu (2003a). U.S. regional climate simulations and seasonal forecasts. *J. Geophys. Res.*, **108**(D16), 8606, doi:10.1029/JD002232.
- Roads, J., S. Chen, S. Cocke, *et al.* (2003b). International Research Institute/Applied Research Centers (IRI/ARCs) regional model intercomparison over South America. *J. Geophys. Res.*, **108**(D14), doi:10.1029/2002JD003201.
- Robert, A. (1979). The semi-implicit method. In *Numerical Methods Used in Atmospheric Models, Vol. II*, ed. A. Kasahara. Global Atmospheric Research Programme, GARP Publication Series No. 17. Geneva: World Meteorological Organization, 417–436.
- Robert, A. (1981). A stable numerical integration scheme for the primitive meteorological equations. *Atmos.-Ocean*, **19**, 35–46.
- Robert, A. (1982). A semi-Lagrangian and semi-implicit numerical integration scheme for the primitive meteorological equations. *J. Meteor. Soc. Japan*, **60**, 319–324.
- Roberts, M. J. (2004). *The Ocean Component of HadGEM1*. GMR Report Annex IV.D.3, Exeter, UK: Met Office.
- Robertson, A. W., U. Lall, S. E. Zebiak, and L. Goddard (2004). Improved combination of multiple atmospheric GCM ensembles for seasonal prediction. *Mon. Wea. Rev.*, **132**, 2732–2744.
- Rockel, B., C. L. Castro, R. A. Pielke Sr, H. von Storch, and G. Leoncini (2008). Dynamical downscaling: Assessment of model system dependent retained and added variability for two different regional climate models. *J. Geophys. Res.*, **113**, D21107, doi:10.1029/2007JD009461.

- Rodell, M., P. R. Houser, U. Jambor, *et al.* (2004). The global land data assimilation system. *Bull. Amer. Meteor. Soc.*, **85**, 381–394.
- Roebber, P. J., D. M. Schultz, B. A. Colle, and D. J. Stensrud (2004). Toward improved prediction: High-resolution and ensemble modeling systems in operations. *Wea. Forecasting*, **19**, 936–949.
- Roeckner, E., K. Arpe, L. Bengtsson, *et al.* (1996). *The Atmospheric General Circulation Model ECHAM4: Model Description and Simulation of Present-Day Climate*. MPI Report No. 218, Max-Planck-Institut für Meteorologie, Hamburg, Germany.
- Roeckner, E., G. Bäuml, L. Bonaventura, *et al.* (2003). *The Atmospheric General Circulation Model ECHAM5. Part I: Model Description*. MPI Report No. 349, Max-Planck-Institute für Meteorologie, Hamburg, Germany.
- Rogers, R. R. (1976). *A Short Course in Cloud Physics*, 2nd edn. Oxford, UK: Pergamon Press.
- Rogers, R. R., and M. K. Yau (1989). *A Short Course in Cloud Physics*, 3rd edn. Oxford, UK: Butterworth-Heinemann.
- Rojas, M., and A. Seth (2003). Simulation and sensitivity in a nested modeling system for South America. Part II: GCM boundary forcing. *J. Climate*, **16**, 2454–2471.
- Romero, R., C. Ramis, S. Alonso, C. A. Doswell III, and D. J. Stensrud (1998). Mesoscale model simulations of three heavy precipitation events in the western Mediterranean region. *Mon. Wea. Rev.*, **126**, 1859–1881.
- Romero, R., C. A. Doswell III, and C. Ramis (2000). Mesoscale numerical study of two cases of long-lived quasi-stationary convective systems over eastern Spain. *Mon. Wea. Rev.*, **128**, 3731–3751.
- Ronchi, C., R. Iaconno, and P. S. Paolucci (1996). The ‘cubed sphere’: A new method for the solution of partial differential equations in spherical geometry. *J. Comput. Phys.*, **124**, 93–114.
- Rosenfeld, D., U. Lohmann, G. B. Raga, *et al.* (2008). Flood or drought: How do aerosols affect precipitation? *Science*, **321**, 1309–1313.
- Ross, R. S., and T. N. Krishnamurti (2005). Reduction of forecast error for global numerical weather prediction by the Florida State University (FSU) superensemble. *Meteor. Atmos. Phys.*, **88**, 215–235.
- Roulin, E. (2007). Skill and relative economic value of medium-range hydrological ensemble predictions. *Hydrol. Earth Syst. Sci.*, **11**, 725–737.
- Roulston, M. S. (2005). A comparison of predictors of the error of weather forecasts. *Non-linear Proc. Geophys.*, **12**, 1021–1032.
- Rupa Kumar, K., A. K. Sahai, K. Krishna Kumar, *et al.* (2006). High-resolution climate change scenarios for India for the 21st century. *Current Science*, **90**, 334–345.
- Russell, A., and R. Dennis (2000). NARSTO critical review of photochemical models and modeling. *Atmos. Environ.*, **34**, 2283–2324.
- Russell, G. L., J. R. Miller, and D. Rind (1995). A coupled atmosphere-ocean model for transient climate change studies. *Atmos.-Ocean*, **33**, 683–730.
- Sadourny, R. (1972). Conservative finite-difference approximations of the primitive equations on quasi-uniform spherical grids. *Mon. Wea. Rev.*, **100**, 136–144.

- Sadourny, R., A. Arakawa, and Y. Mintz (1968). Integration of the nondivergent barotropic vorticity equation with an icosahedral-hexagonal grid for the sphere. *Mon. Wea. Rev.*, **96**, 351–356.
- Saha, S., S. Nadiga, C. Thiaw, *et al.* (2006). The NCEP climate forecast system. *J. Climate*, **19**, 3483–3517.
- Salas-Méla, D. (2002). A global coupled sea ice-ocean model. *Ocean Modelling*, **4**, 137–172.
- Salathé, E. P., Jr, P. W. Mote, and M. W. Wiley (2007). Review of scenario selection and downscaling methods for the assessment of climate change impacts on hydrology in the United States Pacific Northwest. *Int. J. Climatol.*, **27**, 1611–1621.
- Salathé, E. P., Jr, R. Steed, C. F. Mass, and P. H. Zahn (2008). A high-resolution climate model for the U.S. Pacific Northwest: Mesoscale feedbacks and local responses to climate change. *J. Climate*, **21**, 5708–5726.
- Salmon, E. M., and T. T. Warner (1986). Short-term numerical precipitation forecasts initialized using a diagnosed divergent wind component. *Mon. Wea. Rev.*, **114**, 2122–2132.
- San José, R., J. L. Pérez, and R. M. González (2006). Air quality real-time operational forecasting system for Europe: an application of the MM5-CMAQ-EMIMO modelling system. *Air Pollution XIV*, **1**, 75–84.
- Sanders, F. (1963). On subjective probability forecasting. *J. Appl. Meteor.*, **2**, 191–201.
- Sanders, F. (1973). Skill in forecasting daily temperature and precipitation: some experimental results. *Bull. Amer. Meteor. Soc.*, **54**, 1171–1179.
- Sato, N., P. J. Sellers, D. A. Randall, *et al.* (1989). Effects of implementing the simple biosphere model in a general circulation model. *J. Atmos. Sci.*, **46**, 2757–2782.
- Satoh, M., T. Matsuno, H. Tomita, H. Miura, T. Nasuno, and S. Iga (2008). Nonhydrostatic icosahedral atmospheric model (NICAM) for global cloud-resolving simulations. *J. Comput. Phys.*, **227**, 3486–3514.
- Saucier, W. J. (1955). *Principles of Meteorological Analysis*. New York, USA: Dover Publications.
- Savijärvi, H. (1990). Fast radiation parameterization schemes for mesoscale and short-range forecast models. *J. Appl. Meteor.*, **29**, 437–447.
- Schlatter, T. W. (1975). Some experiments with a multivariate statistical objective analysis scheme. *Mon. Wea. Rev.*, **103**, 246–257.
- Schmidt, G. A., C. M. Bitz, U. Mikolajewicz, and L. B. Tremblay (2004). Ice-ocean boundary conditions for coupled models. *Ocean Modelling*, **7**, 59–74.
- Schmidt, G. A., R. Ruedy, J. E. Hansen, *et al.* (2006). Present day atmospheric simulations using GISS ModelE: Comparison to in-situ, satellite and reanalysis data. *J. Climate*, **19**, 153–192.
- Seaman, N. L., D. R. Stauffer, and A. M. Lario-Gibbs (1995). A multiscale four-dimensional data assimilation system applied in the San Joaquin valley during SARMAP. Part I: Modeling design and basic performance characteristics. *J. Appl. Meteor.*, **34**, 1739–1761.
- Seefeldt, M. W., and J. J. Cassano (2008). An analysis of low-level jets in the greater Ross Ice Shelf region based on numerical simulations. *Mon. Wea. Rev.*, **136**, 4188–4205.

- Seemann, S. W., J. Li, W. P. Menzel, and L. E. Gumley (2003). Operational retrieval of atmospheric temperature, moisture, and ozone from MODIS infrared radiances. *J. Appl. Meteor.*, **42**, 1072–1091.
- Segal, M., W. E. Schreiber, G. Kallos, *et al.* (1989). The impact of crop areas in northeast Colorado on midsummer mesoscale thermal circulations. *Mon. Wea. Rev.*, **117**, 809–825.
- Sellers, P. J., Y. Mintz, Y. C. Sud, and A. Dalcher (1986). A simple biosphere model (SiB) for use within general circulation models. *J. Atmos. Sci.*, **43**, 505–531.
- Semazzi, F. H. M., and Y. Song (2001). A GCM study of climate change induced by deforestation in Africa. *Climate Res.*, **17**, 169–182.
- Semenov, M. A., and E. M. Barrow (1997). Use of a stochastic weather generator in the development of climate change scenarios. *Climatic Change*, **35**, 397–414.
- Semtner, A. J. (1976). A model for the thermodynamic growth of sea ice in numerical investigations of climate. *J. Phys. Oceanogr.*, **6**, 379–389.
- Seth, A., and M. Rojas (2003). Simulation and sensitivity in a nested modeling system for South America. Part I: Reanalyses boundary forcing. *J. Climate*, **16**, 2437–2453.
- Shafer, M. A., C. A. Fiebrich, D. S. Arndt, S. E. Fredrickson, and T. W. Hughes (2000). Quality assurance procedures in the Oklahoma mesonet. *J. Atmos. Oceanic Technol.*, **17**, 474–494.
- Shao, Y., and A. Henderson-Sellers (1996). Modeling soil moisture: A Project for Intercomparison of Land Surface Parameterization Schemes Phase 2(b). *J. Geophys. Res.*, **101**, 7227–7250.
- Shapiro, M. A., and J. T. Hastings (1973). Objective cross section analysis by Hermite polynomial interpolation on isentropic surfaces. *J. Appl. Meteor.*, **12**, 753–762.
- Shapiro, M. A., and J. J. O'Brien (1970). Boundary conditions for fine-mesh limited-area forecasts. *J. Appl. Meteor.*, **9**, 345–349.
- Shapiro, R. (1970). Smoothing, filtering and boundary effects. *Rev. Geophys. Space Phys.*, **8**, 359–387.
- Shapiro, R. (1975). Linear filtering. *Math. Comp.*, **29**, 1094–1097.
- Sharman, R. D., and M. G. Wurtele (1983). Ship waves and lee waves. *J. Atmos. Sci.*, **40**, 396–427.
- Sharman, R., C. Tebaldi, G. Wiener, and J. Wolff (2006). An integrated approach to mid- and upper-level turbulence forecasting. *Wea. Forecasting*, **21**, 268–287.
- Sharman, R., Y. Liu, R.-S. Sheu, *et al.* (2008). The operational mesogamma-scale analysis and forecast system of the U.S. Army Test and Evaluation Command. Part 3: Coupling of special applications models with the meteorological model. *J. Appl. Meteor. Climatol.*, **47**, 1105–1122.
- Shibata, K., H. Yoshimura, M. Ohizumi, M. Hosaka, and M. Sugi (1999). A simulation of troposphere, stratosphere and mesosphere with an MRI/JMA98 GCM. *Papers Meteor. Geophys.*, **50**, 15–53.
- Shin, D. W., and T. N. Krishnamurti (1999). Improving precipitation forecasts over the global tropical belt. *Meteor. Atmos. Phys.*, **70**, 1–14.

- Shukla, J., J. Anderson, D. Baumhefner, *et al.* (2000). Dynamical seasonal prediction. *Bull. Amer. Meteor. Soc.*, **81**, 2593–2606.
- Shukla, J., T. DelSole, M. Fennessy, J. Kinter, and D. Paolino (2006). Climate model fidelity and projections of climate change. *Geophys. Res. Lett.*, **33**, L07702, doi:10.1029/2005GL025579.
- Shuman, F. (1989). History of numerical weather prediction at the National Meteorological Center. *Wea. Forecasting*, **4**, 286–296.
- Shutts, G. J. (2005). A kinetic energy backscatter algorithm for use in ensemble prediction systems. *Quart. J. Roy. Meteor. Soc.*, **131**, 3079–3102.
- Sills, D. M. L. (2009). On the MSC forecasters forums and the future role of the human forecaster. *Bull. Amer. Meteor. Soc.*, **90**, 619–627.
- Singleton, A. T., and C. J. C. Reason (2007). A numerical model study of an intense cutoff low pressure system over South Africa. *Mon. Wea. Rev.*, **135**, 1128–1150.
- Skamarock, W. C. (2004). Evaluating mesoscale NWP models using kinetic energy spectra. *Mon. Wea. Rev.*, **132**, 3019–3032.
- Skamarock, W. C., and J. B. Klemp (1992). The stability of time-split numerical methods for the hydrostatic and nonhydrostatic elastic equations. *Mon. Wea. Rev.*, **120**, 2109–2127.
- Skamarock, W. C., and J. B. Klemp (1993). Adaptive grid refinement for two-dimensional and three-dimensional nonhydrostatic atmospheric flow. *Mon. Wea. Rev.*, **121**, 788–804.
- Skamarock, W. C., and J. B. Klemp (2008). A time-split nonhydrostatic atmospheric model for weather research and forecasting applications. *J. Comput. Phys.*, **227**, 3465–3485.
- Skamarock, W. C., J. B. Klemp, J. Dudhia, *et al.* (2008). *A Description of the Advanced Research WRF Version 3*. NCAR/TN-475+STR. [Available from NCAR, P.O. Box 3000, Boulder, CO 80307-3000.]
- Slingo, J. M. (1980). A cloud parameterization scheme derived from GATE data for use with a numerical-model. *Quart. J. Roy. Meteor. Soc.*, **106**, 747–770.
- Slingo, J. M. (1987). The development and verification of a cloud prediction scheme for the ECMWF model. *Quart. J. Roy. Meteor. Soc.*, **113**, 899–927.
- Slonosky, V. C., P. D. Jones, and T. D. Davies (2001). Atmospheric circulation and surface temperature in Europe from the 18th century to 1995. *Int. J. Climatol.*, **21**, 63–75.
- Smagorinsky, J. (1983). The beginnings of numerical weather prediction and general circulation modeling: Early recollections. In *Theory of Climate*, ed. B. Saltzman. Advances in Geophysics, Vol. 25, pp. 3–37.
- Smith, D. M., S. Cusack, A. W. Colman, *et al.* (2007). Improved surface temperature prediction for the coming decade from a global climate model. *Science*, **317**, doi: 10.1126/science.1139540.
- Smith, G. L., P. E. Mlynchak, D. A. Rutan, and T. Wong (2008). Comparison of the diurnal cycle of outgoing longwave radiation from a climate model with results from ERBE. *J. Appl. Meteor. Climatol.*, **47**, 3188–3201.
- Smith, R. D., and P. R. Gent (2002). *Reference Manual for the Parallel Ocean Program (POP), Ocean Component of the Community Climate System Model (CCSM2.0*



- and 3.0). Technical Report LA-UR-02-2484, Los Alamos National Laboratory, Los Alamos, USA.
- Snyder, C., and F. Zhang (2003). Assimilation of simulated Doppler radar observations with an ensemble Kalman filter. *Mon. Wea. Rev.*, **131**, 1663–1677.
- Snyder, C., W. C. Skamarock, and R. Rotunno (1993). Frontal dynamics near and following frontal collapse. *J. Atmos. Sci.*, **50**, 3194–3211.
- Song, Y., F. H. M. Semazzi, L. Xie, and L. J. Ogallo (2004). A coupled regional climate model for the Lake Victoria basin of East Africa. *Int. J. Climatol.*, **24**, 57–75.
- Sotillo, M. G., A. W. Ratsimandresy, J. C. Carretero, *et al.* (2005). A high-resolution 44-year atmospheric hindcast for the Mediterranean Basin: contribution to the regional improvement of global reanalysis. *Climate Dyn.*, **25**, 219–236.
- Srivastava, R. K., D. S. McRae, and M. T. Odman (2000). An adaptive grid algorithm for air-quality modeling. *J. Comput. Phys.*, **165**, 437–472.
- Staniforth, A. (1984). The application of the finite-element method to meteorological simulations: A review. *Int. J. Numer. Methods Fluids*, **4**, 1–12.
- Staniforth, A., and J. Côté (1991). Semi-Lagrangian integration schemes for atmospheric models: A review. *Mon. Wea. Rev.*, **119**, 2206–2223.
- Staniforth, A. N., and R. W. Daley (1977). A finite element formulation for the discretization of sigma-coordinate primitive equation models. *Mon. Wea. Rev.*, **105**, 1108–1118.
- Staniforth, A. N., and R. W. Daley (1979). A baroclinic finite-element model for regional forecasting with the primitive equations. *Mon. Wea. Rev.*, **107**, 107–121.
- Staniforth, A. N., and J. Mailhot (1988). An operational model for regional weather forecasting. *Comput. Math. Applic.*, **16**, 1–22.
- Staniforth, A. N., and H. L. Mitchell (1978). A variable-resolution finite-element technique for regional forecasting with the primitive equations. *Mon. Wea. Rev.*, **106**, 439–447.
- Stauffer, D. R., and J.-W. Bao (1993). Optimal determination of nudging coefficients using the adjoint equations. *Tellus*, **45A**, 358–369.
- Stauffer, D. R., and N. L. Seaman (1990). Use of four-dimensional data assimilation in a limited-area mesoscale model. Part I: Experiments with synoptic-scale data. *Mon. Wea. Rev.*, **118**, 1250–1277.
- Stauffer, D. R., and N. L. Seaman (1994). Multiscale four-dimensional data assimilation. *J. Appl. Meteor.*, **33**, 416–434.
- Stauffer, D. R., N. L. Seaman, and F. S. Binkowski (1991). Use of four-dimensional data assimilation in a limited-area mesoscale model. Part II: Effects of data assimilation within the planetary boundary layer. *Mon. Wea. Rev.*, **119**, 734–754.
- Stauffer, D. R., N. L. Seaman, G. K. Hunter, *et al.* (2000). A field-coherence technique for meteorological field-program design for air quality studies. Part I: Description and interpretation. *J. Appl. Meteor.*, **39**, 297–316.
- Steenburgh, W. J., C. R. Neuman, and G. L. West (2009). Discrete frontal propagation over the Sierra-Cascade Mountains and Intermountain West. *Mon. Wea. Rev.*, **137**, 2000–2020.
- Stefanova, L., and T. N. Krishnamurti (2002). Interpretation of seasonal climate forecast using Brier skill score, the Florida State University superensemble, and the AMIP-I data set. *J. Climate*, **15**, 537–544.

- Stein, U., and P. Alpert (1993). Factor separation in numerical simulations. *J. Atmos. Sci.*, **50**, 2107–2115.
- Stensrud, D. J. (2007). *Parameterization Schemes: Keys to Understanding Numerical Weather Prediction Models*. Cambridge, UK: Cambridge University Press.
- Stensrud, D. J., and J. M. Fritsch (1994). Mesoscale convective systems in weakly forced large-scale environments. Part III: Numerical simulations and implications for operational forecasting. *Mon. Wea. Rev.*, **122**, 2084–2104.
- Stensrud, D. J., and J. A. Skindlov (1996). Gridpoint predictions of high temperature from a mesoscale model. *Wea. Forecasting*, **11**, 103–110.
- Stensrud, D. J., and N. Yussouf (2003). Short-range ensemble predictions of 2-m temperature and dewpoint temperature over New England. *Mon. Wea. Rev.*, **131**, 2510–2524.
- Stensrud, D. J., and N. Yussouf (2005). Bias-corrected short-range ensemble forecasts of near surface variables. *Meteorol. Appl.*, **12**, 217–230.
- Stensrud, D. J., R. L. Gall, S. L. Mullen, and K. W. Howard (1995). Model climatology of the Mexican monsoon. *J. Climate*, **8**, 1775–1794.
- Stensrud, D. J., J.-W. Bao, and T. T. Warner (2000). Using initial condition and model physics perturbations in short-range ensemble simulations of mesoscale convective systems. *Mon. Wea. Rev.*, **128**, 2077–2107.
- Stephens, G. L. (1984). The parameterization of radiation for numerical weather prediction and climate models. *Mon. Wea. Rev.*, **112**, 826–867.
- Stephenson, D. B., C. A. S. Coelho, F. J. Doblas-Reyes, and M. Balmaseda (2005). Forecast assimilation: a unified framework for the combination of multi-model weather and climate predictions. *Tellus*, **57A**, 253–264.
- Stippeler, J. (1987). Quadratic Galerkin finite-element schemes for the vertical discretization of sigma-coordinate primitive-equation models. *Mon. Wea. Rev.*, **115**, 1575–1588.
- Stippeler, J., H.-W. Bitzer, M. Minotte, and L. Bonaventura (2002). Nonhydrostatic atmospheric modeling using a z-coordinate representation. *Mon. Wea. Rev.*, **130**, 2143–2149.
- Stoelinga, M. T., and T. T. Warner (1999). Nonhydrostatic, mesobeta-scale model simulations of cloud ceiling and visibility for an East Coast winter precipitation event. *J. Appl. Meteor.*, **38**, 385–404.
- Stoker, J. J., and E. Isaacson (1975). Final Report 1, Courant Institute of Mathematical Sciences, IMM 407, New York University, USA.
- Stowasser, M., Y. Wang, and K. Hamilton (2007). Tropical cyclone changes in the Western North Pacific in a global warming scenario. *J. Climate*, **20**, 2378–2396.
- Strack, J. E., R. A. Pielke Sr, L. T. Steyaert, and R. G. Knox (2008). Sensitivity of June near-surface temperatures in the eastern United States to historical land cover changes since European settlement. *Water Resour. Res.*, **44**, W11401, doi:10.1029/2007WR006546.
- Straka, J. M. (2009). *Cloud and Precipitation Microphysics: Principles and Parameterization*. Cambridge, UK: Cambridge University Press.
- Strassberg, D., M. LeMone, T. Warner, and J. Alfieri (2008). Comparison of observed 10-m wind speeds to those based on Monin-Obukhov similarity theory using IHOP 2002 aircraft and surface data. *Mon. Wea. Rev.*, **136**, 964–972.

- Straus, D. M., and D. Paolino (2009). Intermediate time error growth and predictability: tropics versus mid-latitudes. *Tellus*, **61A**, 579–586.
- Stull, R. B. (1988). *An Introduction to Boundary Layer Meteorology*. Dordrecht, the Netherlands: Kluwer Academic Publishers.
- Stull, R. B. (1991). Static stability: An update. *Bull. Amer. Meteor. Soc.*, **72**, 1521–1529.
- Stull, R. B. (1993). Review of nonlocal mixing in turbulent atmospheres: Transilient turbulence theory. *Bound.-Layer Meteor.* **62**, 21–96.
- Su, L., and O. B. Toon (2009). Numerical simulation of Asian dust storms using a coupled climate-aerosol microphysical model. *J. Geophys. Res.*, **114**, D14202, doi:10.1029/2008JD010956.
- Suarez, M. J., and L. L. Takacs (1995). *Documentation of the Aries/GEOS Dynamical Core Version 2*. NASA Technical Memo. 104606, Vol. 5. [Available from NASA, Goddard Space Flight Center, Greenbelt, MD 20771.]
- Sun, L., D. F. Moncunill, H. Li, A. D. Moura, and F. de A. de S. Filho (2005). Climate downscaling over Nordeste, Brazil using the NCEP RSM97. *J. Climate*, **18**, 551–567.
- Sundqvist, H. (1979). Vertical coordinates and related discretization. In *Numerical Methods Used in Atmospheric Models, Vol. II*, ed. A. Kasahara. Global Atmospheric Research Programme, GARP Publication Series No. 17. Geneva: World Meteorological Organization, pp. 3–50.
- Sundqvist, H., E. Berge, and J. E. Kristjansson (1989). Condensation and cloud parameterization studies with a mesoscale numerical weather prediction model. *Mon. Wea. Rev.*, **117**, 1641–1657.
- Sutton, C., T. M. Hamill, and T. T. Warner (2006). Will perturbing soil moisture improve warm-season ensemble forecasts? A proof of concept. *Mon. Wea. Rev.*, **134**, 3172–3187.
- Swarztrauber, P. N. (1996). Spectral transform methods for solving the shallow-water equations on the sphere. *Mon. Wea. Rev.*, **124**, 730–744.
- Sykes, R. I., S. F. Parker, D. S. Henn, and W. S. Lewellen (1993). Numerical simulation of ANATEX tracer data using a turbulent closure model for long-range dispersion. *J. Appl. Meteor.*, **32**, 929–947.
- Szunyogh, I., Z. Toth, K. A. Emanuel, *et al.* (1999). Ensemble-based targeting experiments during FASTEX: The effect of dropsonde data from the Lear jet. *Quart. J. Roy. Meteor. Soc.*, **125**, 3189–3218.
- Szunyogh, I., Z. Toth, R. E. Morss, *et al.* (2000). The effect of targeted dropsonde observations during the 1999 Winter Storm Reconnaissance Program. *Mon. Wea. Rev.*, **128**, 3520–3537.
- Szunyogh, I., Z. Toth, A. Zimin, S. J. Majumdar, and A. Persson (2002). On the propagation of the effect of targeted observations: The 2000 Winter Storm Reconnaissance Program. *Mon. Wea. Rev.*, **130**, 1144–1165.
- Takacs, L. L., and M. J. Suarez (1996). *Dynamical Aspects of Climate Simulations Using the GEOS GCM*. NASA Technical Memo. 104606, Vol. 10. [Available from NASA, Goddard Space Flight Center, Greenbelt, MD 20771.]
- Takle, E. S., W. J. Gutowski Jr, R. W. Arritt, *et al.* (1999). Project to intercompare regional climate simulations (PIRCS): description and initial results. *J. Geophys. Res.*, **104**, 443–462.

- Talagrand, O., R. Vautard, and B. Strauss (1997). Evaluation of probabilistic prediction systems. *Proceedings, ECMWF Workshop on Predictability*. ECMWF, 1–25.
- Tanguay, M., A. Simard, and A. Staniforth (1989). Three-dimensional semi-Lagrangian scheme for the Canadian regional finite-element forecast model. *Mon. Wea. Rev.*, **117**, 1861–1871.
- Tanrikulu, S., D. R. Stauffer, N. L. Seaman, and A. J. Ranzieri (2000). A field-coherence technique for meteorological field-program design for air quality studies. Part II: Evaluation in the San Joaquin Valley. *J. Appl. Meteor.*, **39**, 317–334.
- Tarbell, T. C., T. T. Warner, and R. A. Anthes (1981). The initialization of the divergent component of the horizontal wind in mesoscale numerical weather prediction models and its effect on initial precipitation rates. *Mon. Wea. Rev.*, **109**, 77–95.
- Tatsumi, Y. (1986). A spectral limited-area model with time-dependent lateral boundary conditions and its application to a multi-level primitive-equation model. *J. Meteor. Soc. Japan*, **64**, 637–663.
- Taylor, J. P., and A. S. Ackerman (1999). A case study of pronounced perturbations to cloud properties and boundary-layer dynamics due to aerosol emissions. *Quart. J. Roy. Meteor. Soc.*, **125**, 2543–2661.
- Taylor, J. W., and R. Buizza (2003). Using weather ensemble predictions in electricity demand forecasting. *Intl. J. Forecasting*, **19**, 57–70.
- Taylor, K. E. (2001). Summarizing multiple aspects of model performance in a single diagram. *J. Geophys. Res.*, **106** (D7), 7183–7192.
- Taylor, K. E., P. J. Gleckler, and C. Doutriaux (2004). Tracking changes in the performance of AMIP models. *Proc. AMIP2 Workshop*, Toulouse, France, Meteor. France, pp. 5–8.
- Teixeira, J., and C. A. Reynolds (2008). Stochastic nature of physical parameterizations in ensemble prediction: A stochastic convection approach. *Mon. Wea. Rev.*, **136**, 483–496.
- Teng, Q., J. C. Fyfe, and A. H. Monahan (2007). Northern Hemisphere circulation regimes: observed, simulated and predicted. *Climate Dyn.*, **28**, 867–879.
- Terray, L., S. Valcke, and A. Piacentini (1998). *OASIS 2.2 Guide and Reference Manual*. Technical Report TR/CMGC/98-05, Centre Européen de Recherche et de Formation Avancée en Calcul Scientifique, Toulouse, France.
- Thiebaux, H. J., and M. A. Pedder (1987). *Spatial Objective Analysis*. London, UK: Academic Press.
- Thiebaux, H. J., H. L. Mitchell, and D. W. Shantz (1986). Horizontal structure of hemispheric forecast error correlations for geopotential and temperature. *Mon. Wea. Rev.*, **114**, 1048–1066.
- Thiebaux, J., E. Rogers, W. Wang, and B. Katz (2003). A new high-resolution blended global sea surface temperature analysis. *Bull. Amer. Meteor. Soc.*, **84**, 645–656.
- Thompson, P. D. (1961). *Numerical Weather Analysis and Prediction*. New York, USA: Macmillan.
- Thompson, P. D. (1983). History of numerical weather prediction in the United States. *Bull. Amer. Meteor. Soc.*, **64**, 755–769.
- Thomson, M. C., and S. J. Connor (2001). The development of malaria early warning systems for Africa. *Trends in Parasitology*, **17**, 9438–9445.

- Thomson, M. C., T. N. Palmer, A. P. Morse, M. Cresswell, and S. J. Connor (2000). Forecasting disease risk with seasonal climate predictions. *Lancet*, **355**, 1559–1560.
- Thomson M. C., A. M. Molesworth, M. H. Djingarey, *et al.* (2006). Potential of environmental models to predict meningitis epidemics in Africa. *Trop. Med. Intl. Health*, **11**, 1–9.
- Thuburn, J. (2008). Some conservation issues for the dynamical cores of NWP and climate models. *J. Comput. Phys.*, **227**, 3715–3730.
- Tibaldi, S. (1986). Envelope orography and the maintenance of quasi-stationary waves in the ECMWF model. *Adv. Geophys.*, **29**, 339–374.
- Tiedtke, M. (1989). A comprehensive mass flux scheme for cumulus parameterization in large-scale models. *Mon. Wea. Rev.*, **117**, 1779–1800.
- Timbal, B., and D. A. Jones (2008). Future projections of winter rainfall in southeast Australia using a statistical downscaling technique. *Climate Change*, **86**, 165–187.
- Tippett, M. K., T. DelSole, S. J. Mason, and A. G. Barnston (2008). Regression-based methods for finding coupled patterns. *J. Climate*, **21**, 4384–4398.
- Tolika, K., C. Anagnostopoulou, P. Maheras, and M. Vafiadis (2008). Simulation of future changes in extreme rainfall and temperature conditions over the Greek area: A comparison of two statistical downscaling approaches. *Global Planet. Change*, **63**, 132–151.
- Tomita, H., and M. Satoh (2004). A new dynamical framework of nonhydrostatic global model using the icosahedral grid. *Fluid Dyn. Res.*, **34**, 357–400.
- Tompkins, A. M. (2002). A prognostic parameterization for the subgrid-scale variability of water vapor and clouds in large-scale models and its use to diagnose cloud cover. *J. Atmos. Sci.*, **59**, 1917–1942.
- Tompkins, A. M. (2005). *The Parameterization of Cloud Cover*. ECMWF Technical Memorandum.
- Tompkins, A. M., and M. Janisková (2004). A cloud scheme for data assimilation: Description and initial tests. *Quart. J. Roy. Meteor. Soc.*, **130**, 2495–2518.
- Toon, O. B., R. P. Turco, D. Westphal, R. Malone, and M. S. Liu (1988). A multidimensional model for aerosols: Description of computational analogs. *J. Atmos. Sci.*, **45**, 2124–2143.
- Torn, R. D., and G. J. Hakim (2008). Performance characteristics of a pseudo-operational ensemble Kalman filter. *Mon. Wea. Rev.*, **136**, 3947–3963.
- Torrence, C., and G. P. Compo (1998). A practical guide to wavelet analysis. *Bull. Amer. Meteor. Soc.*, **79**, 61–78.
- Toth, Z., and E. Kalnay (1993). Ensemble forecasting at NMC: The generation of perturbations. *Bull. Amer. Meteor. Soc.*, **74**, 2317–2330.
- Toth, Z., and E. Kalnay (1997). Ensemble forecasting at NCEP and the breeding method. *Mon. Wea. Rev.*, **125**, 3297–3319.
- Toth, Z., E. Kalnay, S. M. Tracton, R. Wobus, and J. Irwin (1997). A synoptic evaluation of the NCEP ensemble. *Wea. Forecasting*, **12**, 140–153.
- Toth, Z., M. Peña, and A. Vintzileos (2007). Bridging the gap between weather and climate forecasting. *Bull. Amer. Meteor. Soc.*, **88**, 1427–1429.
- Tracton, M. S. (1990). Predictability and its relationship to scale interaction processes in blocking. *Mon. Wea. Rev.*, **118**, 1666–1695.

- Tracton, M. S., K. Mo, W. Chen, *et al.* (1989). Dynamical extended range forecasting (DERF) at the National Meteorological Center. *Mon. Wea. Rev.*, **117**, 1606–1637.
- Treadon, R. E. (1996). Physical initialization in the NMC Global Data Assimilation System. *Meteor. Atmos. Phys.*, **60**, 57–86.
- Treadon, R. E., and R. A. Petersen (1993). Domain size sensitivity experiments using the NMC Eta model. Preprints, *Proceedings 13th Conference on Weather Analysis and Forecasting*, Vienna, VA, USA, American Meteorological Society, pp. 176–177.
- Tremback, C. J. (1990). Numerical simulation of a mesoscale convective complex: Model development and numerical results. Ph.D. Dissertation, Colorado State University, Fort Collins, CO, USA.
- Trenberth, K. E., P. D. Jones, P. Ambenje, *et al.* (2007). Observations: Surface and atmospheric climate change. In *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, eds. S. Solomon, D. Qin, M. Manning, *et al.* Cambridge, UK and New York, USA: Cambridge University Press.
- Trigo, R., and J. Palutikof (2001). Precipitation scenarios over Iberia. A comparison between direct GCM output and different downscaling techniques. *J. Climate*, **14**, 4422–4446.
- Turner, R., and T. Hurst (2001). Factors influencing volcanic ash dispersal from the 1995 and 1996 eruptions of Mount Ruapehu, New Zealand. *J. Appl. Meteor.*, **40**, 56–135.
- Turpeinen, O. M. (1990). Diabatic initialization of the Canadian Regional Finite-Element (RFE) Model using satellite data. Part II: Sensitivity to humidity enhancement, latent-heating profile and rain rates. *Mon. Wea. Rev.*, **118**, 1396–1407.
- Turpeinen, O. M., L. Garand, R. Benoit, and M. Roch (1990). Diabatic initialization of the Canadian Regional Finite-Element (RFE) Model using satellite data. Part I: Methodology and application to a winter storm. *Mon. Wea. Rev.*, **118**, 1381–1395.
- Unsworth, M. H., and J. L. Monteith (1975). Long-wave radiation at the ground. I. Angular distribution of incoming radiation. *Quart. J. Roy. Meteor. Soc.*, **101**, 13–24.
- Uppala, S. M., P. W. Kållberg, A. J. Simmons, *et al.* (2005). The ERA-40 re-analysis. *Quart. J. Roy. Meteor. Soc.*, **131**, 2961–3012.
- Valent, R. A., P. H. Downey, and J. L. Donnelly (1977). *Description and Operational Aspects of the NCAR Segmented Limited Area Model (LAMSEG)*, NCAR Report #0501-77/08. [Available from NCAR, P.O. Box 3000, Boulder, CO 80307-3000.]
- van den Dool, H. M., and S. Saha (1990). Frequency dependence in forecast skill. *Mon. Wea. Rev.*, **118**, 128–137.
- Van Tuyl, A. H. (1996). Physical initialization with the Arakawa-Schubert scheme in the Navy's operational global forecast model. *Meteor. Atmos. Phys.*, **60**, 47–55.
- Vannitsem, S., and F. Chomé (2005). One-way nested regional climate simulations and domain size. *J. Climate*, **18**, 229–233.
- Verseghy, D. L., N. A. McFarlane, and M. Lazare (1993). A Canadian land surface scheme for GCMs: II. Vegetation model and coupled runs. *Int. J. Climatol.*, **13**, 347–370.
- Vitart, F. (2004). Monthly forecasting at ECMWF. *Mon. Wea. Rev.*, **132**, 2761–2779.
- Volodin, E. M., and N. A. Diansky (2004). El-Niño reproduction in a coupled general circulation model of atmosphere and ocean. *Russ. Meteor. Hydrol.*, **12**, 5–14.



- Volodin, E. M., and V. N. Lykossov (1998). Parameterization of heat and moisture processes in the soil-vegetation system: 1. Formulation and simulations based on local observational data. *Izv. Atmos. Ocean Phys.*, **34**, 453–465.
- von Storch, H., and F. Zwiers (1999). *Statistical Analysis in Climate Research*. Cambridge, UK: Cambridge University Press.
- von Storch, H., E. Zorita, and U. Cubasch (1993). Downscaling of global climate change estimates to regional scale: An application to Iberian rainfall in wintertime. *J. Climate*, **6**, 1161–1171.
- von Storch, H., H. Langenberg, and F. Feser (2000). A spectral nudging technique for dynamical downscaling purposes. *Mon. Wea. Rev.*, **128**, 3664–3673.
- Vukicevic, T., and R. M. Errico (1990). The influence of artificial and physical factors upon predictability estimates using a complex limited-area model. *Mon. Wea. Rev.*, **118**, 1460–1482.
- Vukicevic, T., and J. Paegle (1989). The influence of one-way interacting boundary conditions upon predictability of flow in bounded numerical models. *Mon. Wea. Rev.*, **117**, 340–350.
- Waldron, K. M., J. Paegle, and J. D. Horel (1996). Sensitivity of a spectrally filtered and nudged limited area model to outer model options. *Mon. Wea. Rev.*, **124**, 529–547.
- Walko, R., and R. Avissar (2008a). The Ocean-Land-Atmosphere Model (OLAM). Part I: Shallow water tests. *Mon. Wea. Rev.*, **136**, 4033–4044.
- Walko, R., and R. Avissar (2008b). The Ocean-Land-Atmosphere Model (OLAM). Part II: Formulation and tests of the nonhydrostatic dynamic core. *Mon. Wea. Rev.*, **136**, 4045–4062.
- Walko, R., W. R. Cotton, M. P. Meyers, and J. Y. Harrington (1995a). New RAMS cloud microphysics parameterization. Part I: The single-moment scheme. *Atmos. Res.*, **38**, 29–62.
- Walko, R. L., C. J. Tremback, R. A. Pielke, and W. R. Cotton (1995b). An interactive nesting algorithm for stretched grids and variable nesting ratios. *J. Appl. Meteor.*, **34**, 994–999.
- Wallace, J. M., S. Tibaldi, and A. J. Simmons (1983). Reduction of systematic forecast errors in the ECMWF model through the introduction of an envelope orography. *Quart. J. Roy. Meteor. Soc.*, **109**, 683–717.
- Wang, B., H. Wan, Z. Ji, *et al.* (2004). Design of a new dynamical core for global atmospheric models based on some efficient numerical methods. *Science in China, Ser. A*, **47**, Suppl., 4–21.
- Wang, W., and N. L. Seaman (1997). A comparison study of convective parameterization schemes in a mesoscale model. *Mon. Wea. Rev.*, **125**, 252–278.
- Wang, W., and T. T. Warner (1988). Use of four-dimensional data assimilation by Newtonian relaxation and latent-heat forcing to improve a mesoscale-model precipitation forecast: A case study. *Mon. Wea. Rev.*, **116**, 2593–2613.
- Warner, T. T., and H. M. Hsu (2000). Nested-model simulation of moist convection: The impact of coarse-grid parameterized convection on fine-grid resolved convection. *Mon. Wea. Rev.*, **128**, 2211–2231.

- Warner, T. T., R. A. Anthes, and A. L. McNab (1978). Numerical simulations with a three-dimensional mesoscale model. *Mon. Wea. Rev.*, **106**, 1079–1099.
- Warner, T. T., L. E. Key, and A. M. Lario (1989). Sensitivity of mesoscale model forecast skill to some initial data characteristics: Data density, data position, analysis procedure and measurement error. *Mon. Wea. Rev.*, **117**, 1281–1310.
- Warner, T. T., R. A. Petersen, and R. E. Treadon (1997). A tutorial on lateral boundary conditions as a basic and potentially serious limitation to regional numerical weather prediction. *Bull. Amer. Meteor. Soc.*, **78**, 2599–2617.
- Warner, T. T., R.-S. Sheu, J. Bowers, *et al.* (2002). Ensemble simulations with coupled atmospheric dynamic and dispersion models: Illustrating uncertainties in dosage simulations. *J. Appl. Meteor.*, **41**, 488–504.
- Warner, T. T., B. E. Mapes, and M. Xu (2003). Diurnal patterns of rainfall in northwestern South America. Part II: Model simulations. *Mon. Wea. Rev.*, **131**, 813–829.
- Washington, W. M., and A. Kasahara (1970). A January simulation experiment with the two layer version of the NCAR global circulation model. *Mon. Wea. Rev.*, **98**, 559–580.
- Washington, W. M., J. W. Weatherly, G. A. Meehl, *et al.* (2000). Parallel Climate Model (PCM) control and transient simulations. *Climate Dyn.*, **16**, 755–774.
- Weigel, A. P., M. A. Liniger, and C. Appenzeller (2007). The discrete Brier and ranked probability skill scores. *Mon. Wea. Rev.*, **135**, 118–124.
- Weigel, A. P., M. A. Liniger, and C. Appenzeller (2009). Seasonal ensemble forecasts: Are recalibrated single models better than multimodels? *Mon. Wea. Rev.*, **137**, 1460–1479.
- Weisman, M. L., W. C. Skamarock, and J. B. Klemp (1997). The resolution dependence of explicitly modeled convective systems. *Mon. Wea. Rev.*, **125**, 527–548.
- Welander, P. (1955). Studies on the general development of motion in a two-dimensional, ideal fluid. *Tellus*, **7**, 141–156.
- Weller, H., H. G. Weller, and A. Fournier (2009). Voronoi, Delaunay, and block-structured mesh refinement for solution of the shallow-water equations on the sphere. *Mon. Wea. Rev.*, **137**, 4208–4224.
- Wergen, W. (1988). The diabatic ECMWF normal mode initialization scheme. *Beitr. Phys. Atmos.*, **61**, 274–302.
- Westphal, D. L., C. A. Curtis, M. Liu, and A. L. Walker (2009). Operational aerosol and dust storm forecasting. *IOP Conf. Ser.: Earth Environ. Sci.* **7**, 012007, doi:10.1088/1755-1307/7/1/012007
- Whitaker, J. S., G. P. Compo, X. Wei, and T. M. Hamill (2004). Reanalysis without radiosondes using ensemble data assimilation. *Mon. Wea. Rev.*, **132**, 1190–1200.
- Wicker, L. J., and W. C. Skamarock (1998). A time-splitting scheme for the elastic equations incorporating second-order Runge-Kutta time differencing. *Mon. Wea. Rev.*, **126**, 1992–1999.
- Wicker, L. J., and W. C. Skamarock (2002). Time splitting methods for elastic models using forward time schemes. *Mon. Wea. Rev.*, **130**, 2088–2097.
- Widmann, M., C. S. Bretherton, and E. P. Salathé Jr (2003). Statistical precipitation downscaling over the Northwestern United States using numerically simulated precipitation as a predictor. *J. Climate*, **16**, 799–816.

- Wigley, T. M. L., P. D. Jones, K. R. Briffa, and G. Smith (1990). Obtaining subgrid-scale information from coarse-resolution general circulation model output. *J. Geophys. Res.*, **95**, 1943–1953.
- Wilby, R. L. (2001). Downscaling summer rainfall in the UK from North Atlantic ocean temperatures. *Hydrol. Earth Syst. Sci.*, **5**, 245–257.
- Wilby, R. L., and T. M. L. Wigley (2000). Precipitation predictors for downscaling: observed and general circulation model relationships. *Int. J. Climatol.*, **20**, 641–661.
- Wilby, R. L., T. M. L. Wigley, D. Conway, *et al.* (1998). Statistical downscaling of general circulation model output: A comparison of methods. *Water Resour. Res.*, **34**, 2995–3008.
- Wilby, R. L., O. J. Tomlinson, and C. W. Dawson (2003). Multi-site simulation of precipitation by conditional resampling. *Climate Res.*, **23**, 183–194.
- Wilby, R. L., C. S. Wedgbrow, and H. R. Fox (2004). Seasonal predictability of the summer hydrometeorology of the River Thames, UK. *J. Hydrol.*, **295**, 1–16.
- Wilby, R. L., P. G. Whitehead, A. J. Wade, *et al.* (2006). Integrated modelling of climate change impacts on water resources and quality in a lowland catchment: River Kennet, UK. *J. Hydrol.*, **330**, 204–220.
- Wilks, D. S. (2006). *Statistical Methods in the Atmospheric Sciences*. San Diego, USA: Academic Press.
- Williamson, D. L. (1968). Integration of the barotropic vorticity equation on a spherical geodesic grid. *Tellus*, **20**, 642–653.
- Williamson, D. L. (2007). The evolution of dynamical cores for global atmospheric models. *J. Meteor. Soc. Japan*, **85B**, 241–269.
- Williamson, D., and J. Rosinski (2000). Accuracy of reduced-grid calculations. *Quart. J. Roy. Meteor. Soc.*, **126**, 1619–1640.
- Williamson, D. L., J. B. Drake, J. J. Hack, R. Jakob, and P. N. Swarztrauber (1992). A standard test set for numerical approximations to the shallow water equations in spherical geometry. *J. Comput. Phys.*, **102**, 211–224.
- Wilson, L. J., and M. Vallée (2002). The Canadian Updatable Model Output Statistics (UMOS) system: Design and development tests. *Wea. Forecasting*, **17**, 206–222.
- Wilson, L. J., and M. Vallée (2003). The Canadian Updatable Model Output Statistics (UMOS) system: Validation against Perfect Prog. *Wea. Forecasting*, **18**, 288–302.
- Winton, M. (2000). A reformulated three-layer sea ice model. *J. Atmos. Ocean. Technol.*, **17**, 525–531.
- Wolff, J.-O., E. Maier-Reimer, and S. Lebutke (1997). *The Hamburg Ocean Primitive Equation Model*. DKRZ Technical Report No. 13, Deutsches KlimaRechenZentrum, Hamburg, Germany.
- Woodcock, F., and C. Engel (2005). Operational consensus forecasts. *Wea. Forecasting*, **20**, 101–111.
- Woth, K., R. Weisse, and H. von Storch (2006). Climate change and North Sea storm surge extremes: an ensemble study of storm surge extremes expected in a changed climate projected by four different regional climate models. *Ocean Dyn.*, **56**, 3–15.
- Wu, X., and X. Li (2008). A review of cloud-resolving model studies of convective processes. *Adv. Atmos. Sci.*, **25**, 202–212.

- Wyman, B. L. (1996). A step-mountain coordinate general circulation model: Description and validation of medium-range forecasts. *Mon. Wea. Rev.*, **124**, 102–121.
- Wyngaard, J. C. (2004). Toward numerical modeling in the “terra incognita”. *J. Atmos. Sci.*, **61**, 1816–1826.
- Xie, P., and P. A. Arkin (1996). Analysis of global monthly precipitation using gauge observations, satellite estimates, and numerical model predictions. *J. Climate*, **9**, 840–858.
- Xie, P., and P. A. Arkin (1997). Global precipitation: A 17-year monthly analysis based on gauge observation, satellite estimates, and numerical model outputs. *Bull. Amer. Meteor. Soc.*, **78**, 2539–2558.
- Xoplaky, E., J. F. Gonzales-Rouco, J. Luterbacher, and M. Wanner (2004). Wet season Mediterranean precipitation variability: Influence of large-scale dynamics and trends. *Climate Dyn.*, **23**, 63–78.
- Xu, K.-M., and D. A. Randall (1996). A semiempirical cloudiness parameterization for use in climate models. *J. Atmos. Sci.*, **53**, 3084–3102.
- Xu, Q., and L. Wei (2001). Estimation of three-dimensional error covariances. Part II: Analysis of wind innovation vectors. *Mon. Wea. Rev.*, **129**, 2939–2954.
- Xu, Q., and L. Wei (2002). Estimation of three-dimensional error covariances. Part III: Height-wind forecast error correlation and related geostrophy. *Mon. Wea. Rev.*, **130**, 1052–1062.
- Xu, Q., L. Wei, A. Van Tuyl, and E. H. Barker (2001). Estimation of three-dimensional error covariances. Part I: Analysis of height innovation vectors. *Mon. Wea. Rev.*, **129**, 2126–2135.
- Xu, Y., Y. Luo, Z. C. Zhao, *et al.* (2005). Detection of climate change in the 20th century by the NCC T63. *Acta Meteorol. Sin.*, Special Report on Climate Change, **4**, 1–15.
- Xue, M. (2000). High-order monotonic numerical diffusion and smoothing. *Mon. Wea. Rev.*, **128**, 2853–2864.
- Xue, M., K. K. Droegemeier, and V. Wong (2000). The Advanced Regional Prediction System (ARPS): a multiscale nonhydrostatic atmospheric simulation and prediction tool. Part I. Model dynamics and verification. *Meteor. Atmos. Phys.*, **75**, 161–193.
- Xue, Y., R. Vasic, Z. Janjic, F. Mesinger, and K. E. Mitchell (2007). Assessment of dynamic downscaling of the continental U.S. regional climate using the Eta/SSib regional climate model. *J. Climate*, **20**, 4172–4193.
- Yakimiw, E., and A. Robert (1990). Validation experiments for a nested grid-point regional forecast model. *Atmos.-Ocean*, **28**, 466–472.
- Yang, G. Y., and J. Slingo (2001). The diurnal cycle in the tropics. *Mon. Wea. Rev.*, **129**, 784–801.
- Yates, D. N., T. T. Warner, and G. H. Leavesley (2000). Prediction of a flash flood in complex terrain: Part 2. A comparison of flood discharge simulations using rainfall input from radar, a dynamic model, and an automated algorithmic system. *J. Appl. Meteor.*, **39**, 815–825.
- Yeh, K.-S., J. Côté, S. Gravel, *et al.* (2002). The CMC-MRB global environmental multiscale (GEM) model. Part III. *Mon. Wea. Rev.*, **130**, 339–356.
- Yeh, T.-C., R. T. Wetherald, and S. Manabe (1984). The effect of soil moisture on the short-term climate and hydrology change: A numerical experiment. *Mon. Wea. Rev.*, **112**, 474–490.

- Yoshimura, K., and M. Kanamitsu (2008). Dynamical global downscaling of global reanalyses. *Mon. Wea. Rev.*, **136**, 2983–2998.
- Yu, Y., and X. Zhang (2000). Coupled schemes of flux adjustments of the air and sea. In *Investigations on the Model System of the Short-Term Climate Predictions*, eds. Y. Ding, *et al.* Beijing, China: China Meteorological Press, pp. 201–207 (in Chinese).
- Yu, Y., R. Yu, X. Zhang, and H. Liu (2002). A flexible global coupled climate model. *Adv. Atmos. Sci.*, **19**, 169–190.
- Yu, Y., Z. Zhang, and Y. Guo (2004). Global coupled ocean-atmosphere general circulation models in LASG/IAP. *Adv. Atmos. Sci.*, **21**, 444–455.
- Yuan, H., S. Mullen, X. Gao, *et al.* (2005). Verification of probabilistic quantitative precipitation forecasts over the southwest United States during winter 2002/03 by the RSM ensemble system. *Mon. Wea. Rev.*, **133**, 279–294.
- Yuan, H., J. A. McGinley, P. J. Schultz, C. J. Anderson, and C. Lu (2008). Short-range precipitation forecasts from time-lagged multimodel ensembles during HMT-West-2006 Campaign. *J. Hydrometeor.*, **9**, 477–491.
- Yuan, H., C. Lu, J. A. McGinley, *et al.* (2009). Evaluation of short-range quantitative precipitation forecasts from a time-lagged multimodel ensemble. *Wea. Forecasting*, **24**, 18–38.
- Yukimoto, S., A. Noda, A. Kitoh, *et al.* (2001). The new Meteorological Research Institute global ocean-atmosphere coupled GCM (MRI-CGCM2): Model climate and variability. *Papers Meteor. Geophys.*, **51**, 47–88.
- Yun, W. T., L. Stefanova, A. K. Mitra, *et al.* (2005). A multi-model superensemble algorithm for seasonal climate prediction using DEMETER forecasts. *Tellus*, **57A**, 280–289.
- Žagar, N., M. Žagar, J. Cedilnik, G. Gregorič, and J. Rakovec (2006). Validation of mesoscale low-level winds obtained by dynamical downscaling of ERA40 over complex terrain. *Tellus*, **58A**, 445–455.
- Žagar, N., A. Stoffelen, G. Marseille, C. Accadia, and P. Schliessel (2008). Impact assessment of simulated Doppler wind lidars with a multivariate variational assimilation in the tropics. *Mon. Wea. Rev.*, **136**, 2443–2460.
- Zhang, D.-L., and R. A. Anthes (1982). A high-resolution model of the planetary boundary layer: Sensitivity tests and comparison with SESAME-79 data. *J. Appl. Meteor.*, **21**, 1594–1609.
- Zhang, D.-L., H.-R. Chang, N. L. Seaman, T. T. Warner, and J. M. Fritsch (1986). A two-way interactive nesting procedure with variable terrain resolution. *Mon. Wea. Rev.*, **114**, 1330–1339.
- Zhang, F., M. Zhang, and J. A. Hansen (2009). Coupling ensemble Kalman filter with four-dimensional variational data assimilation. *Adv. Atmos. Sci.*, **26**, 1–8.
- Zhang, H., and M. Rančić (2007). A global Eta model on quasi-uniform grids. *Quart. J. Roy. Meteor. Soc.*, **133**, 517–528.
- Zhang, Y. (2008). Online coupled meteorology and chemistry models: history, current status, and outlook. *Atmos. Chem. Phys. Disc.*, **8**, 1833–1912.
- Zhang, Y., W. Maslowski, and A. J. Semtner (1999). Impacts of mesoscale ocean currents on sea ice in high-resolution Arctic ice and ocean simulations. *J. Geophys. Res.*, **104**(C8), 18409–18429.

- Zhang, Y., M. K. Dubey, and S. C. Olsen (2009). Comparisons of WRF/Chem simulations in Mexico City with ground-based RAMA measurements during the MILAGRO-2006 period. *Atmos. Chem. Phys. Disc.*, **9**, 1329–1376.
- Zheng, X. (2009). An adaptive estimation of forecast error covariance parameters for Kalman filtering data assimilation. *Adv. Atmos. Sci.*, **26**, 154–160.
- Zheng, Y., Q. Xu, and D. J. Stensrud (1995). A numerical simulation of the 7 May 1985 mesoscale convective system. *Mon. Wea. Rev.*, **123**, 1781–1799.
- Zhu, C., C.-K. Park, W.-S. Lee, and W.-T. Yun (2008). Statistical downscaling for multi-model ensemble prediction of summer monsoon rainfall in the Asia-Pacific region using geopotential height field. *Adv. Atmos. Sci.*, **25**, 867–884.
- Zorita, E., and H. von Storch (1999). The analog method as a simple statistical downscaling technique: Comparison with more complicated methods. *J. Climate*, **12**, 2474–2489.
- Zou, X., I. M. Navon, and F. X. LeDimet (1992). An optimal nudging data assimilation scheme using parameter estimation. *Quart. J. Roy. Meteor. Soc.*, **118**, 1163–1186.