



Balance Score Cord for BU

Key elements	Performance Parameters	Key Performance Measure	Unit of Measure	Target	Highest score achieved
Lagging Indicators	Fatality (In case of fatality, Score under Outcome header becomes ZERO) (Measurement - Any Fatal incident of any employee or contractor workmen or third party associate during the corresponding month)	12 point for 0 fatality Total Score = 0 if there is any fatality	No's	0	12
	LTIFR (Measurement - Nos. of LTI Incidents Reported per 1000000 man-hours worked during the corresponding Month)	5 point for "<=0.15 LTIFR 0 point for >0.15 LTIFR	No's	<0.15	5
	Vehicle Incident (Measurement - Nos. of Vehicle Incidents Reported during the corresponding month.) Note: Nos. of Vehicle Incidents shall be extracted from Safex Incident & Measurement module under Events category characterized as Vehicle Incidents and LTI - Lost Time Incident.	4 points incase of no vehicle incident during the month. 2 points for <= 2 Vehicle incidents with Zero LTI. 0 point incase of Vehicle Incident in a BU with LTI or > 2 Vehicle incidents.	No's	0	4
	Repeat first aid / NMC case (Measurement - Nos. of Repeat first aid / NMC incidence Reported during the corresponding month.)	3 points incase of no repeated first aid/ NMC incidence else 0	No's	0	3
	Repetition of incident (Fatal) post 100% implementation of CVF (Measurement - In cases of any repetitive incident under the above categories during the corresponding month),	4 points in case of no repetition else 0	No's	0	4
Leading Indicators	% Deployment of Fatality Risk Controls (FRC's) (Measurement - FRC's's includes Learning from Incidents as well as Best Practices as tracked in the current WAVE's and implemented across BU during the corresponding month.)	5 points for >90% deployment 3 points for 75 - 90% deployment 0 points for <75% deployment	Percentage	>90%	5
	Near Miss Frequency Rate (Measurement = Total No of NM cases per Million Manhours)	5 points for > 75 2 points for >50 <75 0 points for <50	-	>75	5
	Hazard Spotting (Measurement - Number of Hazard Spotting identification and its reporting by total manpower hours worked during the corresponding month). Data of Safex will be considered	>4000 Hazard Spot Observation per Million Man-hours worked = 5 Marks >2000<4000 Hazard Spot Observation per Million Man-hours worked = 2 Marks <2000 - 0 Marks	No's	>4000	5
	Safex Utilization (Measurement : Based on go live application uses by BU)	Utilization Index score '>= 80% = 4 Marks Utilization Index score 60% to 79% = 2 Marks Utilization Index score '<59% = 0	%	>80%	4
	Training Intensity Rate (Measurement = No. of training hours / million man hours worked during the month) Note : 1. Classroom training of minimum 2 Hrs. will be considered under this parameter. Also it must be excluding Safety Induction / Saksham , tool box talks etc.) 2. Operational Safety Trainings will only be measured through this KPI such as internally / externally on awakening, group released standards/ SOP/ Processes / Training workshop/ Governance/ Safex etc. for employees as well as business associates / supervisors etc.	>10000 Training Hrs. / Million Manhours worked = 4 Marks >5000<10000 Hrs. / Million Manhours worked = 2 Marks <5000 Hrs. / Million Manhours worked = 0	Hrs.	>10000	4
HR perspective	Executive training Index (Functional Managers, Managing Managers, Managing Others & Managing Self) (Measurement = Training compliance of leaders per HR Job banding on safety through HR leaning platform (e-Vidyalaya) *Only Mandatory Safety courses through HR platform e- Vidyalaya applicable for all employees will be measured)	>= 50% of total training coverage = 3 marks else 0	No's	>= 50%	3
	Frontline Worker training Index (contractor workmen on site including supervisors, engineers, last mile contractors) (Measurement = Training compliance of frontline workers on safety through Kronos platform) *Only Mandatory Safety courses - SAKSHAM through KRONOS Platform applicable for all frontline workers will be measured)	>= 50% of total training coverage = 2 marks else 0	No's	>= 50%	2
	Disciplinary Action Implemented for fatality & or LTI if applicable for Consequence Management Policy (CMP). (Measurement : This should be equal or more than the Fatality and LTI as mentioned above. Considering CMP for each fatality/ LTI happened in BU)	Complied for all CMP = 5 Marks or else 0	No's	100%	5

Assurance	% Standard Implementation against the top critical Safety Standards (4 nos.) (Measurement - Arithmetic Mean of % Implemented for all 4 standards, OHS 20 formats of checklist shall be used for self evaluation of % implementation of standards.) Note : Standards identified for scoring during FY'26 are - RVDTS, Working at height, Electrical Safety, Material Handling,	>=85% Compliance = 10 Marks >65%<85% Compliance = 5 Marks <65% compliance = 0	%	>85%	10
	Action Tracking Closure Compliance (Measurement = All applicable safety action points falling during the month) (Note : Safety observation compliance with respect to SI, SRFA, IM, Safety Inspection, Safety Audit - Internal / External, 1st / 2nd Party audit , VSR etc. in ATS application of Safex)	>=90% Compliance = 5 Marks >75%<90% Compliance = 2 Marks <75% compliance = 0	%	>90%	5
	% Completion of SRFA (Measurement : Planned V/s Completed during the month)	2 point for 100 % 0 point for <100%	%	100%	2
	% Closure of 4 & 5 Severity observation in SRFA (Measurement : Total Identified V/s Closed during the month)	3 point for 100 % 0 point for <100%	%	100%	3
Leadership & Governance	Number of Unsafe Acts Identified per hour in SI Rounds by trained personnel (Measurement - The data extracted at Business Level by TF5 from Safex will be considered.)	5 point for > = 4 Unsafe Acts/ Hrs. 3 point for > = 2 Unsafe Acts / Hrs. 2 point for > = 1 Unsafe Acts / Hrs. 0 point for <1 Unsafe Acts	No's / Hrs.	>=4	4
	Number of observations by leadership in walk-through exercises/ discussions/ reviews for CAPA by concerned BU team - Felt leadership actions (Measurement - Arithmetic Mean of all observations by all leaders) Note: All HODs to be tagged as leaders for concerned Business and its respective sites. (4 nos. per month per BU/ Site leader) Data submitted in safex by individual HOD's and above will be considered	4 point for > 4 salient observations 2 point for <= 2 & up to 3 observations 0 point for <2 observations	No's	>=4	5
	Business Safety Council meeting (Minimum Mandatory requirement) Note : Updated MOM's & presentation must be uploaded in SAFEX - Governance module along with Action identified V/s closure in meetings.	>=80% actions closures = 4 Marks else "0"	%	>=80%	4
	Business Safety Council + 6 Task force Meetings (BSC and SRP,TCB,CSM,IRI&SI, Logistic & TI TF) (Minimum Mandatory requirement) Note : Updated MOM & presentation must be uploaded in SAFEX - Governance module.	Monthly all meetings = 6 Marks else = 0	No's	100%	6
	Total Score				100

Following category are considered based on Major Risk Categories activities of BU

High Risk BU Group (Group A)	Moderate Risk BU Group (Group B)
Power	AESL
Ports	Green Energy
Cements	Realty
Copper	RMRW
Green PVC	AEML
Mining	Data Center
Gas	Logistics
Airports	NMDPL
MSPVL	Smart Meters
Defense & Aerospace	Hydro PSP
ANIL-Wind	Agri fresh
ANIL-BESS	Dredging

Bands of Scores for all category of BU (Quarterly)

Business Units / Score for the quarter	Green ('>=80 score)	Amber ('>=65 and <80 score)	Red ('<65 score)
Group - A			
Group - B			
Expectations	Strong performance and proactive safety culture. Needs Sustain the efforts and practices	Moderate performance with areas for improvement for further excel	Performance below expectations requiring immediate attention

Categorization of BU

High Risk BU (Group A)													Moderate Risk BU (Group B)											
Major Risk Categories	Power	Ports	Cements	Copper	Green PVC	Mining	Gas	Airports	MSPVL	Defense & Aerospace	ANIL-Wind	ANIL-BESS	AESL	Green Energy	Realty	RMRW	AEML	Data Center	Logistics	NMDPL	Smart Meters	Hydro PSP	Agri fresh	Dredging
Working at Heights	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Working with Electricity	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Occupational Road Risk	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Working With/ Near Water	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Isolation & Lockout	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Fire & Explosion	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lifting & Supporting Loads	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Management of contractors	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hot work (Ignition sources)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Ground Disturbance & Excavation	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Confined Space	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Process Safety	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Chemical Safety	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Radiation	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Noise & Vibrations	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Occupational Health	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Total Count of Risk Categories	16	15	16	14	14	10	13	9	9	10	9	9	8	8	7	7	7	8	6	7	8	8	7	5

Weightage & Percentile Approach

High Risk BU (Group A)	Business Units with 10 or more major risk categories, involving high-complexity and hazardous operations (> 50% of major risk categories)
	65% weightage i.e., 0.65 (>10 out of 16)
Moderate Risk BU (Group B)	Business Units with fewer than 10 major risk categories, involving relatively lower operational hazards. (<50% of Major Risk Categories)
	35% weightage i.e., 0.35 (<10 out of 16)

High Risk = 65% | Moderate Risk = 35%

This ratio balances risk exposure with fair performance comparison, while maintaining overall alignment to the Integrated Safety Strategy

Approach to Calculate Weighted Percentile Score

- Step 1

Calculate Percentile within each Group
For each BU, compute its percentile rank within its group based on raw/discrete Balanced Scorecard scores
Percentile = Rank of BU within Group/ Total Nos. of BUs in Group X 100
- Step 2

Calculate Weighted Score
Apply Group weightage to percentile
Weightage Score = Percentile X Group Weightage
- Step 3

Combine for overall ranking across both Groups
Sort all BUs (High + Moderate) by Weighted Score to get an overall ranking

BU Name	BU Group	Raw Score	Rank in Group	Percentile in Group	Group Weightage	Weighted Score	Overall Rank
BU1	High Risk	92	1	100	0.65	65	1
BU2	High Risk	88	2	80	0.65	52	2
BU3	High Risk	78	3	60	0.65	39	3
BU4	High Risk	70	4	40	0.65	26	4
BU5	High Risk	65	5	20	0.65	13	5
BU6	Moderate Risk	75	1	100	0.35	35	6
BU7	Moderate Risk	68	2	80	0.35	28	7
BU8	Moderate Risk	60	3	60	0.35	21	8
BU9	Moderate Risk	55	4	40	0.35	14	9
BU10	Moderate Risk	50	5	20	0.35	7	10