movie_recommender.py > ...

```python
app = Flask(__name__)

# Movie data
movies_by_genre = {
    "Romantic": [
        "The Notebook", "Titanic", "La La Land", "Pride & Prejudice",
        "A Walk to Remember", "To All the Boys I've Loved Before",
        "Romeo + Juliet", "Before Sunrise", "The Fault in Our Stars", "Notting Hill"
    ],
    "Funny": [
        "Superbad", "The Hangover", "Step Brothers", "Bridesmaids",
        "21 Jump Street", "Dumb and Dumber", "Mean Girls",
        "Ted", "Anchorman", "Jumanji"
    ],
    "Thriller": [
        "Inception", "Gone Girl", "Shutter Island", "Se7en",
        "Prisoners", "The Girl with the Dragon Tattoo",
        "Fight Club", "Black Swan", "Get Out", "Memento"
    ],
    "Horror": [
        "The Conjuring", "Hereditary", "A Quiet Place",
        "Get Out", "The Exorcist", "IT", "Sinister",
        "Insidious", "The Ring", "Paranormal Activity"
    ],
    "Drama": [
        "Forrest Gump", "The Shawshank Redemption",
        "The Godfather", "Parasite", "A Beautiful Mind",
        "The Pursuit of Happyness", "The Green Mile",
        "Slumdog Millionaire", "Moonlight", "12 Years a Slave"
    ]
}

# HTML Template
html_template = '''
<!DOCTYPE html>
<html>
<head>
    <title>Movie Recommender</title>
```

Ln 87, Col 1 Spaces: 4 UTF-8 LF {} Python

⊗ 0 ⚠ 0

```
}

# HTML Template
html_template = '''
<!DOCTYPE html>
<html>
<head>
    <title>Movie Recommender</title>
    <style>
        body { font-family: Arial; background: #f4f4f4; }
        .container { max-width: 400px; margin: 50px auto; padding: 20px; background: #fff; border-radius: 8px; }
        h1 { text-align: center; }
        select, button { width: 100%; padding: 10px; margin: 10px 0; font-size: 1em; }
        ul { list-style: none; padding: 0; }
        li { background: #efefef; margin: 5px 0; padding: 8px; border-radius: 4px; }
    </style>
</head>
<body>
    <div class="container">
        <h1>Movie Recommender</h1>
        <form method="POST">
            <label for="genre">Select Movie Type:</label>
            <select name="genre" id="genre">
                {% for genre in genres %}
                    <option value="{{ genre }}">{{ genre }}</option>
                {% endfor %}
            </select>
            <button type="submit">Show Movies</button>
        </form>
        {% if movies %}
            <h2>Top Movies ({{ selected_genre }})</h2>
            <ul>
                {% for movie in movies %}
                    <li>{{ movie }}</li>
                {% endfor %}
            </ul>
        {% endif %}
    </div>
</body>
```

```
62          {% if movies %}
63              <h2>Top Movies ({{ selected_genre }})</h2>
64              <ul>
65                  {% for movie in movies %}
66                      <li>{{ movie }}</li>
67                  {% endfor %}
68              </ul>
69          {% endif %}
70      </div>
71  </body>
72  </html>
73  '''
74
75  @app.route('/', methods=['GET', 'POST'])
76  def home():
77      genres = list(movies_by_genre.keys())
78      movies = None
79      selected_genre = None
80      if request.method == 'POST':
81          selected_genre = request.form['genre']
82          movies = movies_by_genre.get(selected_genre, [])
83      return render_template_string(html_template, genres=genres, movies=movies, selected_genre=selected_genre)
84
85  if __name__ == '__main__':
86      app.run(debug=True)
87
```