

CENTRE FOR COMPUTER SCIENCE



AN AUTONOMOUS CONSTITUENT COLLEGE OF
"ALLAHABAD UNIVERSITY"

PROJECT REPORT OF B.Sc. III

PROJECT TITLE

"MUSIC GALLERY SYSTEM"

UNDER THE GUIDANCE OF

Mr. Padmanabh Tripathi Sir

SUBMITTED BY

Abhinav Verma

ROLL NO. 63023

Devansh Dubey

ROLL NO. 63024

Session – 2015-16

Certificate OF ORIGINALITY

This is to certify that the project report entitled “**MUSIC GALLERY SYSTEM**” submitted to **Ewing Christian College** in partial fulfillment of the requirement for the award of the degree of **BACHELOR OF SCIENCE (B.Sc.)** is original work carried out by Mr. **ABHINAV VERMA** Roll no. 63023 and Mr. **DEVANSH DUBEY** Roll no. 63024 under the guidance of Mr. **Padmanabh Tripathi** .

The matter embodied in this project is a genuine work done by the student and has not been submitted whether to this University or to any other University/Institute for the fulfillment of the requirement of any course of study.

Signature of the Student

Abhinav Verma – Roll no.- 63023

Devansh Dubey – Roll no. -63024

Signature of the Guide

Mr. Padmanabh Tripathi Sir

H.O.D. of Centre for
Computer Science

ACKNOWLEDGEMENT

The project report is based on “**MUSIC GALLERY SYSTEM**”, has been completed under the curriculum of centre for computer science Ewing Christian College, Allahabad.

First of all I would like to thank GOD who was with me & helped me in completing this project successfully.

With deep sense of gratitude I wish to acknowledge my obligation to my project guide and teacher **Mr. Padmanabh Tripathi Sir** , who not only encourage me but also took great efforts by guiding me and giving me voluble suggestions & all kind of support whenever required in making the project in a correct and systematic way . He remains a source of inspiration always.

I sincerely thank computer department & all my teacher and friends who helped me for the betterment of this project.

I am deeply indebted to **Mr. Padmanabh Tripathi Sir** and it is my great pleasure to acknowledge the dedicated & endless support of him.

ABHINAV VERMA

ROLL NO. 63023

DEVANSH DUBEY

ROLL NO. 63024

SYNOPSIS

EWING CHRISTIAN COLLEGE

Project Synopsis



Under the guidance of

Mr. Padmanabh Tripathi Sir

Submitted by

Abhinav Verma - 63023

Devansh Dubey- 63024

Submitting Year: 2015-16

CONTENTS

1. INTRODUCTION	7
2. FEASIBILITY STUDY OF THE PROJECT	8
3. OBJECTIVE/AIM OF THE PROJECT	9
4. INPUT OF THE PROJECT	10
5. OUTPUT OF THE PROJECT	10
6. PROJECT CATEGORY	10
7. PROJECT REQUIREMENT	11
8. MINIMUM REQUIREMENT OF COMPUTER	12
9. INTRODUCTION OF FRONT END-“PHP”	13-14
10. INTRODUCTION OF BACK END-“MYSQL”	15-16
11. LIST OF THE TABLES	16
11. VIEW OF THE TABLES	17-20
12. DATA FLOW DIAGRAM	21-22
13. ENTITY RELATIONSHIP DIAGRAM	23
14. LIMITATION OF THE PROJECT	24
15. FUTURE SCOPE OF THE PROJECT	24

INTRODUCTION

MUSIC GALLERY SYSTEM can entertain users as it can allow to listen songs, download songs in very efficient manner.

In this site , there are different types of are categorized in a very precise way. There are may categories, If the user want to listen or download bollywood songs then he/she directly go to the category where he/she can click the link of Bollywood Music. Similarly if user want to listen Punjabi, Dj Remix , Indian Pop, or Instrumental songs ,user can click on that particular link to go there .

Also user can allow to use search box to search his/her favourite song provided by the song name or singer name.

Here we provide the facility to add or delete his/her favourite song to 'My Playlist' in his/her ID or add or delete his/her favourite album to 'My Album' in his/her ID.

User can easily contact admin to give the review of the site or any type of need of song.

FEASIBILITY STUDY

It is a process in SDLC in which I check whether my proposed model is technically, economically & operatively fit for target users

TECHNICAL FEASIBILITY:-

My model is supposed to be technically very Easy to use.

ECONOMICAL FEASIBILITY:-

My model is supposed to be economical as its cost benefit analysis should be positive.

OPERATIONAL FEASIBILITY:-

The biggest plus point with my software is that I have kept it plain & simple. That it is extremely simple to understand.

OBJECTIVE / AIM OF THE PROJECT

The aim of this project is to provide the facility to listen or download the mp3 song free of cost or without any type of subscription .

In this site , there are different types of are categorized in a very precise way. There are may categories, If the user want to listen or download bollywood songs then he/she directly go to the category where he/she can click the link of Bollywood Music. Similarly if user want to listen Punjabi, Dj Remix , Indian Pop, or Instrumental songs ,user can click on that particular link to go there .

Here we provide the facilty to add or delete his/her favourite song to 'My Playlist' in his/her ID or add or delete his/her favourite album to 'My Album' in his/her ID.

INPUT OF THE PROJECT

Our project requires these information from the admin :

1. Information about itself (Admin).
2. Information about the Album.
3. Poster of the Album only in the format of jpeg.
4. Information about the mp3 songs.
5. Mp3 songs file. Format of the song must be in mp3 type.

PROJECT CATEGORY

This project as titled “**MUSIC GALLERY SYSTEM**” is comes under the **Relational Database Management System (RDMS)**. This application is developed with the help of MySQL. This application can also be run on the network environment so it can be said as network application.

PROJECT REQUIREMENT:

- **Operating System :-**

Windows 7, Windows 8 or 8.1 etc.

- **Front End :-**

PHP is being used as Front End due to its productivity and maintainability.

- **Back End (Central Respository) :-**

MySQL is being used as Back End for Application's central repository. The reasons to choose it as back-end are:

1. Open Licence Software.
2. It is very simple to maintain.
3. It can be integrated with PHP very easily.
4. It can support and manage a large amount of data.
5. It is very scalable product and can support as many number of users as supported by the infrastructure.

- **Server :-**

Xampp Server.

- **Editor :-**

Notepad, Notepad++, Dreamweaver CS6 or any other ASCII Editor.

- **Latest Web Browser :-**

Google Chrome or Mozilla Firefox.

Minimum Computer Hardware Requirement

Following Computer Hardware Requirements are :-

- | | |
|--------------|--------------------|
| 1. RAM | Minimum 256 Mb |
| 2. HDD | Minimum 20Gb |
| 3. Processor | 1.50 GHz Intel (R) |
| 4. Keyboard | |
| 5. Mouse | |
| 6. Speaker | |

ABOUT “PHP : (As Front end language)”

PHP is simple but powerful server - side scripting language that we use to make the server generate dynamic output that is potentially different each time a browser requests a page. As a general rule, PHP programs run on a Web Server , and serve Web Pages to visitors on request. One of the key features of PHP is that you can embed PHP code within HTML Web pages, making it very easy for you to create dynamic content quickly.

A dynamic Web page is a page whose contents can change automatically each time the page is viewed. Contrast this with a static Web page, such as a simple HTML file, which looks the same each time it's displayed (at least until page is next edited). Mean while, an interactive Web site is a site that responds to input from its visitors.

PHP is a server - side scripting language, which means that PHP scripts, or programs, usually run on a Webserver. (A good example of a client –side scripting language is JavaScript, which commonly runs within a Web browser .) Furthermore , PHP is an interpreted language – a PHP script is processed by the PHP engine each time it's run.

The process of running a PHP script on a web server looks like this:

- 1.** A visitor requests a Web page by clicking a link, or typing the page's URL into the browser's address bar. The visitor might also send data to the web server at the same time, either using a form embedded in a Web page, or via AJAX (Asynchronous JavaScript And XML).
- 2.** The Web Server recognizes that the requested URL is a PHP script ,and instructs the PHP engine to process and run the script.
- 3.** The script runs, and when it is finished it usually sends an HTML page to the Web browser, which the visitor then sees on their screen.

One of the major reasons for PHP's success as a web scripting language is its origins as a tool to process HTML forms and create web pages. This makes PHP very web-friendly. Additionally, it is eagerly promiscuous when it comes to external applications and libraries.

PHP can speak to a multitude of database, and it knows numerous Internet protocols. PHP also makes it simple to parse form data and make HTTP requests.

PHP is the engine behind millions of dynamic web applications. Its broad feature set, approachable syntax, and support for different operating systems and web servers have made it an ideal language for both rapid web development and the methodical construction of complex systems.

Why We Use PHP

One of the best things about PHP is the large number of Internet service providers (ISPs) and Webhosting companies that support it. Today hundreds of thousands of developers are using PHP, and it's not surprising that there are so many, considering that several million sites are reported to have PHP installed.

Another great feature of PHP is that it's cross – platform you can run PHP programs on Windows, Linux, FreeBSD, Mac OS X, and Solaris, among others. What's more, the PHP engine can integrate with all common Web Servers, including Apache, Internet Information Server (IIS), Zeus, and lighttpd. On one setup, then deploy it on a different type of system without having to change much of your code. Furthermore, it's easy to move your PHP website onto another server platform, if you ever need to.

MYSQL : As Back End Language:

A database is a structured collection of records or data stored in a computer system and organized in such a way that it can be quickly searched and information can be rapidly retrieved. With well over 10 million installations, MySQL is probably the most popular Database Management System for Web servers. Developed in the mid- 1990s its now a mature technology that powers many of today's most-visited Internet destinations.

One reason for its success must be the fact that, like PHP, it's free to use. But it's also extremely powerful and exceptionally fast , it can run on even most basic of hardware, and it hardly puts a dent in system resources.

The SQL in MySQL stands for Structured Query Language. This Language is loosely based on English and also used in other databases such as Oracle and Microsoft SQL Server. It is designed to allow simple requests from a database via commands such as:

SELECT title FROM something WHERE name='Abhinav';

A MySQL database contains one or more tables, each of which contains records or rows. Within these rows are various columns or fields that contains the data itself. MySQL is also highly scalable, which means that it can grow with your website.

There are three main ways in which you can interact with MySQL : using a commandline , via a web interface such as phpMyAdmin, and through a programming language like PHP.

Why We Use MySQL:

The reason for using PHP as an interface to MySQL is to format the results of SQL queries in a form visible in a web page. As long as you can log into your MySQL installation using your username and password, you can also do so from PHP.

However, instead of using MySQL's command line to enter instructions and view output, you will create query strings that are passed to MySQL. When MySQL returns its response, it will come as a data structure that PHP can recognize instead of the formatted output you see when you work on the command line. Further PHP commands can retrieve the data and format it for the webpage.

List of Tables:

1. ADMIN
2. BOLLYWOOD_MUSIC_MOVIE
3. BOLLYWOOD_MUSIC_SONG
4. CONTACT_US
5. DJ_REMIX_FOLDER
6. DJ_REMIX_SONG
7. INDAINPOP_FOLDER
8. INDIANPOP_SONG
9. INSTRUMENTAL_FOLDER
10. INSTRUMENTAL_SONG
11. MY_ALBUM
12. MY_PLAYLIST
13. PUNJABI_FOLDER
14. PUNJABI_SONG
15. USER

View of the Tables:

1. ADMIN Table:

Column Name	Data Type	Size	Primary Key	Description
Name	Varchar	255	-	Admin Name
Password	Varchar	255	-	Password

2. BOLLYWOOD_MUSIC_MOVIE Table:

Column Name	Data Type	Size	Primary Key	Description
Movie_id	Int	11	Yes	Movie Id
Movie_name	Varchar	255	-	Movie Name
Movie_year	Int	11	-	Movie Year
Director	Varchar	255	-	Director Name
Music_director	Varchar	255	-	Music Director
Composer	Varchar	255	-	Composer
Star1	Varchar	255	-	Actor Name
Star2	Varchar	255	-	Actress Name
Movie_poster	Varchar	255	-	Image Name

3. BOLLYWOOD_MUSIC_SONG Table:

Column Name	Data Type	Size	Primary Key	Description
Song_id	Int	11	Yes	Song Id
Movie_id	Int	11	-	Movie Id
Song_name	Varchar	255	-	Song Name
Singer	Varchar	255	-	Singer Name
Size	Decimal	65.2	-	Size of Song

4. CONTACT_US Table:

Column Name	Data Type	Size	Primary Key	Description
Id	int	11	Yes	Id of User
Name	Varchar	255	-	User Name
E_mail	Varchar	255	-	Email Id of User
Subject	Varchar	255	-	Subject
Message	Varchar	255	-	Message
Date	Date	-	-	Date of Message

5. DJ_REMIX_FOLDER Table:

Column Name	Data Type	Size	Primary Key	Description
Folder_id	Int	11	Yes	Folder Id
Folder_name	Varchar	255	-	Folder Name
Folder_year	Int	11	-	Folder Year
Folder_pic	Varchar	255	-	Name of Poster

6. DJ_REMIX_SONG Table:

Column Name	Data Type	Size	Primary Key	Description
Song_id	Int	11	Yes	Song Id
folder_id	Int	11	-	Movie Id
Song_name	Varchar	255	-	Song Name
Singer	Varchar	255	-	Singer Name
Size	Decimal	65.2	-	Size of Song

7. INDIANPOP_FOLDER Table:

Column Name	Data Type	Size	Primary Key	Description
Folder_id	Int	11	Yes	Folder Id
Folder_name	Varchar	255	-	Folder Name
Folder_year	Int	11	-	Folder Year
Folder_pic	Varchar	255	-	Name of Poster

8. INDIANPOP_SONG Table:

Column Name	Data Type	Size	Primary Key	Description
Song_id	Int	11	Yes	Song Id
folder_id	Int	11	-	Movie Id
Song_name	Varchar	255	-	Song Name
Singer	Varchar	255	-	Singer Name
Size	Decimal	65.2	-	Size of Song

9. INSTRUMENTAL_FOLDER Table:

Column Name	Data Type	Size	Primary Key	Description
Folder_id	Int	11	Yes	Folder Id
Folder_name	Varchar	255	-	Folder Name
Folder_year	Int	11	-	Folder Year
Folder_pic	Varchar	255	-	Name of Poster

10. INSTRUMENTAL_SONG Table:

Column Name	Data Type	Size	Primary Key	Description
Song_id	Int	11	Yes	Song Id
folder_id	Int	11	-	Movie Id
Song_name	Varchar	255	-	Song Name
Singer	Varchar	255	-	Singer Name

Size	Decimal	65.2	-	Size of Song
------	---------	------	---	--------------

11. MY_ALBUM Table:

Column Name	Data Type	Size	Primary Key	Description
User_id	Int	11	-	User's ID
Bm	Int	11	-	BM Folder ID
Dj	Int	11	-	DJ Folder ID
Punjabi	Int	11	-	Punjabi Folder ID
Indianpop	Int	11	-	Indian Pop ID
Instrumental	Int	11	-	Instrumental ID

12. MY_PLAYLIST Table:

Column Name	Data Type	Size	Primary Key	Description
User_id	Int	11	-	User's ID
Bm	Int	11	-	BM Folder ID
Dj	Int	11	-	DJ Folder ID
Punjabi	Int	11	-	Punjabi Folder ID
Indianpop	Int	11	-	Indian Pop ID
Instrumental	Int	11	-	Instrumental ID

13. PUNJABI_FOLDER Table:

Column Name	Data Type	Size	Primary Key	Description
Folder_id	Int	11	Yes	Folder Id
Folder_name	Varchar	255	-	Folder Name
Folder_year	Int	11	-	Folder Year
Folder_pic	Varchar	255	-	Name of Poster

14. PUNJABI_SONG Table:


Column Name	Data Type	Size	Primary Key	Description
Song_id	Int	11	Yes	Song Id
folder_id	Int	11	-	Movie Id
Song_name	Varchar	255	-	Song Name

Singer	Varchar	255	-	Singer Name
Size	Decimal	65.2	-	Size of Song


15. USER Table:

Column Name	Data Type	Size	Primary Key	Description
Id	Int	11	Yes	User's ID
Name	Varchar	255	-	User's Name
E_mail	Varchar	255	-	E-Mail ID
Phone	Bigint	20	-	Phone No.
Username	Varchar	255	-	Username
Password	Varchar	255	-	Password


LEVEL 0 DFD



LEVEL 1 DFD



ENTITY-RELATIONSHIP DIAGRAM



LIMITATIONS OF THE PROJECT

1. Our MUSIC GALLERY SYSTEM can't pause the other songs when the another song was played.
2. Our Project cannot be globally access because it is not hosted on web yet.
3. There is an incomplete work on 'Download Compressed Folder'.
4. There is not included the rating system of the songs or albums.

FUTURE SCOPE OF THE PROJECT

Nothing is perfect in this world. So, we are also no exception. Although, we have tried out best to present thee information effectively, yet there can be further enhancement in the application.

We have taken care of all the critical aspects, which need to take care of during the development of the Project. Like the things this project also has some limitations and can further be enhances by someone, because there are certain drawbacks that do not permit the system to be 100% accurate.

CODING

USER-SECTION

Include/header.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link href="../css/container.css" rel="stylesheet" type="text/css" media="all" />
<script>
function validateForm() {
var x = document.forms["myForm"]["search"].value;
if (x == null || x == "") {
alert("Please type some song name or singer name here.");
return false;
}
}
</script>
</head>
<body>
<div id="header">
<?php
error_reporting(0);
include'lib/login.php';
if($_SESSION["username"] == ""){
?>
<h3>
<form action="lib/login.php" method="post">
<input type="text" name="username" placeholder="User Name" required="required"
/>&nbsp;&nbsp; &nbsp;  &nbsp; &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~
<input type="password" name="password" placeholder="Password"
required="required"/>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~
<input type="submit" value="Log In" name="login" /><br /><a href="sign_up.php">New
User</a>
</form>
</h3>
<?php
}
else{
$username = $_SESSION['username'];
```



```

<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="stylesheet" type="text/css" href="css/container.css" media="all" />
</head>
<body>
  <div id="section1">
    <div id="main_catagory">
      Main Catagories
    </div>
    <div id="sub_catagory">
      <ul>
        <li><a href="bm_folder.php">Bollywood Music</a></li>
        <li><a href="dj_folder.php">DJ Remix Mp3 Songs</a></li>
        <li><a href="punjabi_folder.php">Punjabi Music</a></li>
        <li><a href="indianpop_folder.php">IndianPop Mp3 Songs</a></li>
        <li><a href="instrumental_folder.php">Instrumental Songs Collections</a></li>
      </ul>
    </div>
    <div id="main_catagory">
      Browse More
    </div>
    <div id="sub_catagory">
      <ul>
        <li><a href="singer.php">Singers</a></li>
        <li><a href="director.php">Directors</a></li>
        <li><a href="music_director.php">Music Directors</a></li>
        <li><a href="composer.php">Composers</a></li>
        <li><a href="star.php">Stars</a></li>
      </ul>
    </div>
    <div id="main_catagory">
      My Favourites
    </div>
    <div id="sub_catagory">
      <ul>
        <li><a href="my_playlist.php">My Playlist</a></li>
        <li><a href="my_album.php">My Albums</a></li>
      </ul>
    </div>
    <div id="main_catagory">
      Links
    </div>

```

```

<div id="sub_catagory">
    <ul>
        <li><a href="dcma.php">DMCA Copyright</a></li>
        <li><a href="policy.php">Privacy Policy</a></li>
        <li><a href="service.php">Terms of Service</a></li>
        <li><a href="contact_us.php">Contact Us</a></li>
    </ul>
</div>
</div>
</body>
</html>

```

Include/section2.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
    <div id="section2">
        <table id="feature">
            <tr>
                <td id="folder_head">Featured Albums On MusicLovers.Com</td>
            </tr>
            <tr>
                <td style="background-color:#CCC;">
                    <?php
                    include('dbconfig.php');
                    $sel = "SELECT * from bollywood_music_movie order by rand() desc LIMIT 4";
                    $result_set = mysql_query($sel);
                    while($row = mysql_fetch_array($result_set)){
                        ?>
                        <a href="bm_song.php?movie=<?php echo $row['movie_id'];?>"></a>

```

```

        <?php
        }
        ?>
    </td>
</tr>
</table>
<div id="latest">
    <div id="latest_main_catagory">
        Latest Bollywood Music
    </div>
    <div id="latest_sub_catagory">
        <ul>
            <?php
            $sel = "SELECT * from bollywood_music_movie order by movie_year desc LIMIT 10";
            $result_set2 = mysql_query($sel);
            while($row = mysql_fetch_array($result_set2)){
                ?>
                <li>&nbsp;&nbsp;&nbsp;<a
href="bm_song.php?movie=<?php echo $row['movie_id'];?>"><?php echo
$row['movie_name']; ?></a></li>
                <?php
                }
                ?>
            </ul>
        </div>
    </div>
    <div id="latest">
        <div id="latest_main_catagory">
            Latest Punjabi Music
        </div>
        <div id="latest_sub_catagory">
            <ul>
                <?php
                $sel = "SELECT * from punjabi_folder order by folder_year desc LIMIT 10";
                $result_set2 = mysql_query($sel);
                while($row = mysql_fetch_array($result_set2)){
                    ?>
                    <li>&nbsp;&nbsp;&nbsp;<a
href="punjabi_song.php?movie=<?php echo $row['folder_id'];?>"><?php echo
$row['folder_name']; ?></a></li>
                    <?php
                    }

```

```

        ?>
    </ul>
</div>
</div>
<div id="latest">
    <div id="latest_main_catagory">
        Latest DJ Remix Mp3 Songs
    </div>
    <div id="latest_sub_catagory">
        <ul>
            <?php
                $sel = "SELECT * from dj_remix_folder order by folder_year desc LIMIT 10";
                $result_set2 = mysql_query($sel);
                while($row = mysql_fetch_array($result_set2)){
                    ?>
                    <li>&nbsp;&nbsp;&nbsp;<a
href="dj_song.php?movie=<?php echo $row['folder_id'];?>"><?php echo $row['folder_name'];
?></a></li>
                    <?php
                        }
                    ?>
                </ul>
            </div>
        </div>
    </div>
    <div id="latest">
        <div id="latest_main_catagory">
            Latest IndianPop Mp3 Songs
        </div>
        <div id="latest_sub_catagory">
            <ul>
                <?php
                    $sel = "SELECT * from indianpop_folder order by folder_year desc LIMIT 10";
                    $result_set2 = mysql_query($sel);
                    while($row = mysql_fetch_array($result_set2)){
                        ?>
                        <li>&nbsp;&nbsp;&nbsp;<a
href="indianpop_song.php?movie=<?php echo $row['folder_id'];?>"><?php echo
$row['folder_name']; ?></a></li>
                        <?php
                            }
                        ?>
                    </ul>
                </div>
            </div>
        </div>
    </div>

```



```

        </div>
    </div>
</div>
</body>
</html>

```

include/footer.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link href="css/container.css" type="text/css" rel="stylesheet" media="all" />
</head>

<body>
    <div id="footer">
        Copyright &copy; MusicLovers.com All Right Reserved &nbsp; &nbsp; || &nbsp; &nbsp;
        &nbsp; Site Developed By <a href="https://www.facebook.com/abhinav8rk"
        target="_blank">Abhinav</a> , <a href="https://www.facebook.com/devansh.dubey.790"
        target="_blank">Devansh</a>
    </div>
</body>
</html>

```

Css/container.css

```

/* http://meyerweb.com/eric/tools/css/reset/
v2.0 | 20110126
License: none (public domain)
*/
html, body, div, span, applet, object, iframe,
h1, h2, h3, h4, h5, h6, p, blockquote, pre,
a, abbr, acronym, address, big, cite, code,
del, dfn, em, img, ins, kbd, q, s, samp,
small, strike, strong, sub, sup, tt, var,
b, u, i, center,
dl, dt, dd, ol, ul, li,
fieldset, form, label, legend,

```

```

table, caption, tbody, tfoot, thead, tr, th, td,
article, aside, canvas, details, embed,
figure, figcaption, footer, header, hgroup,
menu, nav, output, ruby, section, summary,
time, mark, audio, video {
    margin: 0;
    padding: 0;
    border: 0;
    vertical-align: baseline;
}
/* HTML5 display-role reset for older browsers */
article, aside, details, figcaption, figure,
footer, header, hgroup, menu, nav, section {
    display: block;
}
body{
    padding:0px;
    margin:0px;
    background-color:#333;
}
#container{
    height:auto;
    width:75em;
    margin-left:5%;
    margin-right:5%;
    margin-bottom:0px;
    margin-top:0px;
    padding:0px;
}
#header{
    position:relative;
    height:auto;
    width:100%;
}
#header img{
    max-height:100%;
    max-width:100%;
    height:auto;
    width:100%;
    border-radius:10px;
}
h3{

```

```

        position:absolute;
        top:15px;
    left:750px;
        font-family:Arial, Helvetica, sans-serif;
    }
    h3 a{
        font-size:18px;
        color:#333;
        text-decoration:none;
    }
    h3 a:hover{
        text-decoration:underline;
    }
    h2{
        position:absolute;
        top:15px;
    left:50px;
        font-family:Arial, Helvetica, sans-serif;
    }
    h2 a{
        font-size:22px;
        color:#333;
        text-decoration:none;
    }
    h2 a:hover{
        text-decoration:underline;
    }
    #navigator{
        font-size:18px;
        line-height:30px;
        height:40px;
        float:left;
        width:60%;
        background: linear-gradient(to bottom, #0FC , #fff);
        font-family:Arial, Helvetica, sans-serif;
    }
    #navigator a{
        color:#03F;
        font-size:18px;
        font-family:Arial, Helvetica, sans-serif;
        text-decoration:none;
    }

```

```

#navigator a:hover{
    color:#660;
    text-decoration:underline;
}
#search{
    line-height:30px;
    background: linear-gradient(to bottom, #0FC , #fff);
    text-align:center;
    height:40px;
    width:40%;
    float:left;
}
#section1{
    background-color:#fff;
    float:left;
    height:1210px;
    width:25%;
}
#main_catagory{
    padding:10px;
    margin:10px;
    background-color:#0fc;
    text-align:center;
    font-family:Arial, Helvetica, sans-serif;
    font-size:22px;
    font-weight:bold;
    color:#000;
}
#sub_catagory ul li{
    border-bottom:1px dotted #690;
    font-family:Arial, Helvetica, sans-serif;
    list-style-type:none;
    background-color:#FFF;
    padding:5px;
    margin:10px;
}
#sub_catagory ul li a{
    color:#06C;
    text-decoration:none;
}
#sub_catagory ul li a:hover{
    color:#000;
}

```

```

}
#section2{
    background-color:#fff;
    width:auto;
    height:1450px;
    font-family:Arial, Helvetica, sans-serif;
    font-size:16px;
}
#footer{
    float:left;
    width:98.5%;
    padding:10px;
    text-align:center;
    font-family:Arial, Helvetica, sans-serif;
    font-size:20px;
    line-height:50px;
    background-color:#0FC;
    height:50px;
    border-radius:15px;
}

```

Css/new home.css

```

img{
    max-height:100%;
    max-width:100%;
    height:170px;
    width:160px;
}
#feature{
    padding-top:25px;
    padding-left:25px;
}
#feature a{
    text-decoration:none;
    color:#00f;
}
#feature a:hover{
    opacity:0.7;
    background-color:#ccc;
}

```

```

#latest{
    padding-top:40px;
    padding-left:30px;
    padding-right:30px;
    padding-bottom:22px;
    width:30%;
    float:left;
}
#latest_main_catagory{
    padding:5px;
    font-size:18px;
    font-family:Arial, Helvetica, sans-serif;
    background-color:#0FC;
    color:#000;
    text-align:center;
    height:35px;
    line-height:35px;
}
#latest_sub_catagory ul li{
    padding:2px;
    list-style-type:none;
    background-color:#CCC;
    height:25px;
    line-height:25px;
    border:1px solid #999;
}
#latest_sub_catagory ul li a{
    font-family:Arial, Helvetica, sans-serif;
    vertical-align:top;
    font-size:14px;
    color:#000;
    text-decoration:none;
}
#latest_sub_catagory ul li a:hover{
    color:#06C;
}

```

css/music folder.css

```

#movie_folder{
    float:left;
}

```

```

#movie_folder img:hover{
    padding:0px;
    margin:0px;
    opacity:0.6;
    background-color:#ccc;
}
#movie_folder a{
    text-decoration:none;
    color:#000;
}
#movie_folder a:hover{
    color:#03F;
}

```

Css/song_list.css

```

#folder_head{
    margin-top:40px;
    background-color:#0FC;
    text-align:center;
    font-family:Arial, Helvetica, sans-serif;
    font-size:22px;
    width:100%;
    height:40px;
    line-height:40px;
    color:#000;
}
#song_list{
    vertical-align:middle;
    text-align:center;
    font-family:Arial, Helvetica, sans-serif;
    font-size:16px;
}
#song_list a{
    text-decoration:none;
}
#list{
    float:left;
    height:auto;
}
#list img{

```

```
width:700px;
height:250px;
}

#rating img{
    height:30px;
    width:30px;
    max-height:100%;
    max-width:100%;
}

#rating a img:hover{
    opacity:0.5;
    background-color:#F00;
}
```

Include/dbconfig.php

```
<?php
mysql_connect("localhost","root","");
mysql_select_db("musiclovers");
?>
```

Index.php

[illegible]


```

        </div>
    <?php
        include('include/search.php');
    include('include/section1.php');
        include('include/section2.php');
        include('include/footer.php');
    ?>
</div>
</body>
</html>

```

Bm folder.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<title>Bollywood Music</title>
</head>
<body>
<div id="container">
    <?php
        include'include/header.php';
    ?>

    <div id="navigator">
        <hr style="margin:0px;" />
        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> <b>>> Bollywood Music</b>
        <hr style="margin:0px;" />
    </div>

    <?php
        include'include/search.php';
        include'include/section1.php';
    ?>

    <div id="section2">
        <div id="folder_head">Bollywood Music</div>

```

```

<table style="background-color:#FFF; padding:5px;">
  <tr style="text-align:center;">
    <td>
      <?php
        include('include/dbconfig.php');

        $rows_per_page = 12;
        $sel = "SELECT * FROM bollywood_music_movie";
        $result = mysql_query($sel);
        $total_records = mysql_num_rows($result);
        $pages = ceil($total_records / $rows_per_page);
        mysql_free_result($result);
        $screen = $_GET["screen"];
        if (!isset($screen)){
          $screen = 0;
        }
        $start = $screen * $rows_per_page;

        $sel = "SELECT * from bollywood_music_movie order by movie_year desc LIMIT
$start,$rows_per_page";
        $result_set = mysql_query($sel);
        while($row = mysql_fetch_array($result_set)){
          ?>
            <tr id="movie_folder">
              <td style="padding:30px; width:220px;">
                <a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
style="padding:30px;"></a><br>
                <center><a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row['movie_name'].
("$row['movie_year'].")"; ?></a><hr />
                <form action="lib/my_album.php" method="post">
                  <input type="hidden" name="folder_id" value="<?php echo
$row['movie_id']; ?>">
                  <input type="hidden" name="catagory" value="bollywood_music" />
                  <input type="submit" name="add_album" value="Add to My Album" />
                </form>
              </center>
            </td>
          </tr>
        <?php
        }
      ?>
    </td>

```

```

        </tr>
    </table>
<center>
    <?php
    $result = mysql_query($sel);
    $rows = mysql_num_rows($result);
    echo "<p></p>\n";
    // let's create the dynamic links now
    if ($screen > 0) {
        $screen = $screen - 1;
        ?><a href="bm_folder.php?screen=?php echo $screen;?>">Previous</a>
        <?php
        }
        // page numbering links now
        for ($i = 0; $i < $pages; $i++) {
            ?> | <a href="bm_folder.php?screen=?php echo $i;?>">?><?php echo $i;?></a> |
            <?php
            }
            if ($screen < $pages) {
                $screen = $screen + 1;
                ?><a href="bm_folder.php?screen=?php echo $screen;?>">Next</a><br />
                <?php
                }
            ?>
        </center>
    </div>
    <?php
    include'include/footer.php';
    ?>
</div>
</body>
</html>

```

Dj folder.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />

```

```

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<title>DJ Remix Mp3 Songs</title>
</head>

<body>
<div id="container">
    <?php
    include'include/header.php';
    ?>
    <div id="navigator">
    <hr style="margin:0px;"/>
        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> <b>>> DJ Remix Mp3 Songs</b>
    <hr style="margin:0px;"/>
    </div>
    <?php
    include'include/search.php';
    include'include/section1.php';
    ?>
    <div id="section2">
        <div id="folder_head">DJ Remix Mp3 Songs</div>
        <table style="background-color:#FFF; padding:5px;">
            <tr style="text-align:center;">
                <td>
                    <?php
                    include('include/dbconfig.php');

                    $rows_per_page = 12;
                    $sel = "SELECT * FROM dj_remix_folder";
                    $result = mysql_query($sel);
                    $total_records = mysql_num_rows($result);
                    $pages = ceil($total_records / $rows_per_page);
                    mysql_free_result($result);
                    $screen = $_GET["screen"];
                    if (!isset($screen)){
                        $screen = 0;
                    }
                    $start = $screen * $rows_per_page;
                    $sel = "SELECT * from dj_remix_folder order by folder_year desc LIMIT
                    $start,$rows_per_page";
                    $result_set = mysql_query($sel);

```

```

                                while($row = mysql_fetch_array($result_set)){
?>
                                <tr id="movie_folder">
                                    <td style="padding:30px; width:220px;">
                                        <a href="dj_song.php?movie=<?php echo $row['folder_id']; ?>"
style="padding:30px;"></a><br>
                                        <center><a href="dj_song.php?movie=<?php echo $row['folder_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row['folder_name'].
("$row['folder_year'].")"; ?></a><hr />
                                        <form action="lib/my_album.php" method="post">
                                            <input type="hidden" name="folder_id" value="<?php echo
$row['folder_id'];?>">
                                            <input type="hidden" name="category" value="dj_remix" />
                                            <input type="submit" name="add_album" value="Add to My Album" />
                                        </form></center>
                                    </td>
                                </tr>
                                <?php
                                }
                                ?>
                                </td>
                            </tr>
                        </table>
<center>
    <?php
    $result = mysql_query($sel);
    $rows = mysql_num_rows($result);
    echo "<p></p>\n";
    // let's create the dynamic links now
    if ($screen > 0) {
        $screen = $screen - 1;
        ?><a href="dj_folder.php?screen=<?php echo $screen;?>">Previous</a>
        <?php
        }
        // page numbering links now
        for ($i = 0; $i < $pages; $i++) {
            ?> | <a href="dj_folder.php?screen=<?php echo $i;?>"><?php echo $i;?></a> |
            <?php
            }
            if ($screen < $pages) {
                $screen = $screen + 1;

```

```

        ?><a href="dj_folder.php?screen=<?php echo $screen;?>">Next</a><br />
        <?php
        }
        ?>
</center>
</div>
        <?php
        include'include/footer.php';
        ?>
</div>
</body>
</html>

```

punjabi folder.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<title>Punjabi Music</title>
</head>
<body>
<div id="container">
        <?php
        include'include/header.php';
        ?>
        <div id="navigator">
        <hr style="margin:0px;"/>
                &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> <b>>> Punjabi Music</b>
        <hr style="margin:0px;"/>
        </div>
        <?php
        include'include/search.php';
        include'include/section1.php';

```

```

?>
<div id="section2">
    <div id="folder_head">Punjabi Music</div>
    <table style="background-color:#FFF; padding:5px;">
        <tr style="text-align:center;">
            <td>
                <?php
                    include('include/dbconfig.php');

                    $rows_per_page = 12;
                    $sel = "SELECT * FROM punjabi_folder";
                    $result = mysql_query($sel);
                    $total_records = mysql_num_rows($result);
                    $pages = ceil($total_records / $rows_per_page);
                    mysql_free_result($result);
                    $screen = $_GET["screen"];
                    if (!isset($screen)){
                        $screen = 0;
                    }
                    $start = $screen * $rows_per_page;
                    $sel = "SELECT * from punjabi_folder order by folder_year desc LIMIT
$start,$rows_per_page";
                    $result_set = mysql_query($sel);
                    while($row = mysql_fetch_array($result_set)){
                        ?>
                            <tr id="movie_folder">
                                <td style="padding:30px; width:220px;">
                                    <a href="punjabi_song.php?movie=<?php echo $row['folder_id']; ?>"
style="padding:30px;"></a><br>
                                    <center><a href="punjabi_song.php?movie=<?php echo $row['folder_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row['folder_name'].
("$row['folder_year'].")"; ?></a><hr />
                                    <form action="lib/my_album.php" method="post">
                                        <input type="hidden" name="folder_id" value="<?php echo
$row['folder_id'];?>">
                                        <input type="hidden" name="catagory" value="punjabi" />
                                        <input type="submit" name="add_album" value="Add to My Album" />
                                    </form></center>
                                </td>
                            </tr>
                        <?php
                    }

```

```

        ?>
    </td>
</tr>
</table>
<center>
    <?php
    $result = mysql_query($sel);
    $rows = mysql_num_rows($result);
    echo "<p></p>\n";
    // let's create the dynamic links now
    if ($screen > 0) {
        $screen = $screen - 1;
        ?><a href="punjabi_folder.php?screen=<?php echo $screen;?>">Previous</a>
        <?php
        }
        // page numbering links now
        for ($i = 0; $i < $pages; $i++) {
            ?> | <a href="punjabi_folder.php?screen=<?php echo $i;?>"><?php echo $i;?></a> |
            <?php
            }
            if ($screen < $pages) {
                $screen = $screen + 1;
                ?><a href="punjabi_folder.php?screen=<?php echo $screen;?>">Next</a><br />
                <?php
                }
            ?>
        </center>
    </div>
    <?php
    include'include/footer.php';
    ?>
</div>
</body>
</html>

```

Bm song.php

```

<?php
include('include/dbconfig.php');
$movie = $_GET["movie"];
$pic_name = "SELECT * from bollywood_music_movie where movie_id='$movie'";
$query_pic = mysql_query($pic_name);

```



```

        $row_pic = mysql_fetch_array($query_pic);
    ?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title><?php echo $row_pic['movie_name']. " (".$row_pic['movie_year'].")"; ?></title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<script>
$(".playback").click(function(e) {
    // pause all other tracks
    $('audio').each(function () {
        var song = this;
        if (!song.paused) { song.pause(); }
    });
    // play the audio associated with this element
    this.play();
});
</script>
</head>
<body>
<div id="container">
    <?php
    include'include/header.php';
    ?>
    <div id="navigator">
        <hr style="margin:0px;"/>
        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <a href="bm_folder.php">Bollywood
        Music</a> >> <b><?php echo $row_pic['movie_name']. " (".$row_pic['movie_year'].")"; ?></b>
        <hr style="margin:0px;"/>
    </div>
    <?php
    include'include/search.php';
    include'include/section1.php';
    ?>
    <div id="section2">
        <table id="feature" cellspacing="1" width="800">
            <tr>

```

```
 <?php echo $row_pic['movie_name']. " ( ".$row_pic['movie_year']. ");?></td> </tr> <tr bgcolor="#CCC"> <?php if(isset($_GET["movie"])){ $songname = ""; $movie = $_GET["movie"]; $rows_per_page = 6; $sel = "SELECT * FROM bollywood_music_song"; $result = mysql_query($sel); $total_records = mysql_num_rows($result); $pages = ceil($total_records / $rows_per_page); mysql_free_result($result); $screen = $_GET["screen"]; if (!isset($screen)){ $screen = 0; } $start = $screen * $rows_per_page; $pic_name = "SELECT * from bollywood_music_movie where movie_id='$movie'";  $query_pic = mysql_query($pic_name); $row_pic = mysql_fetch_array($query_pic); ?>  <td style="padding-top:10px; padding-bottom:10px; text-align:center;"></td> <td style="vertical-align:top; font-family:Arial, Helvetica, sans-serif; font-size:16px; padding-left:10px; padding-top:20px;"> <b> Starring : </b><?php echo $row_pic['star1']. " , ".$row_pic['star2'];?><br /> <b> Director : </b><?php echo $row_pic['director'];?><br /> <b> Music Director : </b><?php echo $row_pic['music_director'];?><br /> <b> Composer : </b><?php echo $row_pic['composer'];?> </td> </tr> </table> <table id="feature" width="800" cellspacing="1"> <tr>  <td colspan="3" id="folder_head">Song List</td>  </tr> <?php | |
```

```

        $sql="SELECT * FROM bollywood_music_song WHERE
movie_id='$movie' LIMIT $start,$rows_per_page";
        $query = mysql_query($sql);
        $i=1;
        $total_size = 0;
        while($row = mysql_fetch_array($query)){
            ?>
            <tr bgcolor="#CCC">
                <td style="padding:5px; font-family:Arial, Helvetica, sans-serif;
font-size:14px; text-decoration:none;">
                    
                    <?php
                    echo $i.") <b>".$row["song_name"]."</b><br>";
                    echo "<i>singer : "?><a href="singer_song.php?singer=<?php
echo $row['singer'];?>"><?php echo $row['singer'];?></a><br /><?php
                    echo "size : ".$row['size']." mb</i>";
                    $total_size = $total_size + $row['size'];
                    ?>
                </td>
                <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif; font-
size:14px; vertical-align:middle;">
                    <a href="lib/download_song_bm.php?song_id=<?php echo $row['song_id']; ?>"></a>
                    <form action="lib/my_playlist.php" method="post">
                    <input type="hidden" name="song_id" value="<?php echo $row['song_id'];?>">
                    <input type="hidden" name="catagory" value="bollywood_music" />
                    <input type="submit" name="add_song" value="Add to My Playlist" />
                    </form></td>
                <td id="song_list">
                    <audio controls="controls" class="playback">
                        <source src="uploads/song/bollywood_music/<?php echo
$row['song_name']. ".mp3"; ?>" type="audio/mpeg">
                    </audio>
                </td>
            </tr>
            <?php
            $i++;
        }
    }
    ?>
</table>

```

```

<table id="feature" width="800" cellspacing="1">
  <tr>
    <td id="folder_head">Download All in One - Zip Link</td>
  </tr>
  <tr bgcolor="#CCC">
    <td id="song_list">
      <a href="lib/download_folder_bm.php?folder_id=<?php echo $movie;?>"><?php echo
$row_pic['movie_name'].      (".$row_pic['movie_year'].") Mp3 Songs Zip Download
(".$total_size." MB);?></a>
    </td>
  </tr>
</table>
<center>
  <?php
$result = mysql_query($sel);
$rows = mysql_num_rows($result);
echo "<p></p>\n";
// let's create the dynamic links now
if ($screen > 0) {
    $screen = $screen - 1;
    ?><a href="bm_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$screen;?>">Previous</a>
    <?php
    }
    // page numbering links now
    for ($i = 0; $i < $pages; $i++) {
        ?> | <a href="bm_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$i;?>"><?php echo $i;?></a> |
        <?php
        }
        if ($screen < $pages) {
            $screen = $screen + 1;
            ?><a href="bm_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$screen;?>">Next</a><br />
            <?php
            }
        ?>
    </center>
  </div>
  <?php
  include'include/footer.php';

```

```
?>
</div>
</body>
</html>
```

Dj_song.php

```
<?php
    include('include/dbconfig.php');
    $movie = $_GET["movie"];
    $pic_name = "SELECT * from dj_remix_folder where folder_id='$movie'";
    $query_pic = mysql_query($pic_name);
    $row_pic = mysql_fetch_array($query_pic);
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title><?php echo $row_pic['folder_name']." (".$row_pic['folder_year'].")"; ?></title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<script>
    $("audio").on("play", function(){
    var _this = $(this);
    $("audio").each(function(i,el){
        if(!$(el).is(_this))
            $(el).get(0).pause();
    });
    });
</script>
</head>
<body>
<div id="container">
    <?php
    include'include/header.php';
    ?>
    <div id="navigator">
    <hr style="margin:0px;"/>
```

```

        &nbsp;&nbsp; <a href="index.php">Home</a> >> <a href="dj_folder.php">DJ Remix
Mp3 Songs</a> >> <b><?php echo $row_pic['folder_name']. " (".$row_pic['folder_year'].")";
?></b>
        <hr style="margin:0px;"/>
        </div>
        <?php
        include'include/search.php';
        include'include/section1.php';
        ?>
        <div id="section2">
                <table id="feature" cellspacing="1" width="800">
                        <tr>
                                <td id="folder_head"><?php echo $row_pic['folder_name'].
(".$row_pic['folder_year'].")";?></td>
                                </tr>
                                <tr bgcolor="#CCC">
                                        <?php
                                                if(isset($_GET["movie"])){
                                                        $songname = "";
                                                        $movie = $_GET["movie"];
                                                        $rows_per_page = 6;
                                                        $sel = "SELECT * FROM dj_remix_song";
                                                        $result = mysql_query($sel);
                                                        $total_records = mysql_num_rows($result);
                                                        $pages = ceil($total_records / $rows_per_page);
                                                        mysql_free_result($result);
                                                        $screen = $_GET["screen"];
                                                        if (!isset($screen)){
                                                                $screen = 0;
                                                        }
                                                        $start = $screen * $rows_per_page;
                                                        $pic_name = "SELECT * from dj_remix_folder where
folder_id='$movie'";
                                                        $query_pic = mysql_query($pic_name);
                                                        $row_pic = mysql_fetch_array($query_pic);
                                                        ?>
                                <td style="padding-top:10px; padding-bottom:10px; text-align:center;"></td>
                                </tr>
                        </table>

```

```

<table id="feature" width="800" cellspacing="1">
  <tr>
    <td colspan="3" id="folder_head">Song List</td>
  </tr>
  <?php
    $sql="SELECT * FROM dj_remix_song WHERE
folder_id='$movie' LIMIT $start,$rows_per_page";
    $query = mysql_query($sql);
    $i=1;
    $total_size = 0;
    while($row = mysql_fetch_array($query)){
      $song_id = $row["song_id"];
      ?>
    <tr bgcolor="#CCC">
      <td style="padding:5px; font-family:Arial, Helvetica, sans-serif;
font-size:14px;">
        
        <?php
          echo $i.") <b>".$row["song_name"]."</b><br>";
          echo "<i>singer : "?><a href="singer_song.php?singer=<?php
echo $row['singer']"?>"><?php echo $row['singer']"?></a><br /><?php
          echo "size : ".$row['size']." mb</i>";
          $total_size = $total_size + $row['size'];
          ?>
        </td>
        <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif; font-
size:14px; vertical-align:middle;">
          <a href="lib/download_song_dj.php?song_id=<?php echo $row['song_id']; ?>"></a>
          <form action="lib/my_playlist.php" method="post">
            <input type="hidden" name="song_id" value="<?php echo $row['song_id']; ?>">
            <input type="hidden" name="catagory" value="dj_remix" />
            <input type="submit" name="add_song" value="Add to My Playlist" />
          </form></td>
        <td id="song_list">
          <audio controls="controls">
            <source src="uploads/song/dj_remix/<?php echo
$row['song_name']. ".mp3"; ?>" type="audio/mpeg">
          </audio>
        </td>
      </tr>

```

```

        <?php
        $i++;
        }
        }
        ?>

</table>
<table id="feature" width="800" cellspacing="1">
    <tr>
        <td id="folder_head">Download All in One - Zip Link</td>
    </tr>
    <tr bgcolor="#CCC">
        <td id="song_list">
            <a href="lib/download_folder_dj.php?folder_id=<?php echo $movie;?>"><?php echo
$row_pic['folder_name'].      (".$row_pic['folder_year'].") Mp3 Songs Zip Download
(".$total_size." MB);?></a>
        </td>
    </tr>
</table>
<center>
    <?php
    $result = mysql_query($sel);
    $rows = mysql_num_rows($result);
    echo "<p></p>\n";
    // let's create the dynamic links now
    if ($screen > 0) {
        $screen = $screen - 1;
        ?><a href="dj_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$screen;?>">Previous</a>
        <?php
        }
        // page numbering links now
        for ($i = 0; $i < $pages; $i++) {
            ?> | <a href="dj_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$i;?>"><?php echo $i;?></a> |
            <?php
            }
            if ($screen < $pages) {
                $screen = $screen + 1;
                ?><a href="dj_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$screen;?>">Next</a><br />
            <?php

```



```

    }
    ?>
</center>
</div>
    <?php
        include'include/footer.php';
    ?>
</div>
</body>
</html>

```

Punjabi song.php

```

<?php
    include('include/dbconfig.php');
    $movie = $_GET["movie"];
    $pic_name = "SELECT * from punjabi_folder where folder_id='$movie'";
    $query_pic = mysql_query($pic_name);
    $row_pic = mysql_fetch_array($query_pic);
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title><?php echo $row_pic['folder_name']." (".$row_pic['folder_year'].")"; ?></title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<script>
    $("audio").on("play", function(){
        var _this = $(this);
        $("audio").each(function(i,el){
            if(!$(el).is(_this))
                $(el).get(0).pause();
        });
    });
</script>
</head>

```

```

<body>
<div id="container">
    <?php
    include'include/header.php';
    ?>
    <div id="navigator">
    <hr style="margin:0px;"/>
        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <a href="punjabi_folder.php">Punjabi
Music</a> >> <b><?php echo $row_pic['folder_name']. " ( ".$row_pic['folder_year'].")"; ?></b>
    <hr style="margin:0px;"/>
    </div>
    <?php
    include'include/search.php';
    include'include/section1.php';
    ?>
    <div id="section2">
        <table id="feature" cellpadding="1" width="800">
            <tr>
                <td id="folder_head"><?php echo $row_pic['folder_name'].
(" ".$row_pic['folder_year'].")";?></td>
            </tr>
            <tr bgcolor="#CCC">
                <?php
                    if(isset($_GET["movie"])){
                        $songname = "";
                        $movie = $_GET["movie"];
                        $rows_per_page = 6;
                        $sel = "SELECT * FROM punjabi_song";
                        $result = mysql_query($sel);
                        $total_records = mysql_num_rows($result);
                        $pages = ceil($total_records / $rows_per_page);
                        mysql_free_result($result);
                        $screen = $_GET["screen"];
                        if (!isset($screen)){
                            $screen = 0;
                        }
                        $start = $screen * $rows_per_page;
                        $pic_name = "SELECT * from punjabi_folder where folder_id='$movie'";
                        $query_pic = mysql_query($pic_name);
                        $row_pic = mysql_fetch_array($query_pic);
                    }
                </?php

```

```
 </td> </tr> </table> <table id="feature" width="800" cellspacing="1"> |
```

```

<source src="uploads/song/punjabi_music/<?php echo
$row['song_name'].'.mp3"; ?>" type="audio/mpeg">
</audio>
</td>
</tr>
<?php
$i++;
}
}
?>
</table>
<table id="feature" width="800" cellspacing="1">
<tr>
<td id="folder_head">Download All in One - Zip Link</td>
</tr>
<tr bgcolor="#CCC">
<td id="song_list">
<a href="lib/download_folder_punjabi.php?folder_id=<?php echo $movie;?>"><?php echo
$row_pic['folder_name']. " (".$row_pic['folder_year'].") Mp3 Songs Zip Download
(".$total_size." MB);?></a>
</td>
</tr>
</table>
<center>
<?php
$result = mysql_query($sel);
$rows = mysql_num_rows($result);
echo "<p></p>\n";
// let's create the dynamic links now
if ($screen > 0) {
    $screen = $screen - 1;
    ?><a href="punjabi_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$screen;?>">Previous</a>
    <?php
    }
    // page numbering links now
    for ($i = 0; $i < $pages; $i++) {
        ?> | <a href="punjabi_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$i;?>"><?php echo $i;?></a> |
        <?php
        }
    }

```

```

        if ($screen < $pages) {
            $screen = $screen + 1;
            ?><a href="punjabi_song.php?movie=<?php echo $movie;?>&screen=<?php echo
$screen;?>">Next</a><br />
            <?php
            }
            ?>
        </center>
    </div>
    <?php
    include'include/footer.php';
    ?>
</div>
</body>
</html>

```

Singer.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<title>Singers</title>
</head>
<body>
<div id="container">
    <?php
    include'include/header.php';
    ?>
    <div id="navigator">
        <hr style="margin:0px;"/>
        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>Singers</b>
        <hr style="margin:0px;"/>
    </div>
    <?php

```

```

include'include/search.php';
    include'include/section1.php';
?>
<div id="section2">
    <table id="feature" cellspacing="1" width="800">
        <tr>
            <td colspan="2" id="folder_head">Singers</td>
        </tr>
    <?php
        include('include/dbconfig.php');
        $rows_per_page = 20;
        $sel = "SELECT singer from bollywood_music_song UNION
SELECT singer from dj_remix_song UNION SELECT singer from punjabi_song UNION SELECT
singer from indianpop_song UNION SELECT singer from instrumental_song";
        $result = mysql_query($sel);
        $total_records = mysql_num_rows($result);
        $pages = ceil($total_records / $rows_per_page);
        mysql_free_result($result);
        $screen = $_GET["screen"];
        if (!isset($screen)){
            $screen = 0;
        }
        $start = $screen * $rows_per_page;
        $sel_s = "SELECT singer from bollywood_music_song UNION
SELECT singer from dj_remix_song UNION SELECT singer from punjabi_song UNION SELECT
singer from indianpop_song UNION SELECT singer from instrumental_song LIMIT $start,20";
        $result_set_s = mysql_query($sel_s);
        $j=1;
        while($row_s1 = mysql_fetch_array($result_set_s)){
            ?>
            <tr bgcolor="#CCC">
                <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-
size:14px;">&nbsp;&nbsp;&nbsp;<a href="singer_song.php?singer=<?php echo
$row_s1['singer'];?>"><?php echo $j." ". $row_s1['singer']; ?></a></td>
            </tr>
            <?php
                $j++;
            }
            ?>
        </table>
</center>
<?php

```

```

$result = mysql_query($sel);
$rows = mysql_num_rows($result);
echo "<p></p>\n";
// let's create the dynamic links now
if ($screen > 0) {
    $screen = $screen - 1;
    ?><a href="singer.php?screen=<?php echo $screen;?>">Previous</a>
    <?php
}
// page numbering links now
for ($i = 0; $i < $pages; $i++) {
    ?> | <a href="singer.php?screen=<?php echo $i;?>"><?php echo $i;?></a> |
    <?php
}
if ($screen < $pages) {
    $screen = $screen + 1;
    ?><a href="singer.php?screen=<?php echo $screen;?>">Next</a><br />
    <?php
}
?>
</center>
</div>
<?php
include'include/footer.php';
?>
</div>
</body>
</html>

```

Singer song.php

```

<?php
$singer = $_REQUEST['singer'];
?><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" type="text/css" media="all" rel="stylesheet" />
<link href="css/new_home.css" type="text/css" rel="stylesheet" media="all" />

```

[illegible]


```

        echo $i.) <b>".$row_s1["song_name"]."</b><br>";
        echo "<i>singer : "?><a href=""><?php echo
$row_s1['singer']?></a><br /><?php
        echo "size : ".$row_s1['size']." mb</i>";
        ?>
    </td>
    <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif;
font-size:14px; vertical-align:middle;">
        <a href="lib/download_song_bm.php?song_id=<?php echo $row_s1['song_id'];
?>"></a><form
action="lib/my_playlist.php" method="post">
        <input type="hidden" name="song_id" value="<?php echo $row_s1['song_id'];?>">
        <input type="hidden" name="catagory" value="bollywood_music" />
        <input type="submit" name="add_song" value="Add to My Playlist" />
    </form>
    </td>
    <td id="song_list">
        <audio controls="controls" class="playback">
            <source src="uploads/song/bollywood_music/<?php echo
$row_s1['song_name']. ".mp3"; ?>" type="audio/mpeg">
        </audio>
    </td>
</tr>
<?php
$i++;
}
while($row_s2 = mysql_fetch_array($result_set_s2)){
?>
    <tr bgcolor="#CCC">
        <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">
            
            <?php
            echo $i.) <b>".$row_s2["song_name"]."</b><br>";
            echo "<i>singer : "?><a href=""><?php echo
$row_s2['singer']?></a><br /><?php
            echo "size : ".$row_s2['size']." mb</i>";
            ?>
        </td>
        <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif;
font-size:14px; vertical-align:middle;">

```

```

        <a href="lib/download_song_dj.php?song_id=<?php echo $row_s2['song_id'];
?>"></a><form
action="lib/my_playlist.php" method="post">
    <input type="hidden" name="song_id" value="<?php echo $row_s2['song_id'];?>">
    <input type="hidden" name="catagory" value="dj_remix" />
    <input type="submit" name="add_song" value="Add to My Playlist" />
</form>

</td>
<td id="song_list">
    <audio controls="controls" class="playback">
        <source src="uploads/song/dj_remix/<?php echo
$row_s2['song_name']").mp3"; ?>" type="audio/mpeg">
    </audio>
</td>
</tr>

<?php
$i++;
}
while($row_s3 = mysql_fetch_array($result_set_s3)){
?>

<tr bgcolor="#CCC">
    <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">
        
        <?php
        echo $i.") <b>".$row_s3["song_name"]."</b><br>";
        echo "<i>singer : "><a href=""><?php echo $row_s3['singer']?></a><br /><?php
        echo "size : ".$row_s3['size']." mb</i>";
        ?>
    </td>
    <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif;
font-size:14px; vertical-align:middle;">
        <a href="lib/download_song_indianpop.php?song_id=<?php echo
$row_s3['song_id']; ?>"></a><form
action="lib/my_playlist.php" method="post">
            <input type="hidden" name="song_id" value="<?php echo $row_s3['song_id'];?>">
            <input type="hidden" name="catagory" value="punjabi" />
            <input type="submit" name="add_song" value="Add to My Playlist" />
        </form>
    </td>
    <td id="song_list">
        <audio controls="controls" class="playback">

```

```

        <source src="uploads/song/indianpop_music/<?php echo
$row_s3['song_name']. ".mp3"; ?>" type="audio/mpeg">
    </audio>
</td>
</tr>
<?php
$i++;
}

while($row_s4 = mysql_fetch_array($result_set_s4)){
    ?>

    <tr bgcolor="#CCC">
        <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">
            
            <?php
            echo $i.") <b>".$row_s4["song_name"]. "</b><br>";
            echo "<i>singer : "?><a href=""><?php echo $row_s4['singer']?></a><br /><?php
            echo "size : ".$row_s4['size']. " mb</i>";
            ?>
        </td>
        <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif;
font-size:14px; vertical-align:middle;">
            <a href="lib/download_song_instrumental.php?song_id=<?php echo
$row_s4['song_id']; ?>"></a><form
action="lib/my_playlist.php" method="post">
                <input type="hidden" name="song_id" value="<?php echo $row_s4['song_id'];?>">
                <input type="hidden" name="catagory" value="indianpop" />
                <input type="submit" name="add_song" value="Add to My Playlist" />
            </form>
        </td>
        <td id="song_list">
            <audio controls="controls" class="playback">
                <source src="uploads/song/instrumental_song/<?php echo
$row_s4['song_name']. ".mp3"; ?>" type="audio/mpeg">
            </audio>
        </td>
    </tr>
    <?php
    $i++;
}

while($row_s5 = mysql_fetch_array($result_set_s5)){
    ?>

```

```

        <tr bgcolor="#CCC">
            <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">
                
                <?php
                    echo $i.") <b>".$row_s5["song_name"]."</b><br>";
                    echo "<i>singer : "?><a href=""><?php echo $row_s5['singer']?></a><br /><?php
                    echo "size : ".$row_s5['size']." mb</i>";
                    ?>
                </td>
                <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif; font-size:14px; vertical-align:middle;">
                    <a href="lib/download_song_punjabi.php?song_id=<?php echo $row_s5['song_id']; ?>"></a><form
                    action="lib/my_playlist.php" method="post">
                        <input type="hidden" name="song_id" value="<?php echo $row_s5['song_id'];?>">
                        <input type="hidden" name="catagory" value="instrumental" />
                        <input type="submit" name="add_song" value="Add to My Playlist" />
                    </form>
                </td>
                <td id="song_list">
                    <audio controls="controls" class="playback">
                        <source src="uploads/song/punjabi_music/<?php echo
                        $row_s5['song_name']. ".mp3"; ?>" type="audio/mpeg">
                    </audio>
                </td>
            </tr>
            <?php
                $i++;
            }
            ?>
        </table>
    </div>
    <?php
        include('include/footer.php');
        ?>
    </div>
</body>
</html>

```

Director.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<title>Directors</title>
</head>
<body>
<div id="container">
    <?php
    include'include/header.php';
    ?>
    <div id="navigator">
    <hr style="margin:0px;"/>
        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>Directors</b>
    <hr style="margin:0px;"/>
    </div>
    <?php
    include'include/search.php';
    include'include/section1.php';
    ?>
    <div id="section2">
        <table id="feature" cellspacing="1" width="800">
            <tr>
                <td colspan="2" id="folder_head">Directors</td>
            </tr>
        </table>
    <?php
    include('include/dbconfig.php');

    $rows_per_page = 30;
    $sel = "SELECT * FROM bollywood_music_movie";
    $result = mysql_query($sel);
    $total_records = mysql_num_rows($result);
    $pages = ceil($total_records / $rows_per_page);
```

```

        mysql_free_result($result);
        $screen = $_GET["screen"];
        if (!isset($screen)){
            $screen = 0;
        }
        $start = $screen * $rows_per_page;
        $sel = "SELECT DISTINCT director from bollywood_music_movie order by director LIMIT
        $start,$rows_per_page";

        $result_set = mysql_query($sel);
        $i=1;
        while($row = mysql_fetch_array($result_set)){
            ?>

            <tr bgcolor="#CCC">
                <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-
                size:14px;">&nbsp;&nbsp;&nbsp;<a href="director_movie.php?director=<?php echo
                $row['director'];?>"><?php echo $i.") ".$row['director']; ?></a></td>
            </tr>
            <?php

                $i++;
            }
            ?>

        </table>

<center>
    <?php
        $result = mysql_query($sel);
        $rows = mysql_num_rows($result);
        echo "<p></p>\n";
        // let's create the dynamic links now
        if ($screen > 0) {
            $screen = $screen - 1;
            ?><a href="director.php?screen=<?php echo $screen;?>">Previous</a>
            <?php
        }
        // page numbering links now
        for ($i = 0; $i < $pages; $i++) {
            ?> | <a href="director.php?screen=<?php echo $i;?>"><?php echo $i;?></a> |
            <?php
        }
        if ($screen < $pages) {
            $screen = $screen + 1;
            ?><a href="director.php?screen=<?php echo $screen;?>">Next</a><br />
            <?php

```

```

    }
    ?>
</center>
</div>

    <?php
    include'include/footer.php';
    ?>
</div>
</body>
</html>

```

Director movie.php

```

<?php

$director = $_REQUEST['director'];

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title><?php echo $director;?></title>

</head>

<body>

```

```

<div id="container">

    <?php

    include'include/header.php';

    ?>

    <div id="navigator">

    <hr style="margin:0px;"/>

        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <a href="director.php">Directors</a> <b>>>
    <?php echo $director;?></b>

    <hr style="margin:0px;"/>

    </div>

    <?php

    include'include/search.php';

    include'include/section1.php';

    ?>

    <div id="section2">

        <div id="folder_head"><?php echo $director;?></div>

        <table style="background-color:#FFF; padding:5px;">

            <tr style="text-align:center;">

                <td>

                    <?php

                    include('include/dbconfig.php');

                    $sel = "SELECT * from bollywood_music_movie WHERE director='$director' order by
movie_year desc LIMIT 12";

                    $result_set = mysql_query($sel);

                    while($row = mysql_fetch_array($result_set)){

                        ?>

```



```

        <tr id="movie_folder">

            <td style="padding:30px; width:220px;">

                <a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
                style="padding:30px;"></a><br>

                <center><a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
                style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row['movie_name']."
                ($.row['movie_year'].")"; ?></a><hr />

                <form action="lib/my_album.php" method="post">

                    <input type="hidden" name="folder_id" value="<?php echo $row['movie_id']; ?>">

                    <input type="hidden" name="catagory" value="bollywood_music" />

                    <input type="submit" name="add_album" value="Add to My Album" />

                </form></center>

            </td>

        </tr>

        <?php
        }
        ?>

    </td>

</tr>

</table>

</div>

<?php
    include'include/footer.php';

    ?>

</div>

</body></html>

```

Music director.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title>Music Directors</title>

</head>

<body>

<div id="container">

    <?php

    include'include/header.php';

    ?>

    <div id="navigator">

        <hr style="margin:0px;"/>

        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>Music Directors</b>

        <hr style="margin:0px;"/>

    </div>

    <?php
```

```

include'include/search.php';

    include'include/section1.php';

?>

<div id="section2">

    <table id="feature" cellpadding="1" width="800">

        <tr>

            <td colspan="2" id="folder_head">Music Directors</td>

        </tr>

        <?php

            include('include/dbconfig.php');


            $rows_per_page = 30;

            $sel = "SELECT * FROM bollywood_music_movie";

            $result = mysql_query($sel);

            $total_records = mysql_num_rows($result);

            $pages = ceil($total_records / $rows_per_page);

            mysql_free_result($result);

            $screen = $_GET["screen"];

            if (!isset($screen)){

                $screen = 0;

            }

            $start = $screen * $rows_per_page;

            $sel = "SELECT DISTINCT music_director from bollywood_music_movie
order by music_director LIMIT $start,$rows_per_page";

            $result_set = mysql_query($sel);

            $i=1;

```

```

        while($row = mysql_fetch_array($result_set)){

            ?>

            <tr bgcolor="#CCC">

                <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-
size:14px;">&nbsp;&nbsp;&nbsp;<a href="music_director_movie.php?md=<?php echo
$row['music_director'];?>"><?php echo $i." " . $row['music_director']; ?></a></td>

            </tr>

            <?php

                $i++;

            }

            ?>

        </table>

<center>

    <?php

        $result = mysql_query($sel);

        $rows = mysql_num_rows($result);

        echo "<p></p>\n";

        // let's create the dynamic links now

        if ($screen > 0) {

            $screen = $screen - 1;

            ?><a href="music_director.php?screen=<?php echo $screen;?>">Previous</a>

            <?php

        }

        // page numbering links now

        for ($i = 0; $i < $pages; $i++) {

            ?> | <a href="music_director.php?screen=<?php echo $i;?>"><?php echo $i;?></a> |

```

```

        <?php
        }
        if ($screen < $pages) {
            $screen = $screen + 1;
            ?><a href="music_director.php?screen=<?php echo $screen;?>">Next</a><br />
            <?php
            }
            ?>
        </center>
        </div>

        <?php
        include'include/footer.php';
        ?>
    </div>
</body>
</html>

```

Music director movie.php

```

<?php
$md = $_REQUEST['md'];
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

```

```

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title><?php echo $md;?></title>

</head>

<body>

<div id="container">

    <?php

    include'include/header.php';

    ?>

    <div id="navigator">

        <hr style="margin:0px;"/>

        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <a href="music_director.php">Music
Directors</a> <b>>> <?php echo $md;?></b>

        <hr style="margin:0px;"/>

    </div>

    <?php

    include'include/search.php';

    include'include/section1.php';

    ?>

    <div id="section2">

        <div id="folder_head"><?php echo $md;?></div>

        <table style="background-color:#FFF; padding:5px;">

            <tr style="text-align:center;">

```

```

<td>

    <?php

    include('include/dbconfig.php');

    $sel = "SELECT * from bollywood_music_movie WHERE music_director='$md' LIMIT 12";

    $result_set = mysql_query($sel);

        while($row = mysql_fetch_array($result_set)){

            ?>

            <tr id="movie_folder">

                <td style="padding:30px; width:220px;">

                    <a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
                    style="padding:30px;"></a><br>

                    <center><a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
                    style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row['movie_name'].
                    (".$row['movie_year']."); ?></a><hr />

                    <form action="lib/my_album.php" method="post">

                    <input type="hidden" name="folder_id" value="<?php echo $row['movie_id']; ?>">

                    <input type="hidden" name="catagory" value="bollywood_music" />

                    <input type="submit" name="add_album" value="Add to My Album" />

                    </form></center>

                </td>

            </tr>

            <?php

            }

            ?>

        </td>

    </tr>

```

```

        </table>

    </div>

<?php
    include'include/footer.php';

?>

</div>

</body>

</html>

```

Composer.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title>Composers</title>

</head>

<body>

<div id="container">

    <?php

        include'include/header.php';

```



```

?>

<div id="navigator">

<hr style="margin:0px;"/>

    &nbsp;&nbsp; <a href="index.php">Home</a> >> <b>Composers</b>

<hr style="margin:0px;"/>

</div>

<?php
include'include/search.php';

    include'include/section1.php';

?>

<div id="section2">

    <table id="feature" cellspacing="1" width="800">

        <tr>

            <td colspan="2" id="folder_head">Composers</td>

        </tr>

        <?php

            include('include/dbconfig.php');

            $rows_per_page = 30;

            $sel = "SELECT * FROM bollywood_music_movie";

            $result = mysql_query($sel);

            $total_records = mysql_num_rows($result);

            $pages = ceil($total_records / $rows_per_page);

            mysql_free_result($result);

            $screen = $_GET["screen"];

            if (!isset($screen)){

```

```

        $screen = 0;

    }

    $start = $screen * $rows_per_page;

    $sel = "SELECT DISTINCT composer from bollywood_music_movie order by composer LIMIT
    $start,$rows_per_page";

    $result_set = mysql_query($sel);

    $i=1;

    while($row = mysql_fetch_array($result_set)){

        ?>

        <tr bgcolor="#CCC">

            <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-
            size:14px;">&nbsp;&nbsp;&nbsp;<a href="composer_movie.php?composer=<?php echo
            $row['composer'];?>"><?php echo $i." " . $row['composer']; ?></a></td>

            </tr>

            <?php

                $i++;

            }

            ?>

        </table>

    <center>

        <?php

            $result = mysql_query($sel);

            $rows = mysql_num_rows($result);

            echo "<p></p>\n";

            // let's create the dynamic links now

            if ($screen > 0) {

                $screen = $screen - 1;

```

```

?><a href="composer.php?screen=<?php echo $screen;?>">Previous</a>

<?php
}

// page numbering links now
for ($i = 0; $i < $pages; $i++) {

    ?> | <a href="composer.php?screen=<?php echo $i;?>"><?php echo $i;?></a> |

<?php
}

if ($screen < $pages) {

    $screen = $screen + 1;

    ?><a href="composer.php?screen=<?php echo $screen;?>">Next</a><br />

    <?php
}

?>

</center>

</div>

<?php

include'include/footer.php';

?>

</div>

</body>

</html>

```

Composer movie.php

```
<?php

$composer = $_REQUEST['composer'];

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title><?php echo $composer;?></title>

</head>

<body>

<div id="container">

    <?php

    include'include/header.php';

    ?>

    <div id="navigator">

        <hr style="margin:0px;" />

        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <a href="composer.php">Composers</a>
    <b>>> <?php echo $composer;?></b>

        <hr style="margin:0px;" />

    </div>

</div>

</body>

</html>
```

```

        </div>

<?php
include'include/search.php';

include'include/section1.php';

?>

<div id="section2">

        <div id="folder_head"><?php echo $composer;?></div>

        <table style="background-color:#FFF; padding:5px;">

                <tr style="text-align:center;">

                        <td>

                                <?php

                                        include('include/dbconfig.php');

                                        $sel = "SELECT * from bollywood_music_movie WHERE composer='$composer' order by
movie_year desc LIMIT 12";

                                        $result_set = mysql_query($sel);

                                        while($row = mysql_fetch_array($result_set)){

                                                ?>

                                                <tr id="movie_folder">

                                                        <td style="padding:30px; width:220px;">

                                                                <a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
style="padding:30px;"></a><br>

                                                                <center><a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row['movie_name'].
("$row['movie_year'].")"; ?></a><hr />

                                                                <form action="lib/my_album.php" method="post">

                                                                <input type="hidden" name="folder_id" value="<?php echo $row['movie_id']; ?>">

```

```

        <input type="hidden" name="catagory" value="bollywood_music" />

        <input type="submit" name="add_album" value="Add to My Album" />

    </form></center>

</td>

</tr>

<?php
}

?>

</td>

</tr>

</table>

</div>

<?php
include'include/footer.php';

?>

</div></body></html>

```

Star.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

```

```

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title>Stars</title>

</head>

<body>

<div id="container">

    <?php

include'include/header.php';

    ?>

<div id="navigator">

<hr style="margin:0px;"/>

    &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>Stars</b>

<hr style="margin:0px;"/>

    </div>

<?php

include'include/search.php';

    include'include/section1.php';

    ?>

<div id="section2">

    <table id="feature" cellspacing="1" width="800">

        <tr>

            <td colspan="2" id="folder_head">Stars</td>

        </tr>

        <?php

            include('include/dbconfig.php');

            $rows_per_page = 20;

```

```

$sel = "SELECT * FROM bollywood_music_movie";

$result = mysql_query($sel);

$total_records = mysql_num_rows($result);

$pages = ceil($total_records / $rows_per_page);

mysql_free_result($result);

$screen = $_GET["screen"];

if (!isset($screen)){

    $screen = 0;

}

$start = $screen * $rows_per_page;

$sel1 = "SELECT DISTINCT star1 from bollywood_music_movie LIMIT $start,10";

$sel2 = "SELECT DISTINCT star2 from bollywood_music_movie LIMIT $start,10";

$result_set1 = mysql_query($sel1);

$result_set2 = mysql_query($sel2);

$i=1;

while($row1 = mysql_fetch_array($result_set1)){

    ?>

    <tr bgcolor="#CCC">

        <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-
size:14px;">&nbsp;&nbsp;&nbsp;&nbsp;<a href="star1_movie.php?star1=<?php echo $row1['star1'];?>"><?php echo
$i.") ".$row1['star1']; ?></a></td>

    </tr>

    <?php

        $i++;

    }

    while($row2 = mysql_fetch_array($result_set2)){

```



```

        ?>

        <tr bgcolor="#CCC">

            <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-
size:14px;">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<a href="star2_movie.php?star2=<?php echo $row2['star2'];?>"><?php echo
$i.") ".$row2['star2']; ?></a></td>

        </tr>

        <?php

            $i++;

        }

        ?>

    </table>

<center>

    <?php

        $result = mysql_query($sel);

        $rows = mysql_num_rows($result);

        echo "<p></p>\n";

        // let's create the dynamic links now

        if ($screen > 0) {

            $screen = $screen - 1;

            ?><a href="star.php?screen=<?php echo $screen;?>">Previous</a>

            <?php

        }

        // page numbering links now

        for ($i = 0; $i < $pages; $i++) {

            ?> | <a href="star.php?screen=<?php echo $i;?>"><?php echo $i;?></a> |

            <?php

```

```

    }

    if ($screen < $pages) {

        $screen = $screen + 1;

        ?><a href="star.php?screen=?php echo $screen;?>">Next</a><br />

        <?php
    }

    ?>

</center>

</div>

    <?php

    include'include/footer.php';

    ?>

</div>

</body></html>

```

Star1 movie.php

```

<?php

$star1 = $_REQUEST['star1'];

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

```

```

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title><?php echo $star1;?></title>

</head>

<body>

<div id="container">

    <?php

    include'include/header.php';

    ?>

    <div id="navigator">

        <hr style="margin:0px;"/>

        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >><a href="star.php">Stars</a> <b>>> <?php
echo $star1;?></b>

        <hr style="margin:0px;"/>

    </div>

    <?php

    include'include/search.php';

    include'include/section1.php';

    ?>

    <div id="section2">

        <div id="folder_head"><?php echo $star1;?></div>

        <table style="background-color:#FFF; padding:5px;">

            <tr style="text-align:center;">

                <td>

                    <?php

                    include('include/dbconfig.php');

```

```
$sel = "SELECT * from bollywood_music_movie WHERE star1='$star1' order by movie_year  
desc LIMIT 12";
```

```
$result_set = mysql_query($sel);
```

```
while($row = mysql_fetch_array($result_set)){
```

```
?>
```

```
<tr id="movie_folder">
```

```
<td style="padding:30px; width:220px;">
```

```
<a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"  
style="padding:30px;"></a><br>
```

```
<center><a href="bm_song.php?movie=<?php echo $row['movie_id']; ?>"  
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row['movie_name']. "  
($row['movie_year'])."; ?></a><hr />
```

```
<form action="lib/my_album.php" method="post">
```

```
<input type="hidden" name="folder_id" value="<?php echo $row['movie_id']; ?>">
```

```
<input type="hidden" name="catagory" value="bollywood_music" />
```

```
<input type="submit" name="add_album" value="Add to My Album" />
```

```
</form></center>
```

```
</td>
```

```
</tr>
```

```
<?php
```

```
}
```

```
?>
```

```
</td>
```

```
</tr>
```

```
</table>
```

```
</div>
```

```
<?php
    include'include/footer.php';

    ?>

</div></body></html>
```

My playlist.php

```
<?php
include'lib/login.php';

if($_SESSION['username']==''){

    ?>

    <script>

        alert("First you have to log in to access this page.");

        window.history.back();

    </script>

    <?php
}

else{

    $username = $_SESSION['username'];

    $sel_user = mysql_query("SELECT * FROM user WHERE username='$username'");

    $row_user = mysql_fetch_array($sel_user);

    $id = $row_user['id'];

    ?>

    <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

    <html xmlns="http://www.w3.org/1999/xhtml">

    <head>

    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
```

```

<link href="css/container.css" type="text/css" media="all" rel="stylesheet" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/music_song.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<title>My Playlist</title>
</head>
<body>
    <div id="container">
        <?php
            include('include/header.php');
        ?>
        <div id="navigator">
            <hr style="margin:0px;" />
            &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> <b>>> My Playlist</b>
        <hr style="margin:0px;" />
        </div>
        <?php
            include('include/search.php');
            include('include/section1.php');
        ?>
        <div id="section2">
            <table id="feature" width="800" cellspacing="1">
                <tr>
                    <td colspan="3" id="folder_head">Your Playlist</td>

```

```

</tr>

<?php
include('include/dbconfig.php');

$sel_1 = "SELECT bm from my_playlist WHERE user_id='$id' LIMIT 12";

$sel_2 = "SELECT dj from my_playlist WHERE user_id='$id' LIMIT 12";

$sel_3 = "SELECT punjabi from my_playlist WHERE user_id='$id' LIMIT 12";

$sel_4 = "SELECT indianpop from my_playlist WHERE user_id='$id' LIMIT 12";

$sel_5 = "SELECT instrumental from my_playlist WHERE user_id='$id' LIMIT 12";

$result_set1 = mysql_query($sel_1);

$result_set2 = mysql_query($sel_2);

$result_set3 = mysql_query($sel_3);

$result_set4 = mysql_query($sel_4);

$result_set5 = mysql_query($sel_5);

$num1 = mysql_num_rows($result_set1);

$num2 = mysql_num_rows($result_set2);

$num3 = mysql_num_rows($result_set3);

$num4 = mysql_num_rows($result_set4);

$num5 = mysql_num_rows($result_set5);

$total_rows = $num1 + $num2 + $num3 + $num4 + $num5;

$i=1;

while($row_1 = mysql_fetch_array($result_set1)){

    $sel1 = mysql_query("SELECT * FROM bollywood_music_song WHERE
song_id=".$row_1['bm']);

    while($row1 = mysql_fetch_array($sel1)){

        ?>

<tr bgcolor="#CCC">

```

```

        <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">

        <?php

        echo $i.") <b>".$row1["song_name"]."</b><br>";

        echo "<i>singer : "?><a href="singer_song.php?singer=<?php echo $row1['singer'];?>"><?php
echo $row1['singer']?></a><br /><?php

        echo "size : ".$row1['size']." mb</i>";

        ?>

        </td>

        <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif; font-size:14px;
vertical-align:middle;">

        <a href="lib/download_song_bm.php?song_id=<?php echo $row1['song_id']; ?>"></a>                <form
action="lib/del_playlist.php" method="post">

        <input type="hidden" name="song_id" value="<?php echo $row1['song_id'];?>">

        <input type="hidden" name="catagory" value="bollywood_music" />

        <input type="submit" name="del_song" value="Delete Song" />

        </form>

                </td>

                <td id="song_list">

                <audio controls class="playback">

                <source src="uploads/song/bollywood_music/<?php echo
$row1['song_name']. ".mp3"; ?>" type="audio/mpeg">

                </audio>

                </td>

        </tr>

        <?php

```



```

        $i++;
    }

    }

    while($row_2 = mysql_fetch_array($result_set2)){
        $sel2 = mysql_query("SELECT * FROM dj_remix_song WHERE song_id=".$row_2['dj']);
        while($row2 = mysql_fetch_array($sel2)){
            ?>

<tr bgcolor="#CCC">
    <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">
        
        <?php
            echo $i.") <b>".$row2["song_name"]."</b><br>";
            echo "<i>singer : "?><a href="singer_song.php?singer=<?php echo $row2['singer'];?>"><?php
            echo $row2['singer']?></a><br /><?php
            echo "size : ".$row2['size']." mb</i>";
            ?>
        </td>

        <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif; font-size:14px;
        vertical-align:middle;">
            <a href="lib/download_song_dj.php?song_id=<?php echo $row2['song_id']; ?>"></a>
            <form
            action="lib/del_playlist.php" method="post">

                <input type="hidden" name="song_id" value="<?php echo $row2['song_id'];?>">

                <input type="hidden" name="catagory" value="dj_remix" />

                <input type="submit" name="del_song" value="Delete Song" />

            </form>

```

```

        </td>

        <td id="song_list">

            <audio controls class="playback">

                <source src="uploads/song/dj_remix/<?php echo
$row2['song_name']. ".mp3"; ?>" type="audio/mpeg">

            </audio>

        </td>

    </tr>

<?php

                $i++;

            }

        }

        while($row_3 = mysql_fetch_array($result_set3)){

            $sel3 = mysql_query("SELECT * FROM
punjabi_song WHERE song_id=".$row_3['punjabi']);

            while($row3 = mysql_fetch_array($sel3)){

                ?>

            <tr bgcolor="#CCC">

                <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">

                    <?php

                        echo $i.") <b>".$row3["song_name"]. "</b><br>";

                        echo "<i>singer : "?><a href="singer_song.php?singer=<?php echo $row3['singer'];?>"><?php
echo $row3['singer']?></a><br /><?php

                        echo "size : ".$row3['size']. " mb</i>";

                    ?>

```

```

        </td>

        <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif; font-size:14px;
vertical-align:middle;">

            <a href="lib/download_song_punjabi.php?song_id=<?php echo $row3['song_id']; ?>"></a>          <form action="lib/del_playlist.php"
method="post">

                <input type="hidden" name="song_id" value="<?php echo $row3['song_id']; ?>">

                <input type="hidden" name="catagory" value="punjabi" />

                <input type="submit" name="del_song" value="Delete Song" />

            </form>

        </td>

        <td id="song_list">

            <audio controls class="playback">

                <source src="uploads/song/punjabi_music/<?php echo
$row3['song_name']. ".mp3"; ?>" type="audio/mpeg">

            </audio>

        </td>

    </tr>

    <?php
        $i++;
    }

    }

    while($row_4 = mysql_fetch_array($result_set4)){

        $sel4 = mysql_query("SELECT * FROM
indianpop_song WHERE song_id=".$row_4['indianpop']);

        while($row4 = mysql_fetch_array($sel4)){

            ?>

```

```
|  |  |  |
| --- | --- | --- |
| <?php echo $i.") <b>".$row4["song_name"]."</b><br>"; echo "<i>singer : "?><a href="singer_song.php?singer=<?php echo $row4['singer'];?>"><?php echo $row4['singer']?></a><br /><?php echo "size : ".$row4['size']." mb</i>"; ?> </td>  <a href="lib/download_song_indianpop.php?song_id=<?php echo $row4['song_id']; ?>"></a> <form action="lib/del_playlist.php" method="post"> <input type="hidden" name="song_id" value="<?php echo $row4['song_id'];?>"> <input type="hidden" name="category" value="indianpop" /> <input type="submit" name="del_song" value="Delete Song" /> </form> </td>  <audio controls class="playback"> <source src="uploads/song/indianpop_music/<?php echo $row4['song_name']. ".mp3"; ?>" type="audio/mpeg"> </audio> </td> | | |

```

```

        <?php
            $i++;
        }

    }

    while($row_5 = mysql_fetch_array($result_set5)){

        $sel5 = mysql_query("SELECT * FROM
instrumental_song WHERE song_id=".$row_5['instrumental']);

        while($row5 = mysql_fetch_array($sel5)){

            ?>

            <tr bgcolor="#CCC">

                <td style="padding:5px; font-family:Arial, Helvetica, sans-serif; font-size:14px;">

                    <?php
                        echo $i.") <b>".$row5["song_name"]."</b><br>";

                        echo "<i>singer : "?><a href="singer_song.php?singer=<?php echo $row5['singer'];?>"><?php
echo $row5['singer']?></a><br /><?php

                        echo "size : ".$row5['size']." mb</i>";

                        ?>

                    </td>

                    <td style="padding:5px; text-align:center; font-family:Arial, Helvetica, sans-serif; font-size:14px;
vertical-align:middle;">

                        <a href="lib/download_song_instrumental.php?song_id=<?php echo $row5['song_id'];
?>"></a>          <form
action="lib/del_playlist.php" method="post">

                            <input type="hidden" name="song_id" value="<?php echo $row5['song_id'];?>">

                            <input type="hidden" name="catagory" value="instrumental" />

                            <input type="submit" name="del_song" value="Delete Song" />

```

```

        </form>

                </td>

                <td id="song_list">

                        <audio controls class="playback">

                                <source src="uploads/song/instrumental_song/<?php echo
$row5['song_name']. ".mp3"; ?>" type="audio/mpeg">

                                </audio>

                        </td>

                </tr>

        <?php

                                $i++;

                }

                                }

                                ?>

</table>

<?php

if($total_rows == 0){

    echo "&nbsp;&nbsp; Your Playlist is Empty...";

}

?>

</div>

<?php

include('include/footer.php');

?>

</div>

```

```
</body>
```

```
</html>
```

```
<?php
```

```
}
```

```
?>
```

My album.php

```
<?php
```

```
include'lib/login.php';
```

```
if($_SESSION['username']==''){
```

```
    ?>
```

```
    <script>
```

```
        alert("First you have to log in to access this page.");
```

```
        window.history.back();
```

```
    </script>
```

```
    <?php
```

```
}
```

```
else{
```

```
    $username = $_SESSION['username'];
```

```
    $sel_user = mysql_query("SELECT * FROM user WHERE username='$username'");
```

```
    $row_user = mysql_fetch_array($sel_user);
```

```
    $id = $row_user['id'];
```

```
?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
```

```
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<link href="css/container.css" type="text/css" media="all" rel="stylesheet" />
<link rel="icon" href="image/m-for-music.png" />
<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<title>My Album</title>
</head>
<body>
    <div id="container">
        <?php
            include('include/header.php');
        ?>
        <div id="navigator">
            <hr style="margin:0px;" />
            &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> <b>>> My Albums</b>
        <hr style="margin:0px;" />
        </div>
        <?php
            include('include/search.php');
            include('include/section1.php');
        ?>
        <div id="section2">
            <div id="folder_head">Your Favourite Albums</div>
            <table style="background-color:#FFF; padding:5px;">

```



```

<tr style="text-align:center;">

    <td>

        <?php

            include('include/dbconfig.php');

            $sel_1 = "SELECT bm from my_album WHERE user_id='$id' LIMIT 12";

            $sel_2 = "SELECT dj from my_album WHERE user_id='$id' LIMIT 12";

            $sel_3 = "SELECT punjabi from my_album WHERE user_id='$id' LIMIT 12";

            $sel_4 = "SELECT indianpop from my_album WHERE user_id='$id' LIMIT 12";

            $sel_5 = "SELECT instrumental from my_album WHERE user_id='$id' LIMIT 12";

            $result_set1 = mysql_query($sel_1);

            $result_set2 = mysql_query($sel_2);

            $result_set3 = mysql_query($sel_3);

            $result_set4 = mysql_query($sel_4);

            $result_set5 = mysql_query($sel_5);

            $num1 = mysql_num_rows($result_set1);

            $num2 = mysql_num_rows($result_set2);

            $num3 = mysql_num_rows($result_set3);

            $num4 = mysql_num_rows($result_set4);

            $num5 = mysql_num_rows($result_set5);

            $total_rows = $num1 + $num2 + $num3 + $num4 + $num5;

            while($row_1 = mysql_fetch_array($result_set1)){

                $sel1 = mysql_query("SELECT * FROM bollywood_music_movie WHERE
movie_id=".$row_1['bm']);

                while($row1 = mysql_fetch_array($sel1)){

                    ?>

                <tr id="movie_folder">

```

```

<td style="padding:30px; width:220px;">

    <a href="bm_song.php?movie=<?php echo $row1['movie_id']; ?>"
style="padding:30px;"></a><br>

    <center><a href="bm_song.php?movie=<?php echo $row1['movie_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row1['movie_name']."
(".$row1['movie_year'].")"; ?></a><hr />

    <form action="lib/del_album.php" method="post">

    <input type="hidden" name="folder_id" value="<?php echo $row1['movie_id']; ?>">

    <input type="hidden" name="catagory" value="bollywood_music" />

    <input type="submit" name="del_album" value="Delete Album" />

    </form>

    </center>

</td>

</tr>

<?php
}

    }

    while($row_2 = mysql_fetch_array($result_set2)){

        $sel2 = mysql_query("SELECT * FROM dj_remix_folder WHERE folder_id=".$row_2['dj']);

        while($row2 = mysql_fetch_array($sel2)){

            ?>

<tr id="movie_folder">

    <td style="padding:30px; width:220px;">

        <a href="dj_song.php?movie=<?php echo $row2['folder_id']; ?>"
style="padding:30px;"></a><br>

```

```

                <center><a href="dj_song.php?movie=<?php echo $row2['folder_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row2['folder_name'].
("$row2['folder_year']."); ?></a><hr />

                <form action="lib/del_album.php" method="post">

                <input type="hidden" name="folder_id" value="<?php echo $row2['folder_id']; ?>">

                <input type="hidden" name="catagory" value="dj_remix" />

                <input type="submit" name="del_album" value="Delete Album" />

                </form>

                </center>

        </td>

</tr>

<?php
}

        }

        while($row_3 = mysql_fetch_array($result_set3)){

                                $sel3 = mysql_query("SELECT * FROM
punjabi_folder WHERE folder_id=".$row_3['punjabi']);

                                while($row3 = mysql_fetch_array($sel3)){

                                        ?>

                                <tr id="movie_folder">

                                        <td style="padding:30px; width:220px;">

                                                <a href="punjabi_song.php?movie=<?php echo $row3['folder_id']; ?>"
style="padding:30px;"></a><br>

                                                <center><a href="punjabi_song.php?movie=<?php echo $row3['folder_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row3['folder_name'].
("$row3['folder_year']."); ?></a><hr />

                                                <form action="lib/del_album.php" method="post">

```

```

        <input type="hidden" name="folder_id" value="<?php echo $row3['folder_id'];?>">

        <input type="hidden" name="catagory" value="punjabi" />

        <input type="submit" name="del_album" value="Delete Album" />

    </form>

</center>

</td>

</tr>

<?php
}

}

while($row_4 = mysql_fetch_array($result_set4)){

    $sel4 = mysql_query("SELECT * FROM
indianpop_folder WHERE folder_id=".$row_4['indianpop']);

    while($row4 = mysql_fetch_array($sel4)){

        ?>

    <tr id="movie_folder">

        <td style="padding:30px; width:220px;">

            <a href="indianpop_song.php?movie=<?php echo $row4['folder_id']; ?>"
style="padding:30px;"></a><br>

            <center><a href="indianpop_song.php?movie=<?php echo $row4['folder_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row4['folder_name']."
(".$row4['folder_year'].")"; ?></a><hr />

            <form action="lib/del_album.php" method="post">

                <input type="hidden" name="folder_id" value="<?php echo $row4['folder_id'];?>">

                <input type="hidden" name="catagory" value="indianpop" />

                <input type="submit" name="del_album" value="Delete Album" />

```

```

        </form>

        </center>

    </td>

</tr>

<?php
}

        }

        while($row_5 = mysql_fetch_array($result_set5)){

            $sel5 = mysql_query("SELECT * FROM
instrumental_folder WHERE folder_id=".$row_5['instrumental']);

            while($row5 = mysql_fetch_array($sel5)){

                ?>

<tr id="movie_folder">

    <td style="padding:30px; width:220px;">

        <a href="instrumental_song.php?movie=<?php echo $row5['folder_id']; ?>"
style="padding:30px;"></a><br>

        <center><a href="instrumental_song.php?movie=<?php echo $row5['folder_id']; ?>"
style="padding:0px; font-family:Arial, Helvetica, sans-serif;"><?php echo $row5['folder_name']."
(".$row5['folder_year'].")"; ?></a><hr />

        <form action="lib/del_album.php" method="post">

        <input type="hidden" name="folder_id" value="<?php echo $row5['folder_id'];?>">

        <input type="hidden" name="catagory" value="instrumental" />

        <input type="submit" name="del_album" value="Delete Album" />

    </form>

    </center>

</td>

```

```

        </tr>

        <?php
        }

        }

        ?>

    </td>

</tr>

</table>

<?php
if($total_rows == 0){
    echo "Your Album is Empty...";
}

?>

</div>

<?php
include('include/footer.php');

?>

</div>

</body>

</html>

<?php
}

?>

```

Dcma.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title>DCMA</title>

</head>

<body>

<div id="container">

    <?php

    include'include/header.php';

    ?>

    <div id="navigator">

    <hr style="margin:0px;"/>

        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>DCMA</b>

    <hr style="margin:0px;"/>

    </div>

    <?php

    include'include/search.php';

    include'include/section1.php';
```

```

?>

<div id="section2">

    <table id="feature" cellspacing="1" width="800">

        <tr>

            <td id="folder_head">DCMA</td>

        </tr>

        <tr>

            <td style="font-family:Arial, Helvetica, sans-serif; font-size:16px;">The Defense Contract
Management Agency (DCMA) is the agency of the United States federal government responsible for
performing contract administration services for the Department of Defense and other authorized
federal agencies. Its headquarters is at Fort Lee, VA. DCMA often handles Foreign Military Sales
contracts.</td>

        </tr>

    </table>

</div>

<?php
include'include/footer.php';

?>

</div></body></html>

```

Policy.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

```



```

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />
<title>Privacy Policy</title>
</head>
<body>
<div id="container">
    <?php
include'include/header.php';
    ?>
<div id="navigator">
<hr style="margin:0px;"/>
    &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>Privacy Policy</b>
<hr style="margin:0px;"/>
</div>
<?php
include'include/search.php';
    include'include/section1.php';
    ?>
<div id="section2">
    <table id="feature" cellspacing="1" width="800">
        <tr>
            <td id="folder_head">Privacy Policy</td>
        </tr>
    <tr>

```

<td style="font-family:Arial, Helvetica, sans-serif; font-size:16px;">This Privacy Policy governs the manner in which Hindi Shayari collects, uses, maintains and discloses information collected from users (each, a "User") of the www.ShayariWorld.in website ("Site"). This privacy policy applies to the Site and all products and services offered by Hindi Shayari and Hindi Quotes. </td>

</tr>

</table>

</div>

<?php

include'include/footer.php'; ?> </div> </body> </html>

Service.php

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title>Terms Of Service</title>

</head>

<body>

<div id="container">

<?php

include'include/header.php';

?>

```

<div id="navigator">

<hr style="margin:0px;"/>

    &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>Terms of Service</b>

<hr style="margin:0px;"/>

    </div>

<?php
include'include/search.php';

    include'include/section1.php';

?>

<div id="section2">

    <table id="feature" cellspacing="1" width="800">

        <tr>

            <td id="folder_head">Terms of Service</td>

        </tr>

        <tr>

            <td style="font-family:Arial, Helvetica, sans-serif; font-size:16px;">Terms of service (also known
as terms of use and terms and conditions, commonly abbreviated as ToS or TOS and TOU) are rules
which one must agree to abide by in order to use a service. Terms of service can also be merely a
disclaimer, especially regarding the use of websites. </td>

        </tr>

    </table>

</div>

<?php
include'include/footer.php';

?>

</div>

</body>    </html>

```

Contact us.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="icon" href="image/m-for-music.png" />

<link href="css/container.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/new_home.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/music_folder.css" rel="stylesheet" type="text/css" media="all" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<title>Contact Us</title>

</head>

<body>

<div id="container">

    <?php

    include'include/header.php';

    ?>

    <div id="navigator">

    <hr style="margin:0px;"/>

        &nbsp;&nbsp;&nbsp;<a href="index.php">Home</a> >> <b>Contact Us</b>

    <hr style="margin:0px;"/>

    </div>

    <?php

    include'include/search.php';
```

```

        include'include/section1.php';

?>

<div id="section2">

    <form action="lib/contact_us.php" method="get">

        <table id="feature" cellpadding="1" width="800">

            <tr>

                <td colspan="2" id="folder_head">Contact Us</td>

            </tr>

            <tr>

                <td style="font-family:Arial, Helvetica, sans-serif; padding:10px; font-size:16px;">Name
<sup>*</sup></td>

                <td style="padding:10px;"><input style="width:200px;" type="text"
name="name" required="required" title="Name field should be filled." /></td>

            </tr>

            <tr>

                <td style="font-family:Arial, Helvetica, sans-serif; padding:10px; font-size:16px;">E-mail
<sup>*</sup></td>

                <td style="padding:10px;"><input style="width:200px;" type="text"
name="e_mail" required="required" title="E-Mail field should be filled." /></td>

            </tr>

            <tr>

                <td style="font-family:Arial, Helvetica, sans-serif; padding:10px; font-size:16px;">Subject
<sup>*</sup></td>

                <td style="padding:10px;"><input style="width:200px;" type="text"
name="subject" required="required" title="Subject field should be filled." /></td>

            </tr>

            <tr>

```

```

        <td style="font-family:Arial, Helvetica, sans-serif; padding:10px; font-size:16px; vertical-align:top;">Message <sup>*</sup></td>

        <td style="padding:10px;"><textarea style="height:250px; width:400px;" name="message" required="required" title="Message field should be filled."></textarea></td>

    </tr>

    <tr>

        <td style="padding:20px;" align="right"><input type="reset" value="Reset" /></td>

        <td style="padding:20px;" align="left"><input type="submit" value="Submit" name="submit" /></td>

    </tr>

</table>

</form>

</div>

<?php
include'include/footer.php';

?>

</div>    </body>    </html>

```

User index.php

```

<?php
include'include/dbconfig.php';
include'lib/login.php';

if($_SESSION["username"]==""){

    ?>

    <script>

        alert("Please log in.");

```

```

        window.location.href="index.php";

    </script>

    <?php
}

else{

$username = $_SESSION['username'];

$sel = "SELECT * FROM user where username='$username'";

$result_set = mysql_query($sel);

$row = mysql_fetch_array($result_set);

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link href="css/container.css" type="text/css" media="all" rel="stylesheet" />

<link href="css/song_list.css" rel="stylesheet" type="text/css" media="all" />

<link rel="icon" href="image/m-for-music.png" />

<title>Welcome to MusicLovers.Com</title>

</head>

<body>

    <div id="container">

        <?php

        include('include/header.php');

        ?>

        <div id="navigator">

```

```

        <hr style="margin:0px;"/>

        &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<b>Home</b>

    <hr style="margin:0px;"/>

</div>

<?php
include('include/search.php');

include('include/section1.php');

?>

<div id="section2">

    <div id="folder_head">Welcome <?php echo $row['name'];?></div>

    Now you can add your favourite albums in <a href="my_album.php">My Albums</a>, and you can
    also add your favourite songs in <a href="my_playlist.php">My Playlist</a>.

    <br />

    <a href="lib/log_out.php">Log Out</a>

</div>

<?php
include('include/footer.php');

?>

</div>

</body>

</html>

<?php
}

?>

```


Lib/contact us.php

```
<?php
include'../include/dbconfig.php';

if(isset($_REQUEST['submit'])){

    $name = $_REQUEST['name'];

    $e_mail = $_REQUEST['e_mail'];

    $subject = $_REQUEST['subject'];

    $message = $_REQUEST['message'];

    $date = date("Y-m-d");

    $ins = "INSERT into contact_us(name,e_mail,subject,message,date)
values('$name','$e_mail','$subject','$message','$date')";

    if(mysql_query($ins)){

        ?>

<script>

        alert("Your Message is Sent...Thank you...");

        window.location.href="../contact_us.php";

    </script>

<?php
    }

    else{

        ?>

<script>

        alert("Message Sending fail...Try Again...");

        window.location.href="../contact_us.php";

    </script>

<?php    }    }    ?>
```

Lib/del_album.php

```
<?php

include'../include/dbconfig.php';

include'login.php';

if(isset($_REQUEST['del_album'])){\

    $folder_id = $_REQUEST['folder_id'];

    $uname = $_SESSION['username'];

    $select_user =mysql_query("SELECT * FROM user WHERE username='$uname'");

    $row = mysql_fetch_array($select_user);

    $id = $row['id'];

    if($_REQUEST['catagory'] == 'bollywood_music'){

        $del = "DELETE FROM my_album WHERE user_id='$id' AND bm='$folder_id'";

        if(mysql_query($del)){

            ?>

            <script>

                alert("Album is deleted from your Favourite list.");

                window.location.href="../my_album.php";

            </script>

            <?php

        }

    else{

        ?>

        <script>

            alert("Problem while deleting...Please Try Again.");

            window.location.href="../my_album.php";
```

```

        </script>

        <?php
    }
}

if($_REQUEST['catagory'] == 'dj_remix'){
$del = "DELETE FROM my_album WHERE user_id='$id' AND dj='$folder_id'";

    if(mysql_query($del)){

        ?>

        <script>

        alert("Album is deleted from your Favourite list.");

        window.location.href="../my_album.php";

        </script>

        <?php
    }
else{

        ?>

        <script>

        alert("Problem while deleting...Please Try Again.");

        window.location.href="../my_album.php";

        </script>

        <?php
    }

}

if($_REQUEST['catagory'] == 'punjabi'){

$del = "DELETE FROM my_album WHERE user_id='$id' AND punjabi='$folder_id'";

```

```

        if(mysql_query($del)){
            ?>

            <script>

            alert("Album is deleted from your Favourite list.");

            window.location.href="../my_album.php";

            </script>

            <?php
        }
    else{
        ?>

        <script>

        alert("Problem while deleting...Please Try Again.");

        window.location.href="../my_album.php";

        </script>

        <?php
    }
}

if($_REQUEST['catagory'] == 'indianpop'){
    $del = "DELETE FROM my_album WHERE user_id='$id' AND indianpop='$folder_id'";

    if(mysql_query($del)){
        ?>

        <script>

        alert("Album is deleted from your Favourite list.");

        window.location.href="../my_album.php";

        </script>
    }
}

```

```

        <?php
    }
    else{
        ?>

        <script>

        alert("Problem while deleting...Please Try Again.");

        window.location.href="../my_album.php";

        </script>

        <?php
    }
}

if($_REQUEST['catagory'] == 'instrumental'){
$del = "DELETE FROM my_album WHERE user_id='$id' AND instrumental='$folder_id'";

    if(mysql_query($del)){
        ?>

        <script>

        alert("Album is deleted from your Favourite list.");

        window.location.href="../my_album.php";

        </script>

        <?php
    }
    else{
        ?>

        <script>

        alert("Problem while deleting...Please Try Again.");

```

```

        window.location.href="../my_album.php";

    </script>

    <?php

    }

}

}

?>

```

Lib/del_playlist.php

```

<?php

include'../include/dbconfig.php';

include'login.php';

if(isset($_REQUEST['del_song'])){

    $song_id = $_REQUEST['song_id'];

    $uname = $_SESSION['username'];

    $select_user =mysql_query("SELECT * FROM user WHERE username='$uname'");

    $row = mysql_fetch_array($select_user);

    $id = $row['id'];

    if($_REQUEST['catagory'] == 'bollywood_music'){

        $del = "DELETE FROM my_playlist WHERE user_id='$id' AND bm='$song_id'";

        if(mysql_query($del)){

            ?>

            <script>

            alert("Song deleted from your Favourite list.");

            window.location.href="../my_playlist.php";

```

```

        </script>

        <?php
    }
    else{
        ?>

        <script>

        alert("Problem while deleting...Please Try Again.");

        window.location.href="../my_playlist.php";

        </script>

        <?php
    }
}

if($_REQUEST['catagory'] == 'dj_remix'){
    $del = "DELETE FROM my_playlist WHERE user_id='$id' AND dj='$song_id'";

    if(mysql_query($del)){
        ?>

        <script>

        alert("Song deleted from your Favourite list.");

        window.location.href="../my_playlist.php";

        </script>

        <?php
    }
    else{
        ?>

        <script>

```

```

        alert("Problem while deleting...Please Try Again.");

        window.location.href="../my_playlist.php";

    </script>

    <?php

    }

}

if($_REQUEST['category'] == 'punjabi'){

$del = "DELETE FROM my_playlist WHERE user_id='$id' AND punjabi='$song_id'";

    if(mysql_query($del)){

        ?>

        <script>

        alert("Song deleted from your Favourite list.");

        window.location.href="../my_playlist.php";

        </script>

        <?php

    }

else{

        ?>

        <script>

        alert("Problem while deleting...Please Try Again.");

        window.location.href="../my_playlist.php";

        </script>

        <?php

    }

}

}

```



```

if($_REQUEST['catagory'] == 'indianpop'){
$del = "DELETE FROM my_playlist WHERE user_id='$id' AND indianpop='$song_id'";
    if(mysql_query($del)){
        ?>
        <script>
        alert("Song deleted from your Favourite list.");
        window.location.href="../my_playlist.php";
        </script>
        <?php
    }
    else{
        ?>
        <script>
        alert("Problem while deleting...Please Try Again.");
        window.location.href="../my_playlist.php";
        </script>
        <?php
    }
}

if($_REQUEST['catagory'] == 'instrumental'){
$del = "DELETE FROM my_playlist WHERE user_id='$id' AND instrumental='$song_id'";
    if(mysql_query($del)){
        ?>
        <script>
        alert("Song deleted from your Favourite list.");

```

```

        window.location.href="../my_playlist.php";

    </script>

    <?php

    }

    else{

        ?>

        <script>

        alert("Problem while deleting...Please Try Again.");

        window.location.href="../my_playlist.php";

        </script>

        <?php

        }

    }

}

?>

```

Lib/download song bm.php

```

<?php

include '../include/dbconfig.php';

$song_id = $_REQUEST['song_id'];

$sel = "SELECT * FROM bollywood_music_song WHERE song_id='$song_id'";

$query = mysql_query($sel);

$row = mysql_fetch_array($query);

$file = "../uploads/song/bollywood_music/".$row['song_name'].".mp3";

if (file_exists($file)) {

    header('Content-Description: File Transfer');

    header('Content-Type: application/octet-stream');

```

```

header('Content-Disposition: attachment; filename="'.basename($file).'"');

header('Expires: 0');

header('Cache-Control: must-revalidate');

header('Pragma: public');

header('Content-Length: ' . filesize($file));

readfile($file);

exit;

}

?>

```

Lib/login.php

```

<?php

session_start();

error_reporting(0);

mysql_connect("localhost","root","");

mysql_select_db("musiclovers");

if(isset($_REQUEST['login'])){

    $username = $_REQUEST['username'];

    $password = $_REQUEST['password'];

    $sql = "SELECT * FROM user where username='".$username.'" and password='".$password.'"
limit 1";

    $rea = mysql_query($sql);

    if(mysql_num_rows($rea)==1){

        session_start();

        $_SESSION["username"] = $username;

        header("location:../user_index.php");

    }
}

```

```

else{

    ?>

    <script>

    alert("Username or Password is incorrect...Please Try Again...");

    window.location.href="../index.php";

    </script>

    <?php

    exit();

}

}

?>

```

Lib/log out.php

```

<?php

include'login.php';

session_destroy();

header("location:../index.php");    ?>

```

Lib/my album.php

```

<?php

include'../include/dbconfig.php';

include'login.php';

if($_SESSION['username']=="){

    ?>

    <script>

    alert("First you have to log in.");

    window.history.back();

```

```

        </script>

<?php
    exit();
}

if(isset($_REQUEST['add_album'])){
    $folder_id = $_REQUEST['folder_id'];
    $uname = $_SESSION['username'];
    $select_user =mysql_query("SELECT * FROM user WHERE username='$uname'");
    $row = mysql_fetch_array($select_user);
    $id = $row['id'];
    if($_REQUEST['catagory'] == 'bollywood_music'){
        $sel = mysql_query("SELECT * FROM my_album WHERE user_id='$id' AND bm='$folder_id'");
        if(mysql_num_rows($sel)>0){
            ?>

            <script>

            alert("This album is already added into your Favourite list.");

            window.location.href="../bm_folder.php";

        </script>

        <?php
    }
    else{
        $add_album = "INSERT into my_album(user_id,bm) values('$id','$folder_id')";
        if(mysql_query($add_album)){
            ?>

            <script>

```

```

        alert("Album is Added to Your Favourite.");

        window.history.back();

    </script>

    <?php
        }
    }
}

if($_REQUEST['catagory'] == 'dj_remix'){
$sel = mysql_query("SELECT * FROM my_album WHERE user_id='$id' AND dj='$folder_id'");

    if(mysql_num_rows($sel)>0){
        ?>

        <script>

        alert("This album is already added into your Favourite list.");

        window.location.href="../dj_folder.php";

        </script>

        <?php
    }

    else{

        $add_album = "INSERT into my_album(user_id,dj) values('$id','$folder_id')";

        if(mysql_query($add_album)){

            ?>

            <script>

            alert("Album is Added to Your Favourite.");

            window.history.back();

            </script>

```

```

        <?php
    }
}
}

if($_REQUEST['catagory'] == 'punjabi'){
$sel = mysql_query("SELECT * FROM my_album WHERE user_id='$id' AND punjabi='$folder_id'");

    if(mysql_num_rows($sel)>0){

        ?>

        <script>

            alert("This album is already added into your Favourite list.");

            window.location.href="../punjabi_folder.php";

        </script>

        <?php
    }

    else{

        $add_album = "INSERT into my_album(user_id,punjabi)
values('$id','$folder_id')";

        if(mysql_query($add_album)){

            ?>

            <script>

                alert("Album is Added to Your Favourite.");

                window.history.back();

            </script>

            <?php

        }

    }
}

```

```

    }

    if($_REQUEST['catagory'] == 'indianpop'){
$sel = mysql_query("SELECT * FROM my_album WHERE user_id='$id' AND indianpop='$folder_id'");

        if(mysql_num_rows($sel)>0){

            ?>

            <script>

            alert("This album is already added into your Favourite list.");

            window.location.href="../indianpop_folder.php";

            </script>

            <?php

        }

        else{

            $add_album = "INSERT into my_album(user_id,indianpop)
values('$id','$folder_id')";

            if(mysql_query($add_album)){

                ?>

                <script>

                alert("Album is Added to Your Favourite.");

                window.history.back();

                </script>

                <?php

            }

        }

    }

    if($_REQUEST['catagory'] == 'instrumental'){

```



```

    $sel = mysql_query("SELECT * FROM my_album WHERE user_id='$id' AND
instrumental='$folder_id'");

    if(mysql_num_rows($sel)>0){

        ?>

        <script>

        alert("This album is already added into your Favourite list.");

        window.location.href="../instrumental_folder.php";

        </script>

        <?php

    }

    else{

        $add_album = "INSERT into my_album(user_id,instrumental)
values('$id','$folder_id')";

        if(mysql_query($add_album)){

            ?>

            <script>

            alert("Album is Added to Your Favourite.");

            window.history.back();

            </script>

            <?php

        }

    }

}

?>

```

Lib/my_playlist.php

```
<?php

include'../include/dbconfig.php';

include'login.php';

if($_SESSION['username']==''){

    ?>

    <script>

        alert("First you have to log in.");

        window.history.back();

    </script>

    <?php

        exit();

    }

    if(isset($_REQUEST['add_song'])){

        $song_id = $_REQUEST['song_id'];

        $uname = $_SESSION['username'];

        $select_user =mysql_query("SELECT * FROM user WHERE username='$uname'");

        $row = mysql_fetch_array($select_user);

        $id = $row['id'];

        if($_REQUEST['catagory'] == 'bollywood_music'){

            $sel = mysql_query("SELECT * FROM my_playlist WHERE user_id='$id' AND bm='$song_id'");

            if(mysql_num_rows($sel)>0){

                ?>

                <script>

                    alert("This playlist is already added into your Favourite list.");
```

```

        window.history.back();

        </script>

        <?php
    }

    else{

        $add_playlist = "INSERT into my_playlist(user_id,bm) values('$id','$song_id')";

        if(mysql_query($add_playlist)){

            ?>

            <script>

                alert("Song is Added to Your Favourite.");

                window.history.back();

            </script>

            <?php

        }

    }

}

if($_REQUEST['catagory'] == 'dj_remix'){

$sel = mysql_query("SELECT * FROM my_playlist WHERE user_id='$id' AND dj='$song_id'");

    if(mysql_num_rows($sel)>0){

        ?>

        <script>

            alert("This playlist is already added into your Favourite list.");

            window.history.back();

        </script>

        <?php

```

```

    }

    else{

        $add_playlist = "INSERT into my_playlist(user_id,dj) values('$id','$song_id')";

        if(mysql_query($add_playlist)){

            ?>

            <script>

            alert("Song is Added to Your Favourite.");

            window.history.back();

            </script>

            <?php

        }

    }

}

if($_REQUEST['catagory'] == 'punjabi'){

$sel = mysql_query("SELECT * FROM my_playlist WHERE user_id='$id' AND punjabi='$song_id'");

if(mysql_num_rows($sel)>0){

    ?>

    <script>

    alert("This playlist is already added into your Favourite list.");

    window.history.back();

    </script>

    <?php

}

else{

        $add_playlist = "INSERT into my_playlist(user_id,punjabi)
values('$id','$song_id')";

```

```

        if(mysql_query($add_playlist)){

            ?>

            <script>

            alert("Song is Added to Your Favourite.");

            window.history.back();

            </script>

            <?php

        }

    }

}

if($_REQUEST['catagory'] == 'indianpop'){

$sel = mysql_query("SELECT * FROM my_playlist WHERE user_id='$id' AND indianpop='$song_id'");

    if(mysql_num_rows($sel)>0){

        ?>

        <script>

        alert("This playlist is already added into your Favourite list.");

        window.history.back();

        </script>

        <?php

    }

    else{

        $add_playlist = "INSERT into my_playlist(user_id,indianpop)
values('$id','$song_id')";

        if(mysql_query($add_playlist)){

            ?>

            <script>

```

```

        alert("Song is Added to Your Favourite.");

        window.history.back();

    </script>

    <?php

    }

    }

    }

    if($_REQUEST['category'] == 'instrumental'){
$sel = mysql_query("SELECT * FROM my_playlist WHERE user_id='$id' AND instrumental='$song_id'");

        if(mysql_num_rows($sel)>0){

            ?>

            <script>

            alert("This playlist is already added into your Favourite list.");

            window.history.back();

            </script>

            <?php

        }

        else{

            $add_playlist = "INSERT into my_playlist(user_id,instrumental)
values('$id','$song_id')";

            if(mysql_query($add_playlist)){

                ?>

                <script>

                alert("Song is Added to Your Favourite.");

                window.history.back();

                </script>

```

```

        <?php
            }
        }
    }
}
?>

```

Lib/sign up.php

```

<?php
include'../include/dbconfig.php';
if(isset($_REQUEST['submit'])){
    $name = $_REQUEST['name'];
    $e_mail = $_REQUEST['e_mail'];
    $phone = $_REQUEST['phone'];
    $username = $_REQUEST['username'];
    $password = $_REQUEST['password'];
    $c_password = $_REQUEST['c_password'];
    if($password == $c_password){
        $ins = "INSERT into user(name,e_mail,phone,username,password)
values('$name','$e_mail','$phone','$username','$password')";
        if(mysql_query($ins)){
            ?>
<script>
            alert("Sign Up Successfully...Thank you...");
            window.location.href="../index.php";
        </script>
    <?php

```

```
    }  
    else{  
        ?>  
  
    <script>  
        alert("Error while Registring...Please Try Again...");  
        window.location.href="../sign_up.php";  
    </script>  
  
    <?php  
        }  
        }  
        else{  
            ?>  
  
        <script>  
            alert("Password didn't match with Confirm Password.");  
            window.location.href="../sign_up.php";  
        </script>  
  
        <?php  
            }  
    }  
    ?>
```


ADMIN-SECTION

Add in bm.php

```
<?php

include'lib/login.php';

if($_SESSION["admin"]==""){

    header("location:login.php");

}

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Add Songs in Bollywood Music</title>

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

</head>

<body>

<?php

include_once ('include/main.php');

?>

<div id="add_form"><center>Add Songs in Bollywood Music</center><p>

    <form action="lib/add_song_in_bm.php" method="post" enctype="multipart/form-data">

    <table border="2px" align="center">

    <tr>

    <td>Movie Name </td>

    <td>

    <select name="movie_name">
```

```

        <?php
include_once 'include/dbconfig.php';
        $sel = "SELECT * from bollywood_music_movie";

        $result_set = mysql_query($sel);

        while($row = mysql_fetch_array($result_set))

        {?> <option value="" selected="selected">Select Movie</option>

                <option><?php echo $row['movie_name']; ?></option>

                <?php

        }

        ?>

</select>

</td>

</tr>

<tr>

        <td>Select Song </td><td> <input type="file" name="song_file" width="200px"/></td>

</tr>

<tr>

        <td>Song Name </td><td><input type="text" name="song_name" width="200px"
required="required"/></td>

</tr>

<tr>

        <td>Singer Name </td><td> <input type="text" name="singer" width="200px"
required="required"/></td>

</tr>

<tr>

        <td colspan="2"><center><input type="submit" name="add_song" value="Add Song"
/></center></td>

```

```

        </tr>

    </table>

</form>

</div>

</body>

</html>

```

Create in bm.php

```

<?php
include'lib/login.php';

if($_SESSION["admin"]==""){
    header("location:login.php");
}

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Create Folder In Bollywood Music</title>

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

<link rel="stylesheet" type="text/css" href="include/css/admin.css" />

</head>

<body>

<?php
include('include/main.php');

?>

```

```

<div id="add_form"><center>Create New Folder In Bollywood Music</center><p>
    <form action="lib/create_folder_in_bm.php" method="post" enctype="multipart/form-data">
        <table border="2px" align="center">
            <tr>
                <td>Movie Name </td><td> <input type="text" name="movie_name"
required="required"/></td>
            </tr>
            <tr>
                <td>Movie Year </td><td> <input type="number" name="movie_year"
required="required"/></td>
            </tr>
            <tr>
                <td>Director </td><td> <input type="text" name="director" width="200px"/></td>
            </tr>
            <tr>
                <td>Music Director </td><td> <input type="text" name="music_director" width="200px"
/></td>
            </tr>
            <tr>
                <td>Composer </td><td> <input type="text" name="composer" width="200px"/></td>
            </tr>
            <tr>
                <td>Stars 1 </td><td> <input type="text" name="star1" width="200px"
required="required"/></td>
            </tr>
            <tr>

```

```

        <td>Stars 2 </td><td> <input type="text" name="star2" width="200px"
required="required"/></td>

    </tr>

    <tr>

        <td>Poster </td><td> <input type="file" name="pic" /></td>

    </tr>

    <tr>

        <td colspan="2"><center><input type="submit" name="add_movie" value="Add Movie"
/></center></td>

    </tr>

</table>

</form>

</div>

</body>

</html>

```

Delete folder in bm.php

```

<?php

include'lib/login.php';

if($_SESSION["admin"]==""){

    header("location:login.php");

}

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

```

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Delete from Bollywood Music</title>

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

</head>

<body>

<?php
include_once ('include/main.php');
?>

<div id="add_form"><center>Delete from Bollywood Music</center><p>

    <table border="2px" align="center">

        <tr>

            <th>Serial No.</th>

            <th>Folder Name </th>

            <th>Delete Folder</th>

        </tr>

        <?php

            $i=1;

            include_once 'include/dbconfig.php';

            $sel = "SELECT * from bollywood_music_movie order by movie_name";

            $result_set = mysql_query($sel);

            while($row = mysql_fetch_array($result_set))

                {?>

                    <tr>

                        <td><?php echo $i;?></td>

                        <td><a href="delete_song_in_bm.php?folder_id=<?php echo $row['movie_id'];
?>"><?php echo $row['movie_name']; ?></a></td>

```

```
 <a href="lib/delete_folder_from_bm.php?folder_id=<?php echo $row['movie_id']; ?>"><center></center></a></td>  </tr>  <?php     $i++; }  ?>  </table>  </div>  </body>  </html> |
```

Delete song in bm.php

```

<?php
include'lib/login.php';

if($_SESSION["admin"]==""){
    header("location:login.php");
}

include'include/dbconfig.php';

$folder_id = $_REQUEST['folder_id'];

$sel1 = "SELECT * from bollywood_music_movie where movie_id=".$folder_id;

$result_set1 = mysql_query($sel1);

$row1 = mysql_fetch_array($result_set1);

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

```



```

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Delete from <?php echo $row1['movie_name']; ?> </title>

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

<link rel="stylesheet" type="text/css" href="include/css/admin.css" />

</head>

<body>

<?php

include_once ('include/main.php');

?>

<div id="add_form"><center>Delete from <?php echo $row1['movie_name']; ?>

</center><p>

    <table border="2px" align="center">

        <tr>

            <th>Serial No.</th>

            <th>Song Name </th>

            <th>Delete Song</th>

        </tr>

        <?php

            $i=1;

            $sel = "SELECT * from bollywood_music_song where movie_id=".$folder_id;

            $result_set = mysql_query($sel);

            while($row = mysql_fetch_array($result_set))

            {?>

                <tr>

```

```

        <td><?php echo $i;?></td>

        <td><?php echo $row['song_name']; ?></td>

        <td><a href="lib/delete_song_from_bm.php?song_id=<?php echo
$row['song_id'];?>"><center></center></a></td>

    </tr>

    <?php
    $i++;
    }

?>

</table>

</div>

</body>

</html>

```

Edit folder in bm.php

```

<?php

include'lib/login.php';

if($_SESSION["admin"]==""){

    header("location:login.php");

}

$folder_id = $_REQUEST['folder_id'];

include_once 'include/dbconfig.php';

$sel = "SELECT * from bollywood_music_movie where movie_id=".$folder_id;

$result_set = mysql_query($sel);

$row = mysql_fetch_array($result_set);

?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Edit in Bollywood Music</title>

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

</head>

<body>

<?php
include_once ('include/main.php');
?>

<div id="add_form"><center>Edit in Bollywood Music</center><p>

    <table border="2px" align="center">

        <form method="post" action="lib/set_folder_in_bm.php?folder_id=<?php echo $folder_id;?>"
        enctype="multipart/form-data">

            <tr>

                <td>Folder Name </td>

                <td><input type="text" name="folder_name" value="<?php echo $row['movie_name'];?>"
required="required"/></td>

            </tr>

            <tr>

                <td>Year </td>

                <td><input type="number" name="year" required="required" value="<?php echo
$row['movie_year'];?>" /></td>

            </tr>

            <tr>

```

```

        <td>Director </td>

        <td><input type="text" name="director" value="<?php echo $row['director'];?>" /></td>

    </tr>

    <tr>

    <tr>

        <td>Music Director </td>

        <td><input type="text" name="music_director" value="<?php echo
$row['music_director'];?>" /></td>

    </tr>

        <td>Composer </td>

        <td><input type="text" name="composer" value="<?php echo $row['composer'];?>" /></td>

    </tr>

    <tr>

        <td>Star 1 </td>

        <td><input type="text" name="star1" value="<?php echo $row['star1'];?>" /></td>

    </tr>

    <tr>

        <td>Star 2 </td>

        <td><input type="text" name="star2" value="<?php echo $row['star2'];?>" /></td>

    </tr>

    <tr>

        <td>Folder Pic </td>

        <td><input type="file" name="pic" value="<?php echo $row['movie_poster'];?>" /></td>

    </tr>

    <tr align="center">

        <td colspan="2"><input type="submit" name="edit" value="Edit Folder" /></td>

```

```

        </tr>

    </form>

</table>

</div>

</body>

</html>

```

Edit song in bm.php

```

<?php
include'lib/login.php';

if($_SESSION["admin"]==""){
    header("location:login.php");
}

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Edit Song in Bollywood Music</title>

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

</head>

<body>

<?php
include_once ('include/main.php');

?>

<div id="add_form"><center>Edit Song in Bollywood Music</center><p>

```

```

<table border="2px" align="center">

    <?php

        $song_id = $_REQUEST['song_id'];

        include_once 'include/dbconfig.php';

        $sel = "SELECT * from bollywood_music_song where song_id=".$song_id;

        $result_set = mysql_query($sel);

        $row = mysql_fetch_array($result_set);

        ?>

        <form method="post" action="lib/set_song_in_bm.php?song_id=<?php echo $song_id;?>"
enctype="multipart/form-data">

            <tr>

                <td>Song Name </td>

                <td><input type="text" name="song_name" required="required" value="<?php echo
$row['song_name'];?>" /></td>

            </tr>

            <tr>

                <td>Singer Name </td>

                <td><input type="text" name="singer" value="<?php echo $row['singer'];?>" /></td>

            </tr>

            <tr align="center">

                <td colspan="2"><input type="submit" name="edit" value="Edit Song" /></td>

            </tr>

        </form>

    </table>

</div>

</body>    </html>

```

Index.php

```
<?php

include'lib/login.php';

if($_SESSION["admin"]==""){

    header("location:login.php");

}

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

<title>Welcome <?php echo $_SESSION["admin"]; ?></title>

</head>

<body>

<?php

include_once ('include/main.php');

include'include/dbconfig.php';

?>

<div id="add_form">

    <table border="2px" align="center">

        <tr>

            <th colspan="7">Music Lover's Messages </th>

        </tr>

        <tr>
```

```

        <th>Sr. No.</th>

        <th>Name </th>

        <th>E-Mail</th>

        <th>Subject</th>

        <th width="400">Message</th>

        <th>Date</th>

        <th>Delete Message</th>
    </tr>

    <?php
        $i=1;

        $sel = "SELECT * from contact_us order by date desc";

        $result_set = mysql_query($sel);

        while($row = mysql_fetch_array($result_set))
        {?>

        <tr>

            <td><?php echo $i;?></td>

            <td><?php echo $row['name'];?></td>

            <td><?php echo $row['e_mail'];?></td>

            <td><?php echo $row['subject'];?></td>

            <td><?php echo $row['message'];?></td>

            <td><?php echo $row['date'];?></td>

            <td><a href="lib/delete_msg.php?id=<?php echo $row['id']; ?>"><center></center></a></td>

        </tr>

        <?php
            $i++;

```



```
        }

    ?>

</table>

</div>

</body>

</html>
```

Login.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Admin Login Page</title>

</head>

<body>

    <form method="post" action="lib/login.php">

        <table align="center">

            <tr align="center">

                <th colspan="2">Login Panel</th>

            </tr>

            <tr align="center">

                <td>Admin Name</td>

                <td><input type="text" name="admin" required="required"/></td>

            </tr>

            <tr align="center">

                <td>Password</td>
```

```

        <td><input type="password" name="password" required="required"/></td>

</tr>

<tr align="center">

        <td colspan="2"><input type="submit" name="submit" value="Log In" /></td>

</tr>

</table>

</form>

</body>

</html>

```

Log out.php

```

<?php

include'lib/login.php';

session_destroy();      header("location:login.php");      ?>

```

Open song list in bm.php

```

<?php

include'lib/login.php';

if($_SESSION["admin"]==""){

        header("location:login.php");

}

include_once 'include/dbconfig.php';

$folder_id = $_REQUEST['folder_id'];

$sel1 = "SELECT * from bollywood_music_movie where movie_id=".$folder_id;

$result_set1 = mysql_query($sel1);

$row1 = mysql_fetch_array($result_set1);

?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Song List of <?php echo $row1['movie_name'];?></title>

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

</head>

<body>

<?php
include_once ('include/main.php');
?>

<div id="add_form"><center>Song List of <?php echo $row1['movie_name'];?></center><p>

    <table border="2px" align="center">

    <tr>

    <th>Sr. No. </th>

    <th>Song Name</th>

    </tr>

    <?php

        $i=1;

        $sel = "SELECT * from bollywood_music_song where movie_id=".$folder_id;

        $result_set = mysql_query($sel);

        while($row = mysql_fetch_array($result_set))

        {?>

            <tr>

                <td><?php echo $i; ?></td>

```

```

                                <td><a href="edit_song_in_bm.php?song_id=?php
echo $row['song_id'];?>"><?php echo $row['song_name']; ?></a></td>

                                </tr>

                                <?php
                                $i++;
                                }

                                ?>

                                </table>

</div>

</body>

</html>

```

Setting.php

```

<?php
include'lib/login.php';

if($_SESSION["admin"]==""){
    header("location:login.php");
}

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link rel="stylesheet" type="text/css" href="css/add_audio.css" />

<link rel="stylesheet" type="text/css" href="include/css/admin.css" />

<title>Account Setting</title>

```

```

</head>

<body>

<?php
include_once ('include/main.php');

$sel = "SELECT * from admin";

$result_set = mysql_query($sel);

$row = mysql_fetch_array($result_set);

?>

<div id="add_form"><center>Account Setting</center><p>

    <table border="2px" align="center">

    <form method="post" action="lib/change_ac.php" enctype="multipart/form-data">

    <tr>

        <td>New Admin Name </td>

        <td><input type="text" name="name" required="required" value="<?php echo
$row['name'];?>" /></td>

    </tr>

    <tr>

        <td>Old Password </td>

        <td><input type="password" name="pass" required="required" /></td>

    </tr>

    <tr>

        <td>New Pasword </td>

        <td><input type="password" name="new_pass" required="required" /></td>

    </tr>

    <tr>

        <td>Confirm New Pasword </td>

```

```

        <td><input type="password" name="confirm_pass" required="required" /></td>

    </tr>

    <tr align="center">

        <td colspan="2"><input type="submit" name="change" value="Change" /></td>

    </tr>

</form>

</table>

</div>

</body>    </html>

```

Css/add_audio.css

```

#add_form{

    margin-left:10%;

    margin-right:10%;

    width:80%;

}

td{

    padding:20px;

}

```

Css/admin.css

```

body{

    padding:0px;

    margin:0px;

    overflow-y:scroll;

    font-family:Arial, Helvetica, sans-serif;

    font-size:18px;

```

```
}  
  
#nav{  
    margin:0px;  
    padding:0px;  
    background-color:#222;  
}  
  
#nav_wrapper{  
    padding:0px;  
    margin:0px auto;  
    width:960px;  
    text-align:left;  
}  
  
#nav ul{  
    margin:0;  
    padding:0;  
    position:relative;  
    list-style-type:none;  
}  
  
#nav ul li{  
    margin-right:5px;  
    display:inline-block;  
}  
  
#nav ul li:hover{  
    background-color:#333;  
}
```

```
#nav ul li img{
    height:15px;
    width:15px;
    vertical-align:middle;
    padding-left:5px;
}

#nav ul li a,visited{
    color:#ccc;
    display:block;
    padding:15px;
    text-decoration:none;
}

#nav ul li a:hover{
    color:#ccc;
    text-decoration:none;
}

#nav ul li: hover ul{
    display:block;
}

#nav ul ul{
    display:none;
    position:absolute;
    background-color:#333;
    border:5px solid #222;
    border-top:0px;
```



```

        margin-left:-5px;

    }

    #nav ul ul li{

        display:block;

    }

    #nav ul ul li a,visited{

        color:#ccc;

    }

    #nav ul ul li a:hover{

        color:#899;

    }

```

include/main.css

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Welcome <?php

        include'dbconfig.php';

        include'../lib/login.php';

        echo $_SESSION['username'];

    ?>

</title>

<link rel="stylesheet" type="text/css" href="css/admin.css" />

</head>

<body>

```

```

<div id="nav">

  <div id="nav_wrapper">

    <ul>

      <li><a href="index.php">Home</a></li>

      <li>

        <a href="#">Create New Folder in </a>

          <ul>

            <li><a href="create_in_bm.php">Bollywood Music</a></li>

            <li><a href="create_in_dj.php">DJ Remix Mp3 Songs</a></li>

            <li><a href="create_in_punjabi.php">Punjabi Music</a></li>

            <li><a href="create_in_indianpop.php">IndianPop Mp3 Songs</a></li>

            <li><a href="create_in_instrumental.php">Instrumental Songs Collections</a></li>

          </ul>

        </li>

        <li>

          <a href="#">Add Song </a>

            <ul>

              <li><a href="add_in_bm.php">Bollywood Music</a></li>

              <li><a href="add_in_dj.php">DJ Remix Mp3 Songs</a></li>

              <li><a href="add_in_punjabi.php">Punjabi Music</a></li>

              <li><a href="add_in_indianpop.php">IndianPop Mp3 Songs</a></li>

              <li><a href="add_in_instrumental.php">Instrumental Songs Collections</a></li>

            </ul>

          </li>

        <li>

```

```

<a href="#">Delete from </a>

    <ul>

        <li><a href="delete_folder_in_bm.php">Bollywood Music</a></li>

        <li><a href="delete_folder_in_dj.php">DJ Remix Mp3 Songs</a></li>

        <li><a href="delete_folder_in_punjabi.php">Punjabi Music</a></li>

        <li><a href="delete_folder_in_indianpop.php">IndianPop Mp3 Songs</a></li>

        <li><a href="delete_folder_in_instrumental.php">Instrumental Songs
Collections</a></li>

    </ul>

</li>

<li>

    <a href="#">Edit in </a>

        <ul>

            <li><a href="edit_in_bm.php">Bollywood Music</a></li>

            <li><a href="edit_in_dj.php">DJ Remix Mp3 Songs</a></li>

            <li><a href="edit_in_punjabi.php">Punjabi Music</a></li>

            <li><a href="edit_in_indianpop.php">IndianPop Mp3 Songs</a></li>

            <li><a href="edit_in_instrumental.php">Instrumental Songs Collections</a></li>

        </ul>

    </li>

<li>

    <a href="setting.php">Setting</a></li>

</li>

    <a href="log_out.php">Log Out</a></li>

</ul>

</div>

```

</div>

</body></html>

Lib/add song in bm.php

<?php

require('../include/dbconfig.php');

if(isset(\$_REQUEST['add_song']))

{

if(\$_REQUEST['movie_name'] != ""){

 \$song_name = \$_REQUEST['song_name'];

 \$mov_name = \$_REQUEST['movie_name'];

 \$singer = \$_REQUEST['singer'];

 \$target_audio = "../uploads/song/bollywood_music/";

 \$size = \$_FILES['song_file']['size']/1048576;

 \$ext = pathinfo(\$_FILES['song_file']['name'],PATHINFO_EXTENSION);

 if(\$_FILES['song_file']['name'] == ""){

 ?>

 <script>

 alert("Please select mp3 file.");

 window.location.href='../add_in_bm.php';

 </script>

 <?php

 }

 else{

 if(\$ext == 'mp3'){

```

        $new_song_name = $song_name." ".$ext;

        if(move_uploaded_file($_FILES['song_file']['tmp_name'], $target_audio.$new_song_name))

        {

$sel = "SELECT movie_id from bollywood_music_movie where movie_name='".$mov_name"'";

            $mov_id = mysql_query($sel);

            while($row = mysql_fetch_array($mov_id))

            {

                $id = $row['movie_id'];

            }

            $sql = "INSERT into bollywood_music_song(movie_id,song_name,singer,size) values
('$id','$song_name','$singer','$size)";

            mysql_query($sql);

?>

<script>

alert("Song Uploaded Successfully.");

window.location.href='../add_in_bm.php';

</script>

<?php

}

else

{

?>

<script>

alert("Problem while uploading.");

window.location.href='../add_in_bm.php';

</script>

```

```

                                <?php
                                }
                            }
                        else{
                            ?>
                            <script>
                                alert("Please add only mp3 songs...");
                                window.location.href='../add_in_bm.php';
                            </script>
                            <?php
                                }
                            }
                        }
                    else{
                        ?>
                        <script>
                            alert("Please select movie...");
                            window.location.href='../add_in_bm.php';
                        </script>
                        <?php
                            }
                    }
                ?>

```

Lib/create folder in bm.php

```
<?php

require('../include/dbconfig.php');

if(isset($_REQUEST['add_movie']))

{

    $mov_name = $_REQUEST['movie_name'];

    $mov_year = $_REQUEST['movie_year'];

    $director = $_REQUEST['director'];

    $music_director = $_REQUEST['music_director'];

    $composer = $_REQUEST['composer'];

    $star1 = $_REQUEST['star1'];

    $star2 = $_REQUEST['star2'];

    $target_img = "../uploads/image/bm_image/";

    $banner = $_FILES['pic']['name'];

    $sql = "INSERT into
    bollywood_music_movie(movie_name,movie_year,director,music_director,composer,star1,star
    2,movie_poster) values
    ('$mov_name','$mov_year','$director','$music_director','$composer','$star1','$star2','$banner')
    ";

    if($_FILES['pic']['type'] == "image/jpeg"){

        if(move_uploaded_file($_FILES['pic']['tmp_name'],$target_img.$_FILES['pic']['name'])
        && mysql_query($sql)){

            ?>

            <script>

                alert("Folder Created Successfully with Poster.");

                window.location.href='../create_in_bm.php';

            </script>
```

```

        <?php
    }
    else{
        ?>
        <script>
            alert("Folder Creating Failed.");
            window.location.href='../create_in_bm.php';
        </script>
        <?php
    }
}
else if($_FILES['pic']['name'] == ""){
    if(mysql_query($sql)){
        ?>
        <script>
            alert("Folder Created Successfully without Poster.");
            window.location.href='../create_in_bm.php';
        </script>
        <?php
    }
    else{
        ?>
        <script>
            alert("Folder Creating Failed.");
            window.location.href='../create_in_bm.php';

```



```

        </script>

        <?php

        }

    }

    else{

        ?>

        <script>

        alert("Please enter only image file.");

        window.location.href='../create_in_bm.php';

        </script>

        <?php

    }

}

?>

```

Lib/delete folder from bm.php

```

<?php

if(isset($_REQUEST['folder_id'])){

    include '../include/dbconfig.php';

    $folder_id = $_REQUEST['folder_id'];

    $pic_name = mysql_query("SELECT * from bollywood_music_movie where
movie_id=$folder_id");

    $fetch_pic = mysql_fetch_array($pic_name);

    $sel = "SELECT * from bollywood_music_song where movie_id=".$folder_id;

    $result_set = mysql_query($sel);

    if(      mysql_query("DELETE from bollywood_music_movie where
movie_id=".$folder_id) &&

```

```

        unlink("../uploads/image/bm_image/".$fetch_pic['movie_poster'])
    ){
        while($row = mysql_fetch_array($result_set)){
mysql_query("DELETE from bollywood_music_song where movie_id=".$folder_id);
unlink("../uploads/song/bollywood_music/".$row['song_name'].".mp3");
        }
        ?>

        <script>

        alert("All songs Deleted successfully...");

        window.location.href='../delete_folder_in_bm.php';

        </script>

        <?php
    }
else{
        ?>

        <script>

        alert("Error while deleting songs.");

        window.location.href='../delete_folder_in_bm.php';

        </script>

        <?php
    }
}
?>

```

Lib/delete song from bm.php

```
<?php
if(isset($_REQUEST['song_id'])){
    include '../include/dbconfig.php';
    $song_id = $_REQUEST['song_id'];
    $sel = "SELECT * from bollywood_music_song where song_id=".$song_id;
    $result_set = mysql_query($sel);
    $fetch_song = mysql_fetch_array($result_set);
    if(      mysql_query("DELETE from bollywood_music_song where song_id=".$song_id)
    &&
    unlink("../uploads/song/bollywood_music/".$fetch_song['song_name'].".mp3") ){
        ?>
        <script>
            alert("Songs Deleted successfully...");
            window.location.href='../delete_folder_in_bm.php';
        </script>
        <?php
    }
else{
    ?>
    <script>
        alert("Error while deleting song.");
        window.location.href='../delete_folder_in_bm.php';
    </script>
    <?php
}      }      ?>
```

Lib/Set folder in bm.php

```
<?php

require('../include/dbconfig.php');

if(isset($_REQUEST['edit']))

{

    $folder_id = $_REQUEST['folder_id'];

    $mov_name = $_REQUEST['folder_name'];

    $mov_year = $_REQUEST['year'];

    $director = $_REQUEST['director'];

    $music_director = $_REQUEST['music_director'];

    $composer = $_REQUEST['composer'];

    $star1 = $_REQUEST['star1'];

    $star2 = $_REQUEST['star2'];

    $target_img = "../uploads/image/bm_image/";

    $banner = $_FILES['pic']['name'];

    $sql = "UPDATE bollywood_music_movie SET movie_name='$mov_name',
movie_year='$mov_year', director='$director', music_director='$music_director',
composer='$composer', star1='$star1', star2='$star2', movie_poster='$banner' WHERE
movie_id=".$folder_id;

    if($_FILES['pic']['type'] == "image/jpeg"){

        if(move_uploaded_file($_FILES['pic']['tmp_name'],$target_img.$_FILES['pic']['name'])
&& mysql_query($sql)){

            ?>

            <script>

                alert("Folder Edited Successfully with Poster.");

                window.location.href='../edit_in_bm.php';

            </script>
```

```

        <?php
    }
    else{
        ?>
        <script>
            alert("Folder Editing Failed.");
            window.location.href='../edit_in_bm.php';
        </script>
        <?php
    }
}
else if($_FILES['pic']['name'] == ""){
    if(mysql_query($sql)){
        ?>
        <script>
            alert("Folder Edited Successfully without Poster.");
            window.location.href='../edit_in_bm.php';
        </script>
        <?php
    }
    else{
        ?>
        <script>
            alert("Folder Editing Failed.");
            window.location.href='../edit_in_bm.php';

```

```

        </script>

        <?php

        }

    }

    else{

        ?>

        <script>

        alert("Please enter only image file.");

        window.location.href='../edit_in_bm.php';

        </script>

        <?php        }        }        ?>

```

Lib/set song in bm.php

```

<?php

require('../include/dbconfig.php');

if(isset($_REQUEST['edit']))

{

    $song_id = $_REQUEST['song_id'];

    $song_name = $_REQUEST['song_name'];

    $singer = $_REQUEST['singer'];

    $sel = "SELECT * from bollywood_music_song where song_id=".$_song_id;

    $result_set = mysql_query($sel);

    $row = mysql_fetch_array($result_set);

    $old_name = $row['song_name'];

    $sql = "UPDATE bollywood_music_song SET song_name='".$song_name', singer='".$singer'

    WHERE song_id=".$_song_id;

```

```

        if(mysql_query($sql) &&
rename("../..../uploads/song/bollywood_music/" . $old_name . ".mp3",
"../..../uploads/song/bollywood_music/" . $song_name . ".mp3")){

            ?>

            <script>

            alert("Song Edited Successfully.");

            window.location.href='../edit_in_bm.php';

            </script>

            <?php

        }
    else{

        ?>

        <script>

        alert("Error while editing song.");

        window.location.href='../edit_in_bm.php';

        </script>

        <?php

    }

}

?>

```

Lib/login.php

```

<?php

session_start();

include_once '../include/dbconfig.php';

if(isset($_REQUEST['submit'])){

    $admin = $_REQUEST['admin'];

```

```

$password = $_REQUEST['password'];

$sql = "SELECT * from admin where name='".$admin.'" and password='".$password.'" limit 1";

$rea = mysql_query($sql);

if(mysql_num_rows($rea)==1){

    header("location:../index.php");

    $_SESSION["admin"] = $admin;

}

else{

    ?>

    <script>

    alert("Admin name or Password is incorrect...Please Try Again...");

    window.location.href=" ../login.php";

    </script>

    <?php

        exit();

    }

}

?>

```

Lib/change ac.php

```

<?php

require('../include/dbconfig.php');

if(isset($_REQUEST['change']))

{

    $name = $_REQUEST['name'];

    $old_pass1 = $_REQUEST['pass'];

```



```

$new_pass = $_REQUEST['new_pass'];

$confirm_pass = $_REQUEST['confirm_pass'];

$sel = "SELECT * from admin";

$result_set = mysql_query($sel);

$row = mysql_fetch_array($result_set);

$old_name = $row['name'];

$old_pass2 = $row['password'];

if($old_pass1 == $old_pass2){

    if($new_pass == $confirm_pass){

        $sql = "UPDATE admin SET name='$name', password='$new_pass'";

        if(mysql_query($sql)){

            ?>

            <script>

            alert("Account Edited Successfully.");

            </script>

            <?php

            include'lib/login.php';

            session_destroy();

            header("location:../login.php");

        }

        else{

            ?>

            <script>

            alert("Error while editing account.");

            window.location.href='../index.php';

```

```
        </script>
        <?php
    }
}
else{
    ?>
    <script>
    alert("New Password didn't match Confirm Password.");
    window.location.href='../setting.php';
    </script>
    <?php
}
}
else{
    ?>
    <script>
    alert("Old Password is not correct.");
    window.location.href='../setting.php';
    </script>
    <?php
}
}
?>
```

Lib/delete_msg.php

```
<?php

include'../include/dbconfig.php';

$id = $_REQUEST['id'];

$del = "DELETE from contact_us WHERE id='$id'";

if(mysql_query($del)){

    ?>

    <script>

        alert("Record deleted successfully.");

        window.location.href="../index.php";

    </script>

    <?php
}
else{

    ?>

    <script>

        alert("Error while record deletion.");

        window.location.href="../index.php";

    </script>

    <?php
}

?>
```

INPUT-OUTPUT SCREEN


HOME PAGE FOR THE GUEST/VISITOR

User Name

Password

Log In

New User

**MUSICLOVERS**
...JUST THE RIGHT CHOICE

Home

Search

Main Catagories

[Bollywood Music](#)

[DJ Remix Mp3 Songs](#)

[Punjabi Music](#)

[IndianPop Mp3 Songs](#)

[Instrumental Songs Collections](#)

Browse More

[Singers](#)

[Directors](#)

[Music Directors](#)

[Composers](#)

[Stars](#)

My Favourites

[My Playlist](#)

[My Albums](#)

Links


[DMCA Copyright](#)


[Privacy Policy](#)


[Terms of Service](#)


[Contact Us](#)

Featured Albums On MusicLovers.Com













Latest Bollywood Music

 Sanam Re

 Airlift


 Tamasha

 Prem Ratan Dhan Payo

 Humari Adhuri Kahani

 Dum Laga Ke Haisha


 Youngistaan

 Barfi

 Chennai Express


 CityLights


Latest Punjabi Music


 Back 2 Love


 Dr. Zeus


 DJ Wale Babu


 Best of Kanika Kapoor


 Band Botal

 Best Of NFAK


 RDB Hits


 Best Of RDB


 Best of Daler Mehndi


 Best of Sukhwinder Singh

Latest DJ Remix Mp3 Songs

 DJ Shadow Dubai

 Emran Hashmi Mashup (By DJ Angel)

 Bollywood Dance Music


 Desi We Desi Part - 3

 Best Of Mashup Vol - 1

 Romantic Mashup -2 (DJ Chetas)


 Velocity - DJ Tejas


 Yaar Na Miley(Remix)


 Love Mashup


 Forever Mixes (DJ Shivam)


Latest IndianPop Mp3 Songs


 Dil Kya Kare(Did I Love You)


 Gf - Bf


 Kamli (MTV Unplugged)


 O Re Piya(MTV Unplugged)

 Tu Dua Hai

 Bollywood Unwind

 Ye Hai Aashiqui

 Mitti Di Khushboo

 Super Girl From China

 Yahiin Hoon Main

Copyright © MusicLovers.com All Right Reserved || Site Developed By [Abhinav](#) , [Devansh](#)

189


FOLDER PAGE

User Name

Password

Log In

New User

 **MUSICLOVERS**
... JUST THE RIGHT CHOICE

Home >> Bollywood Music

Search any song here...

Search

Main Catagories

[Bollywood Music](#)

[DJ Remix Mp3 Songs](#)

[Punjabi Music](#)

[IndianPop Mp3 Songs](#)

[Instrumental Songs Collections](#)

Browse More

[Singers](#)

[Directors](#)

[Music Directors](#)

[Composers](#)

[Stars](#)

My Favourites

[My Playlist](#)

[My Albums](#)

Links


[DMCA Copyright](#)

[Privacy Policy](#)

[Terms of Service](#)


[Contact Us](#)

Bollywood Music




Sanam Re (2016)

Add to My Album




Airlift (2016)

Add to My Album




Tamasha (2015)

Add to My Album




Prem Ratan Dhan Payo (2015)

Add to My Album




Humari Adhuri Kahani (2015)

Add to My Album




Dum Laga Ke Haisha (2015)

Add to My Album




Youngistaan (2014)

Add to My Album




Barfi (2014)

Add to My Album




Chennai Express (2014)

Add to My Album




CityLights (2014)

Add to My Album



Ek Villain (2014)

Add to My Album



Aashiqui 2 (2013)

Add to My Album

| 0 | 1 | Next

Copyright © MusicLovers.com All Right Reserved || Site Developed By [Abhinav](#) , [Devansh](#)


190

SONG PAGE

User Name
New User

Password

Log In

**MUSICLOVERS**
...JUST THE RIGHT CHOICE

Home >> Bollywood Music >> Humari Adhuri Kahani (2015)

Search any song here...

Search

Main Catagories

[Bollywood Music](#)

[DJ Remix Mp3 Songs](#)

[Punjabi Music](#)

[IndianPop Mp3 Songs](#)

[Instrumental Songs Collections](#)

Browse More

[Singers](#)

[Directors](#)

[Music Directors](#)

[Composers](#)

[Stars](#)

My Favourites

[My Playlist](#)

[My Albums](#)

Links


[DMCA Copyright](#)

[Privacy Policy](#)

[Terms of Service](#)
















[Contact Us](#)

Humari Adhuri Kahani (2015)




Starring : Emraan Hashmi , Vidya Balan
Director : Mohit Suri
Music Director : Mithoon
Composer : Mithoon

Song List

 1) Humari Adhuri Kahani singer : Arijt Singh size : 8.12 mb	DOWNLOAD  Add to My Playlist	  0:05 
 2) Humnava singer : Papon size : 8.25 mb	DOWNLOAD  Add to My Playlist	  5:29 
 3) Hasi singer : Shreya Ghoshal size : 3.70 mb	DOWNLOAD  Add to My Playlist	  3:12 

Download All in One - Zip Link

 [Humari Adhuri Kahani\(2015\) Mp3 Songs Zip Download \(20.07 MB\)](#)
[1](#) | [2](#) | [3](#) | [4](#) | [5](#) | [Next](#)

Copyright © MusicLovers.com All Right Reserved || Site Developed By [Abhinav](#) , [Devansh](#)


SEARCH RESULT PAGE

User Name

Password

Log In

New User

**MUSICLOVERS**
...JUST THE RIGHT CHOICE

Home >> Search Result for Shreya

Search any song here...

Search

Displaying 3 Result(s) of 3.

Main Catagories

[Bollywood Music](#)

[DJ Remix Mp3 Songs](#)

[Punjabi Music](#)

[IndianPop Mp3 Songs](#)

[Instrumental Songs Collections](#)

Browse More

[Singers](#)

[Directors](#)

[Music Directors](#)

[Composers](#)

[Stars](#)

My Favourites

[My Playlist](#)

[My Albums](#)

Links


[DMCA Copyright](#)

[Privacy Policy](#)


[Terms of Service](#)


[Contact Us](#)

Search Result for Shreya


**1) Sun Raha Hai Na(Female)**
singer : [Shreya Ghoshal](#)
size : 6.02 mb


[DOWNLOAD](#)
Add to My Playlist




**2) Hasi**
singer : [Shreya Ghoshal](#)
size : 3.70 mb

[DOWNLOAD](#)
Add to My Playlist



**3) Mashup**
singer : [Shreya Ghoshal](#)
size : 3.72 mb

[DOWNLOAD](#)
Add to My Playlist




[1](#) | [Next](#)

Copyright © MusicLovers.com All Right Reserved || Site Developed By [Abhinav](#) , [Devansh](#)

MY PLAYLIST PAGE

Welcome Abhinav

Log Out

**MUSICLOVERS**
... JUST THE RIGHT CHOICE

Home >> My Playlist

Search any song here...

Main Catagories

[Bollywood Music](#)

[DJ Remix Mp3 Songs](#)

[Punjabi Music](#)

[IndianPop Mp3 Songs](#)

[Instrumental Songs Collections](#)

Browse More

[Singers](#)

[Directors](#)

[Music Directors](#)

[Composers](#)

[Stars](#)

My Favourites

[My Playlist](#)

[My Albums](#)

Links





















[DMCA Copyright](#)

[Privacy Policy](#)

[Terms of Service](#)

[Contact Us](#)

Your Playlist


 1) Kabira singer : Arijt Singh size : 8.94 mb	DOWNLOAD  Delete Song	  4:29 
 2) Sanam Re singer : Arijt Singh size : 5.51 mb	DOWNLOAD  Delete Song	  5:08 
 3) DJ Wale Babu singer : Badshah size : 2.61 mb	DOWNLOAD  Delete Song	  2:49 
 4) Super Girl From China singer : Kanika Kapoor size : 7.43 mb	DOWNLOAD  Delete Song	  4:11 

Copyright © MusicLovers.com All Right Reserved || Site Developed By [Abhinav](#) , [Devansh](#)

MY ALBUM PAGE

Welcome Abhinav

Log Out

**MUSICLOVERS**
...JUST THE RIGHT CHOICE

Home >> My Albums

Search any song here...

Search

Main Catagories

[Bollywood Music](#)

[DJ Remix Mp3 Songs](#)

[Punjabi Music](#)

[IndianPop Mp3 Songs](#)

[Instrumental Songs Collections](#)

Browse More

[Singers](#)

[Directors](#)

[Music Directors](#)

[Composers](#)

[Stars](#)

My Favourites

[My Playlist](#)

[My Albums](#)

Links


[DMCA Copyright](#)

[Privacy Policy](#)

[Terms of Service](#)


[Contact Us](#)

Your Favourite Albums




Aashiqui 2 (2013)

Delete Album



Yeh Jawani Hai Deewani (2013)

Delete Album






Ek Villain (2014)

Delete Album

Copyright © MusicLovers.com All Right Reserved || Site Developed By [Abhinav](#) , [Devansh](#)

ADMIN HOME PAGE

Home Create New Folder in Add Song Delete from Edit in Setting Log Out						
Music Lover's Messages						
Sr. No.	Name	E-Mail	Subject	Message	Date	Delete Message
1	Devansh	devanshdubeyec786@gmail.com	To add song	Please add it...	2016-03-13	
2	Abhinav	abhinav1995.1995@gmail.com	About Song	Please add song in DJ Remix.	2016-02-29	
3	Krishna	kk123@gmail.com	About the site	The design of site is not too good....but the collection of songs are awesome....Please add some more instrumental songs...	2016-02-22	

CREATING NEW FOLDER

Home Create New Folder in Add Song Delete from Edit in Setting Log Out	
Create New Folder In Bollywood Music	
Movie Name	<input type="text"/>
Movie Year	<input type="text"/>
Director	<input type="text"/>
Music Director	<input type="text"/>
Composer	<input type="text"/>
Stars 1	<input type="text"/>
Stars 2	<input type="text"/>
Poster	<input type="button" value="Choose File"/> No file chosen
<input type="button" value="Add Movie"/>	

ADDING SONGS IN FOLDER

[Home](#) [Create New Folder in](#) [Add Song](#) [Delete from](#) [Edit in](#) [Setting](#) [Log Out](#)

Add Songs in Bollywood Music

Movie Name	<input type="text" value="Select Movie"/>
Select Song	<input type="button" value="Choose File"/> No file chosen
Song Name	<input type="text"/>
Singer Name	<input type="text"/>
<input type="button" value="Add Song"/>	

DELETE FOLDER PAGE

[Home](#) [Create New Folder in](#) [Add Song](#) [Delete from](#) [Edit in](#) [Setting](#) [Log Out](#)




Delete from Instrumental Songs Collection

Serial No.	Folder Name	Delete Folder
1	Arijit Instrumental	<input type="button" value="X"/>
2	Kishore Kumar	<input type="button" value="X"/>
3	Lata Mangeshkar	<input type="button" value="X"/>
4	Mohd. Rafi	<input type="button" value="X"/>
5	RD Burman(Symphony)	<input type="button" value="X"/>
6	Shreya Ghoshal Hits	<input type="button" value="X"/>

DELETE SONGS FROM FOLDER

[Home](#) [Create New Folder in](#) [Add Song](#) [Delete from](#) [Edit in](#) [Setting](#) [Log Out](#)

Delete from Humari Adhuri Kahani

Serial No.	Song Name	Delete Song
1	Humari Adhuri Kahani	
2	Humnava	
3	Hasi	

EDIT FOLDER DETAIL OR CHANGE FOLDER IMAGE

[Home](#) [Create New Folder in](#) [Add Song](#) [Delete from](#) [Edit in](#) [Setting](#) [Log Out](#)

Edit in Instrumental Song Collection

Serial No.	Folder Name	Edit Folder
1	Arijit Instrumental	Click Here
2	Kishore Kumar	Click Here
3	Lata Mangeshkar	Click Here
4	Mohd. Rafi	Click Here
5	RD Burman(Symphony)	Click Here
6	Shreya Ghoshal Hits	Click Here

EDIT A SONG IN PARTICULAR FOLDER

Home	Create New Folder in ▾	Add Song ▾	Delete from ▾	Edit in ▾	Setting	Log Out
------	------------------------	------------	---------------	-----------	---------	---------

Edit Song in Bollywood Music

Song Name	<input type="text" value="Humari Adhuri Kahani"/>
Singer Name	<input type="text" value="Arjit Singh"/>
<input type="button" value="Edit Song"/>	

ACCOUNT SETTING PAGE OF ADMIN

Home	Create New Folder in ▾	Add Song ▾	Delete from ▾	Edit in ▾	Setting	Log Out
------	------------------------	------------	---------------	-----------	---------	---------

Account Setting

New Admin Name	<input type="text" value="Abhinav"/>
Old Password	<input type="password"/>
New Pasword	<input type="password"/>
Confirm New Pasword	<input type="password"/>
<input type="button" value="Change"/>	

BIBLIOGRAPHY & REFERENCES

- Head First PHP and MYSQL.
- En.wikipedia.org/wiki/PHP//
- <https://www.php.net/manual/en>
- <https://www.w3schools.com>
- <http://stackoverflow.com/>

THANK YOU