Image 105-case-block-theories.png

What it shows: Theories block.
How to reach it: Case home.



Image 106-case-block-health.png

What it shows: Health checks block.
How to reach it: Case home.



Image 107-case-health-checks-run.png

What it shows: Health checks after Run checks, with history.
How to reach it: Press Run checks.




Image 108-case-block-saved-connections.png

What it shows: Saved connections: SQL Server and MongoDB, with Test, Edit, Forget, + SQL Server, + MongoDB, Refresh.
How to reach it: Case home.



Image 109-case-saved-connection-test.png

What it shows: Testing a saved connection.
How to reach it: Press Test on the first connection.



Image 110-case-saved-connection-forget-asks.png

What it shows: Forgetting a saved connection asks first.
How to reach it: Press Forget.



Image 111-case-block-files.png

What it shows: Files block: what is in the case and Add a file.
How to reach it: Case home.




Image 112-case-block-case-key.png

What it shows: Case key block: Add a case key.
How to reach it: Case home.



Image 113-case-block-erase.png

What it shows: Erase this case block.
How to reach it: Case home.



Image 114-theories-ledger-drawer.png

What it shows: The theories (ledger) drawer.
How to reach it: Press Open the theories.




Image 115-theories-after-add.png

What it shows: A theory added, with its state.
How to reach it: Type a theory, press Add.




Image 116-connections-drawer.png

What it shows: Adding a saved connection from the case home (+ SQL Server).
How to reach it: Press + SQL Server.




Image 117-case-key-add-page.png

What it shows: Add a case key: the form.
How to reach it: Press Add a case key.




Image 118-erase-case-page.png

What it shows: Erase this case: you must type the case code.
How to reach it: Press Erase this case.




Image 119-case-needs-another-try.png

What it shows: A failed import and an unsaved source name on the Needs another try list.
How to reach it: Scenario c-failed.




Image 120-case-retry-add-file-again.png

What it shows: Add the file again opens the import drawer.
How to reach it: Press Add the file again.




Image 121-case-closed.png

What it shows: A closed case: read-only, the Timeline and add buttons are off with the reason; Reopen this case.
How to reach it: Scenario c-closed.




Image 122-case-reopened.png

What it shows: Reopen this case: everything is on again.
How to reach it: Press Reopen this case.




Image 123-case-key-card.png

What it shows: A case with its own key: the key card replaces the page.
How to reach it: Scenario c-keyed.




Image 124-case-key-wrong.png

What it shows: A wrong case key.
How to reach it: Type a wrong key, press Open case.




Image 125-case-key-throttled.png

What it shows: Three wrong tries: wait.
How to reach it: Repeat twice more.




Image 126-case-key-right.png

What it shows: Right key (vendor-case-key-01, test aid): the case opens.
How to reach it: Wait, type the key, press Open case.




Image 127-case-archived.png

What it shows: Archived case: only the record, the case file and the restore choices.
How to reach it: Scenario c-archived.




Image 128-case-legacy.png

What it shows: Legacy case that cannot be opened: Restore from a case file or Erase.
How to reach it: Scenario c-untrusted.



Image 129-case-legacy-restore-intent.png

What it shows: Restore from a case file takes you to the start screen with the restore card open.
How to reach it: Press Restore from a case file.




Image 130-case-loading.png

What it shows: Opening the case...
How to reach it: Scenario c-loading.

