Image 235-timeline-30-day-limit-refused.png

What it shows: A window of 30 days and 1 second is refused; Show timeline is off.
How to reach it: Scenario w-30dx.




Image 236-timeline-30-days-8-hour-bars.png

What it shows: 30 days starting at 00:01: bars coarsen to 8 hours, 91 on the axis, two boundary raw scans.
How to reach it: Scenario w-30d.




Image 237-timeline-no-comparison-sparse.png

What it shows: The comparison period has no data: cards say Cannot compare with the earlier period.
How to reach it: Scenario w-sparse.




Image 238-timeline-sparse-lanes.png

What it shows: Each lane says No comparison with the reason.
How to reach it: Same screen, chart card.




Image 239-timeline-closed-case.png

What it shows: A closed case: Show timeline is off with the reason; nothing is drawn.
How to reach it: Scenario t-closed.




Image 240-timeline-timezone-gate.png

What it shows: A file with no checked time zone switches the multi-source chart off as a whole.
How to reach it: Scenario t-tz, Show timeline.




Image 241-timeline-nothing-stored.png

What it shows: A case with nothing stored: SQL and IIS say this case has no file for this source.
How to reach it: Scenario t-empty, Show timeline.




Image 242-timeline-half-stored.png

What it shows: Only half the window is stored for SQL: a gap is labelled on that lane.
How to reach it: Scenario t-partial, Show timeline.




Image 243-timeline-saved-lanes-only.png

What it shows: Saved lanes only (audit removed): nothing is a live read, so no mixed-time note.
How to reach it: Scenario t-saved, Show timeline.





Image 244-whatif-audit-over-budget.png


What it shows: What if: audit read exceeds its budget: the lane is flagged incomplete and nothing is shortened.
How to reach it: Prototype controls > What if > Audit read exceeds its budget, then Refresh timeline.



Time (UTC). Each bar covers 5 minutes, starting at the time on its left edge; every panel uses the same time axis. Longer periods group more time into each bar so the chart stays readable. Grey dashes are slots outside your window.

Image 245-whatif-audit-unreachable.png


What it shows: What if: audit source unreachable.
How to reach it: Prototype controls > What if > Audit source unreachable, then Refresh timeline.



Time (UTC). Each bar covers 5 minutes, starting at the time on its left edge; every panel uses the same time axis. Longer periods group more time into each bar so the chart stays readable. Grey dashes are slots outside your window.

Image 246-whatif-boundary-scan-over.png

What it shows: What if: boundary scan exceeds 50,000 rows.
How to reach it: Prototype controls > What if > Boundary scan exceeds 50,000 rows, then Refresh timeline.



Time (UTC). Each bar covers 5 minutes, starting at the time on its left edge; every panel uses the same time axis. Longer periods group more time into each bar so the chart stays readable. Grey dashes are slots outside your window.

Image 247-whatif-suspect-d16-sql-timeouts.png

What it shows: What if: SQL commands time out (D16) turns that suspect orange or red.
How to reach it: Prototype controls > What if > SQL commands time out (D16).




Image 248-whatif-suspect-s10-app-pool-offline.png

What it shows: What if: app pool goes offline (S10).
How to reach it: Prototype controls > What if > App pool goes offline (S10).




Image 249-whatif-suspect-m12-mongo-rejects.png

What it shows: What if: MongoDB rejects connections (M12).
How to reach it: Prototype controls > What if > MongoDB rejects connections (M12).




Image 250-mvp2-coverage-ledger-no-coverage.png

What it shows: MVP-2 (planned): coverage ledger says no coverage and offers Pull this window.
How to reach it: Scenario m-first (prototype panel: MVP-1 + MVP-2).




Image 251-mvp2-first-pull-done.png

What it shows: MVP-2: a pull saves the incident window.
How to reach it: Press Pull this window.




Image 252-mvp2-overlap-409.png

What it shows: MVP-2: a window that partly overlaps a stored pull is refused (409) with the remedy.
How to reach it: Scenario m-overlap, press Pull this window.




Image 253-prototype-dock-bottom-bar-timeline.png

What it shows: The prototype-only bottom bar on the timeline: layout pill, prepared-situation picker, What if switches, last action, Prototype and State buttons.
How to reach it: Always visible at the bottom of the prototype page.




Image 254-prototype-panel-launch-and-stage.png

What it shows: The Prototype panel: launch the app as Normal, Key locked, Key damaged or Fresh PC; release stage MVP-1 or MVP-2; test aids; assumptions and questions.
How to reach it: Press Prototype in the bottom bar.




Image 255-prototype-state-panel.png

What it shows: The State panel: full state after every action and the action log.
How to reach it: Press State in the bottom bar.




Image 256-narrow-timeline-phone-width.png

What it shows: The timeline at phone width: single column, rail below the chart, no sideways scroll.
How to reach it: Resize the window to 390 pixels wide.



Image 257-narrow-case-home-phone-width.png

What it shows: The case home at phone width.
How to reach it: Resize the window to 390 pixels wide, open the case.

