7/9/2018 array.es6.js

```
1 class MyArray {
 2
     constructor() {
 3
       this.array = [];
 4
     }
 5
 6
     add(data) {
 7
       this.array.push(data);
 8
9
10
     remove(data) {
       this.array = this.array.filter(current => current !== data);
11
12
     }
13
     search(data) {
14
       const foundIndex = this.array.indexOf(data);
15
16
       if(~foundIndex) {
17
         return foundIndex;
       }
18
19
20
       return null;
21
22
23
     getAtIndex(index) {
24
       return this.array[index];
25
26
27
     length() {
28
       return this.array.length;
29
     }
30
31
     print() {
32
       console.log(this.array.join(' '));
33
34 }
35
36 const array = new MyArray();
37 array.add(1);
38 array.add(2);
39 array.add(3);
40 array.add(4);
41 array.print(); // => 1 2 3 4
42 console.log('search 3 gives index 2:', array.search(3)); // => 2
43 console.log('getAtIndex 2 gives 3:', array.getAtIndex(2)); // => 3
44 console.log('length is 4:', array.length()); // => 4
45 array.remove(3);
46 array.print(); // => 1 2 4
47 array.add(5);
48 array.add(5);
49 array.print(); // => 1 2 4 5 5
50 array.remove(5);
51 array.print(); // => 1 2 4
52
```

```
1 function MyArray() {
 this.array = [];
 3 }
 4
 5 MyArray.prototype.add = function(data) {
 6 this.array.push(data);
7|};
 8 MyArray.prototype.remove = function(data) {
    this.array = this.array.filter(function(current) {
9
       return current !== data;
10
11
    });
12 };
13 MyArray.prototype.search = function(data) {
     var foundIndex = this.array.indexOf(data);
14
     if(~foundIndex) {
15
       return foundIndex;
16
17
     }
18
19
    return null;
20 };
21 MyArray.prototype.getAtIndex = function(index) {
   return this.array[index];
22
23 };
24 MyArray.prototype.length = function() {
   return this.array.length;
26 };
27 MyArray.prototype.print = function() {
console.log(this.array.join(' '));
29 };
30
31 var array = new MyArray();
32 array.add(1);
33 array.add(2);
34 array.add(3);
35 array.add(4);
36 array.print(); // => 1 2 3 4
37 console.log('search 3 gives index 2:', array.search(3)); // => 2
38 console.log('getAtIndex 2 gives 3:', array.getAtIndex(2)); // => 3
39 console.log('length is 4:', array.length()); // => 4
40 array.remove(3);
41 array.print(); // => 1 2 4
42 array.add(5);
43 array.add(5);
44 array.print(); // => 1 2 4 5 5
45 array.remove(5);
46 array.print(); // => 1 2 4
47
```

```
1 function Node(data) {
2
     this.data = data;
 3
     this.left = null;
 4
     this.right = null;
5 }
6
7 class BinarySearchTree {
8
     constructor() {
9
       this.root = null;
10
11
12
     add(data) {
13
       const node = new Node(data);
14
       if(!this.root) {
15
         this.root = node;
       } else {
16
17
         let current = this.root;
18
         while(current) {
19
           if(node.data < current.data) {</pre>
20
              if(!current.left) {
21
                current.left = node;
22
                break;
              }
23
24
             current = current.left;
25
            } else if (node.data > current.data) {
              if(!current.right) {
26
27
                current.right = node;
28
                break;
29
              }
30
             current = current.right;
31
            } else {
32
             break;
33
           }
34
         }
35
       }
     }
36
37
     remove(data) {
38
39
       const that = this;
40
       const removeNode = (node, data) => {
41
         if(!node) {
           return null;
42
43
44
         if(data === node.data) {
45
           if(!node.left && !node.right) {
46
              return null;
47
           if(!node.left) {
48
49
              return node.right;
50
51
           if(!node.right) {
52
              return node.left;
53
           }
           // 2 children
54
55
           const temp = that.getMin(node.right);
56
           node.data = temp;
57
           node.right = removeNode(node.right, temp);
58
           return node;
59
         } else if(data < node.data) {</pre>
           node.left = removeNode(node.left, data);
```

```
61
            return node;
 62
          } else {
            node.right = removeNode(node.right, data);
 63
 64
            return node;
 65
          }
        };
 66
 67
        this.root = removeNode(this.root, data);
 68
 69
 70
      contains(data) {
 71
        let current = this.root;
        while(current) {
 72
 73
          if(data === current.data) {
 74
            return true;
 75
          }
 76
          if(data < current.data) {</pre>
 77
            current = current.left;
 78
          } else {
 79
            current = current.right;
 80
 81
        }
 82
        return false;
 83
 84
 85
      _preOrder(node, fn) {
        if(node) {
 86
          if(fn) {
 87
 88
             fn(node);
 89
          this._preOrder(node.left, fn);
 90
 91
          this._preOrder(node.right, fn);
 92
        }
      }
 93
 94
 95
      _inOrder(node, fn) {
 96
        if(node) {
 97
          this._inOrder(node.left, fn);
 98
          if(fn) {
99
            fn(node);
100
          this._inOrder(node.right, fn);
101
102
        }
103
104
      _postOrder(node, fn) {
105
106
        if(node) {
          this._postOrder(node.left, fn);
107
          this._postOrder(node.right, fn);
108
          if(fn) {
109
110
            fn(node);
111
112
        }
      }
113
114
115
      traverseDFS(fn, method) {
        const current = this.root;
116
117
        if(method) {
118
          this[`_${method}`](current, fn);
119
        } else {
          this._preOrder(current, fn);
120
```

```
121
      }
122
123
      traverseBFS(fn) {
124
125
        this.queue = [];
126
        this.queue.push(this.root);
127
        while(this.queue.length) {
128
          const node = this.queue.shift();
129
          if(fn) {
130
            fn(node);
131
132
          if(node.left) {
            this.queue.push(node.left);
133
134
135
          if(node.right) {
136
            this.queue.push(node.right);
137
138
        }
139
      }
140
141
      print() {
142
        if(!this.root) {
          return console.log('No root node found');
143
144
145
        const newline = new Node('|');
146
        const queue = [this.root, newline];
147
        let string = '';
148
        while(queue.length) {
149
          const node = queue.shift();
          string += `${node.data.toString()} `;
150
151
          if(node === newline && queue.length) {
152
            queue.push(newline);
153
154
          if(node.left) {
155
            queue.push(node.left);
156
157
          if(node.right) {
158
            queue.push(node.right);
159
          }
160
        console.log(string.slice(0, -2).trim());
161
162
163
164
      printByLevel() {
165
        if(!this.root) {
166
          return console.log('No root node found');
167
168
        const newline = new Node('\n');
169
        const queue = [this.root, newline];
        let string = '';
170
171
        while(queue.length) {
172
          const node = queue.shift();
          string += node.data.toString() + (node.data !== '\n' ? ' ' : '');
173
174
          if(node === newline && queue.length) {
175
            queue.push(newline);
176
          if(node.left) {
177
178
            queue.push(node.left);
179
180
          if(node.right) {
```

```
181
            queue.push(node.right);
182
          }
183
184
        console.log(string.trim());
185
186
187
      getMin(node) {
188
        if(!node) {
          node = this.root;
189
190
191
        while(node.left) {
          node = node.left;
192
193
194
        return node.data;
195
196
197
      getMax(node) {
198
        if(!node) {
199
          node = this.root;
200
201
        while(node.right) {
202
          node = node.right;
203
204
        return node.data;
205
206
207
      _getHeight(node) {
208
        if(!node) {
209
          return -1;
210
211
        const left = this._getHeight(node.left);
212
        const right = this._getHeight(node.right);
213
        return Math.max(left, right) + 1;
214
      }
215
216
      getHeight(node) {
217
        if(!node) {
218
          node = this.root;
219
220
        return this._getHeight(node);
      }
221
222
      _isBalanced(node) {
223
224
        if(!node) {
225
          return true;
226
        const heigthLeft = this._getHeight(node.left);
227
        const heigthRight = this._getHeight(node.right);
228
229
        const diff = Math.abs(heigthLeft - heigthRight);
230
        if(diff > 1) {
231
          return false;
232
        } else {
          return this._isBalanced(node.left) && this._isBalanced(node.right);
233
234
        }
      }
235
236
      isBalanced(node) {
237
238
        if(!node) {
239
          node = this.root;
240
```

3 4 5 6 7 8

5 3 2 4 7 6 8

2 4 3 6 8 7 5

296 console.log('--- BFS');

283 binarySearchTree.add(2);
284 binarySearchTree.add(4);
285 binarySearchTree.add(4);
286 binarySearchTree.add(6);
287 binarySearchTree.add(8);

290 console.log('--- DFS inOrder');

292 console.log('--- DFS pre0rder');

294 console.log('--- DFS postOrder');

288 binarySearchTree.print(); // => 5 | 3 7 | 2 4 6 8

289 binarySearchTree.printByLevel(); // => 5 \n 3 7 \n 2 4 6 8

291 binarySearchTree.traverseDFS(node => { console.log(node.data); }, 'inOrder'); // => 2

293 binarySearchTree.traverseDFS(node => { console.log(node.data); }, 'preOrder'); // =>

295 binarySearchTree.traverseDFS(node => { console.log(node.data); }, 'postOrder'); // =>

```
297 binarySearchTree.traverseBFS(node => { console.log(node.data); }); // => 5 3 7 2 4 6
298 console.log('min is 2:', binarySearchTree.getMin()); // => 2
299 console.log('max is 8:', binarySearchTree.getMax()); // => 8
300 console.log('tree contains 3 is true:', binarySearchTree.contains(3)); // => true
301 console.log('tree contains 9 is false:', binarySearchTree.contains(9)); // => false
302 console.log('tree height is 2:', binarySearchTree.getHeight()); // => 2
303 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
304 binarySearchTree.remove(11); // remove non existing node
305 | binarySearchTree.print(); // => 5 | 3 7 | 2 4 6 8
306 binarySearchTree.remove(5); // remove 5, 6 goes up
307 binarySearchTree.print(); // => 6 | 3 7 | 2 4 8
308 binarySearchTree.remove(7); // remove 7, 8 goes up
309 binarySearchTree.print(); // \Rightarrow 6 \mid 3 \mid 8 \mid 2 \mid 4
310 binarySearchTree.remove(8); // remove 8, the tree becomes unbalanced
311 binarySearchTree.print(); // \Rightarrow 6 \mid 3 \mid 2 \mid 4
312 console.log('tree is balanced is false:', binarySearchTree.isBalanced()); // => true
313 binarySearchTree.remove(4);
314 binarySearchTree.remove(2);
315 binarySearchTree.remove(3);
316 binarySearchTree.remove(6);
317 binarySearchTree.print(); // => 'No root node found'
318 binarySearchTree.printByLevel(); // => 'No root node found'
319 console.log('tree height is -1:', binarySearchTree.getHeight()); // => -1
320 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
321 console.log('---');
322 binarySearchTree.add(10);
323 console.log('tree height is 0:', binarySearchTree.getHeight()); // => 0
324 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
325 binarySearchTree.add(6);
326 binarySearchTree.add(14);
327 binarySearchTree.add(4);
328 binarySearchTree.add(8);
329 binarySearchTree.add(12);
330 binarySearchTree.add(16);
331 binarySearchTree.add(3);
332 binarySearchTree.add(5);
333 binarySearchTree.add(7);
334 binarySearchTree.add(9);
335 binarySearchTree.add(11);
336 binarySearchTree.add(13);
337 binarySearchTree.add(15);
338 binarySearchTree.add(17);
340 binarySearchTree.remove(10); // remove 10, 11 goes up
341 binarySearchTree.print(); // => 11 | 6 14 | 4 8 12 16 | 3 5 7 9 x 13 15 17
342 binarySearchTree.remove(12); // remove 12; 13 goes up
343|binarySearchTree.print(); // => 11 | 6 14 | 4 8 13 16 | 3 5 7 9 x x 15 17
344 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
345 console.log('tree is balanced optimized is true:',
   binarySearchTree.isBalancedOptimized()); // => true
346 binarySearchTree.remove(13); // remove 13, 13 has no children so nothing changes
347 binarySearchTree.print(); // => 11 | 6 14 | 4 8 x 16 | 3 5 7 9 x x 15 17
348 console.log('tree is balanced is false:', binarySearchTree.isBalanced()); // => false
349 console.log('tree is balanced optimized is false:',
   binarySearchTree.isBalancedOptimized()); // => false
350
```

```
1 function Node(data) {
2
     this.data = data;
 3
     this.left = null;
 4
     this.right = null;
5 }
6
7 function BinarySearchTree() {
     this.root = null;
8
9 }
10
11 BinarySearchTree.prototype.add = function(data) {
12
     var node = new Node(data);
13
     if(!this.root) {
14
       this.root = node;
15
     } else {
16
       var current = this.root;
       while(current) {
17
         if(node.data < current.data) {</pre>
18
19
           if(!current.left) {
20
             current.left = node;
21
             break;
22
23
           current = current.left;
24
         } else if (node.data > current.data) {
25
           if(!current.right) {
             current.right = node;
26
27
             break;
28
29
           current = current.right;
30
         } else {
31
           break;
32
         }
33
       }
34
35|};
36 BinarySearchTree.prototype.remove = function(data) {
37
     var that = this;
     var removeNode = function(node, data) {
38
39
       if(!node) {
40
         return null;
41
       if(data === node.data) {
42
43
         if(!node.left && !node.right) {
44
           return null;
45
         if(!node.left) {
46
47
           return node.right;
48
49
         if(!node.right) {
50
           return node.left;
51
52
         // 2 children
53
         var temp = that.getMin(node.right);
54
         node.data = temp;
55
         node.right = removeNode(node.right, temp);
56
         return node;
57
       } else if(data < node.data) {</pre>
58
         node.left = removeNode(node.left, data);
59
         return node;
       } else {
```

while(this.queue.length) {

var node = this.queue.shift();

119

120

```
121
        if(fn) {
122
          fn(node);
123
        if(node.left) {
124
          this.queue.push(node.left);
125
126
127
        if(node.right) {
          this.queue.push(node.right);
128
129
        }
130
131 };
132 BinarySearchTree.prototype.print = function() {
133
      if(!this.root) {
134
        return console.log('No root node found');
135
      }
136
      var newline = new Node('|');
137
      var queue = [this.root, newline];
138
      var string = '';
139
      while(queue.length) {
        var node = queue.shift();
140
141
        string += node.data.toString() + ' ';
        if(node === newline && queue.length) {
142
143
          queue.push(newline);
144
145
        if(node.left) {
146
          queue.push(node.left);
147
        if(node.right) {
148
149
          queue.push(node.right);
150
151
      console.log(string.slice(0, -2).trim());
152
153 };
154 BinarySearchTree.prototype.printByLevel = function() {
155
      if(!this.root) {
        return console.log('No root node found');
156
157
158
      var newline = new Node('\n');
159
      var queue = [this.root, newline];
160
      var string = '';
161
      while(queue.length) {
162
        var node = queue.shift();
        string += node.data.toString() + (node.data !== '\n' ? ' ' : '');
163
        if(node === newline && queue.length) {
164
          queue.push(newline);
165
166
        if(node.left) {
167
168
          queue.push(node.left);
169
170
        if(node.right) {
171
          queue.push(node.right);
172
        }
173
174
      console.log(string.trim());
175 };
176 BinarySearchTree.prototype.getMin = function(node) {
      if(!node) {
177
178
        node = this.root;
179
180
      while(node.left) {
```

```
181
        node = node.left;
182
183
      return node.data;
184 };
185 BinarySearchTree.prototype.getMax = function(node) {
186
      if(!node) {
        node = this.root;
187
188
189
      while(node.right) {
190
        node = node.right;
191
      }
192
      return node.data;
193 };
194 BinarySearchTree.prototype._getHeight = function(node) {
195
      if(!node) {
196
        return -1;
197
198
      var left = this._getHeight(node.left);
199
      var right = this._getHeight(node.right);
200
      return Math.max(left, right) + 1;
201 };
202 BinarySearchTree.prototype.getHeight = function(node) {
      if(!node) {
203
        node = this.root;
204
205
      }
206
      return this._getHeight(node);
207 };
208 BinarySearchTree.prototype. isBalanced = function(node) {
209
      if(!node) {
210
        return true;
211
      var heigthLeft = this._getHeight(node.left);
212
      var heigthRight = this._getHeight(node.right);
213
214
      var diff = Math.abs(heigthLeft - heigthRight);
215
      if(diff > 1) {
216
        return false;
217
      } else {
        return this. isBalanced(node.left) && this. isBalanced(node.right);
218
219
220 };
221 BinarySearchTree.prototype.isBalanced = function(node) {
222
      if(!node) {
223
        node = this.root;
224
225
      return this._isBalanced(node);
226 };
227 BinarySearchTree.prototype. checkHeight = function(node) {
228
      if(!node) {
229
        return 0;
230
231
      var left = this._checkHeight(node.left);
232
      if(left === -1) {
233
        return -1;
234
235
      var right = this. checkHeight(node.right);
      if(right === -1) {
236
237
        return -1;
238
      }
239
      var diff = Math.abs(left - right);
240
      if(diff > 1) {
```

```
7/9/2018
                                              binary-search-tree.js
 241
         return -1;
 242
       } else {
 243
         return Math.max(left, right) + 1;
 244
 245 };
 246 BinarySearchTree.prototype.isBalancedOptimized = function(node) {
 247
       if(!node) {
         node = this.root;
 248
 249
       }
       if(!node) {
 250
 251
         return true;
 252
       if(this._checkHeight(node) === -1) {
 253
 254
         return false;
 255
       } else {
 256
         return true;
 257
 258 };
 259
 260 var binarySearchTree = new BinarySearchTree();
 261 binarySearchTree.add(5);
 262 binarySearchTree.add(3);
 263 binarySearchTree.add(7);
 264 binarySearchTree.add(2);
 265 binarySearchTree.add(4);
 266 binarySearchTree.add(4);
 267 binarySearchTree.add(6);
 268 binarySearchTree.add(8);
 269 binarySearchTree.print(); // => 5 | 3 7 | 2 4 6 8
 270 binarySearchTree.printByLevel(); // => 5 \n 3 7 \n 2 4 6 8
 271 console.log('--- DFS inOrder');
 272 binarySearchTree.traverseDFS(function(node) { console.log(node.data); }, 'inOrder');
     // => 2 3 4 5 6 7 8
 273 console.log('--- DFS preOrder');
 274 binarySearchTree.traverseDFS(function(node) { console.log(node.data); }, 'preOrder');
     // => 5 3 2 4 7 6 8
 275 console.log('--- DFS postOrder');
 276 binarySearchTree.traverseDFS(function(node) { console.log(node.data); },
     'postOrder'); // => 2 4 3 6 8 7 5
 277 console.log('--- BFS');
 278 binarySearchTree.traverseBFS(function(node) { console.log(node.data); }); // => 5 3 7
     2 4 6 8
 279 console.log('min is 2:', binarySearchTree.getMin()); // => 2
 280 console.log('max is 8:', binarySearchTree.getMax()); // => 8
 281 console.log('tree contains 3 is true:', binarySearchTree.contains(3)); // => true
 282 console.log('tree contains 9 is false:', binarySearchTree.contains(9)); // => false
 283 console.log('tree height is 2:', binarySearchTree.getHeight()); // => 2
 284 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
 285 binarySearchTree.remove(11); // remove non existing node
 286 binarySearchTree.print(); // => 5 | 3 7 | 2 4 6 8
 287 binarySearchTree.remove(5); // remove 5, 6 goes up
 288 binarySearchTree.print(); // => 6 | 3 7 | 2 4 8
 289 binarySearchTree.remove(7); // remove 7, 8 goes up
 290 binarySearchTree.print(); // => 6 | 3 8 | 2 4
 291 binarySearchTree.remove(8); // remove 8, the tree becomes unbalanced
 292 binarySearchTree.print(); // \Rightarrow 6 \mid 3 \mid 2 \mid 4
 293 console.log('tree is balanced is false:', binarySearchTree.isBalanced()); // => true
 294 binarySearchTree.remove(4);
```

295 binarySearchTree.remove(2);
296 binarySearchTree.remove(3);

```
297 binarySearchTree.remove(6);
298 binarySearchTree.print(); // => 'No root node found'
299 binarySearchTree.printByLevel(); // => 'No root node found'
300 console.log('tree height is -1:', binarySearchTree.getHeight()); // => -1
301 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
302 console.log('---');
303 binarySearchTree.add(10);
304 console.log('tree height is 0:', binarySearchTree.getHeight()); // => 0
305 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
306 binarySearchTree.add(6);
307 binarySearchTree.add(14);
308 binarySearchTree.add(4);
309 binarySearchTree.add(8);
310 binarySearchTree.add(12);
311 binarySearchTree.add(16);
312 binarySearchTree.add(3);
313 binarySearchTree.add(5);
314 binarySearchTree.add(7);
315 binarySearchTree.add(9);
316 binarySearchTree.add(11);
317 binarySearchTree.add(13);
318 binarySearchTree.add(15);
319 binarySearchTree.add(17);
320 binarySearchTree.print(); // => 10 | 6 14 | 4 8 12 16 | 3 5 7 9 11 13 15 17
321 binarySearchTree.remove(10); // remove 10, 11 goes up
322 binarySearchTree.print(); // => 11 | 6 14 | 4 8 12 16 | 3 5 7 9 x 13 15 17
323 binarySearchTree.remove(12); // remove 12; 13 goes up
324 binarySearchTree.print(); // => 11 | 6 14 | 4 8 13 16 | 3 5 7 9 x x 15 17
325 console.log('tree is balanced is true:', binarySearchTree.isBalanced()); // => true
326 console.log('tree is balanced optimized is true:',
   binarySearchTree.isBalancedOptimized()); // => true
327 binarySearchTree.remove(13); // remove 13, 13 has no children so nothing changes
328 binarySearchTree.print(); // => 11 | 6 14 | 4 8 x 16 | 3 5 7 9 x x 15 17
329 console.log('tree is balanced is false:', binarySearchTree.isBalanced()); // => false
330 console.log('tree is balanced optimized is false:',
   binarySearchTree.isBalancedOptimized()); // => false
331
```

```
1 function Node(data) {
2
     this.data = data;
 3
     this.previous = null;
 4
     this.next = null;
5 }
6
7 class DoublyLinkedList {
8
     constructor() {
9
       this.head = null;
10
       this.tail = null;
       this.numberOfValues = 0;
11
12
     }
13
14
     add(data) {
15
       const node = new Node(data);
16
       if(!this.head) {
17
         this.head = node;
         this.tail = node;
18
19
       } else {
20
         node.previous = this.tail;
21
         this.tail.next = node;
22
         this.tail = node;
23
       }
24
       this.numberOfValues++;
25
26
27
     remove(data) {
28
       let current = this.head;
29
       while(current) {
30
         if(current.data === data) {
31
           if(current === this.head && current === this.tail) {
32
             this.head = null;
             this.tail = null;
33
           } else if(current === this.head) {
34
35
             this.head = this.head.next;
             this.head.previous = null;
36
37
           } else if(current === this.tail) {
             this.tail = this.tail.previous;
38
39
             this.tail.next = null;
40
           } else {
41
             current.previous.next = current.next;
42
             current.next.previous = current.previous;
43
           }
44
           this.numberOfValues--;
45
46
         current = current.next;
47
48
49
50
     insertAfter(data, toNodeData) {
       let current = this.head;
51
52
       while(current) {
53
         if(current.data === toNodeData) {
           const node = new Node(data);
54
55
           if(current === this.tail) {
56
             this.add(data);
57
           } else {
58
             current.next.previous = node;
59
             node.previous = current;
             node.next = current.next;
```

```
61
              current.next = node;
 62
              this.numberOfValues++;
 63
 64
          }
 65
          current = current.next;
 66
      }
 67
 68
 69
      traverse(fn) {
        let current = this.head;
 70
 71
        while(current) {
 72
          if(fn) {
 73
            fn(current);
 74
 75
          current = current.next;
 76
 77
 78
 79
      traverseReverse(fn) {
 80
        let current = this.tail;
 81
        while(current) {
          if(fn) {
 82
 83
            fn(current);
 84
 85
          current = current.previous;
 86
 87
      }
 88
 89
      length() {
 90
        return this.numberOfValues;
 91
      }
 92
      print() {
 93
 94
        let string = '';
        let current = this.head;
 95
96
        while(current) {
 97
          string += `${current.data} `;
 98
          current = current.next;
 99
100
        console.log(string.trim());
101
102 }
103
104 const doublyLinkedList = new DoublyLinkedList();
105 doublyLinkedList.print(); // => ''
106 doublyLinkedList.add(1);
107 doublyLinkedList.add(2);
108 doublyLinkedList.add(3);
109 doublyLinkedList.add(4);
110 doublyLinkedList.print(); // => 1 2 3 4
111 console.log('length is 4:', doublyLinkedList.length()); // => 4
112 doublyLinkedList.remove(3); // remove value
113 doublyLinkedList.print(); // => 1 2 4
114 doublyLinkedList.remove(9); // remove non existing value
115 doublyLinkedList.print(); // => 1 2 4
116 doublyLinkedList.remove(1); // remove head
117 doublyLinkedList.print(); // => 2 4
118 doublyLinkedList.remove(4); // remove tail
119 doublyLinkedList.print(); // => 2
120 console.log('length is 1:', doublyLinkedList.length()); // => 1
```

```
121 doublyLinkedList.remove(2); // remove tail, the list should be empty
122 doublyLinkedList.print(); // => ''
123 console.log('length is 0:', doublyLinkedList.length()); // => 0
124 doublyLinkedList.add(2);
125 doublyLinkedList.add(6);
126 doublyLinkedList.print(); // => 2 6
127 doublyLinkedList.insertAfter(3, 2);
128 doublyLinkedList.print(); // => 2 3 6
129 doublyLinkedList.traverseReverse(node => { console.log(node.data); });
130 doublyLinkedList.insertAfter(4, 3);
131 doublyLinkedList.print(); // => 2 3 4 6
132 doublyLinkedList.insertAfter(5, 9); // insertAfter a non existing node
133 doublyLinkedList.print(); // => 2 3 4 6
134 doublyLinkedList.insertAfter(5, 4);
135 doublyLinkedList.insertAfter(7, 6); // insertAfter the tail
136 doublyLinkedList.print(); // => 2 3 4 5 6 7
doublyLinkedList.add(8); // add node with normal method
138 doublyLinkedList.print(); // \Rightarrow 2 3 4 5 6 7 8
139 console.log('length is 7:', doublyLinkedList.length()); // => 7
140 doublyLinkedList.traverse(node => { node.data = node.data + 10; });
141 doublyLinkedList.print(); // => 12 13 14 15 16 17 18
142 doublyLinkedList.traverse(node => { console.log(node.data); }); // => 12 13 14 15 16
    17 18
143 console.log('length is 7:', doublyLinkedList.length()); // => 7
144 doublyLinkedList.traverseReverse(node => { console.log(node.data); }); // => 18 17 16
   15 14 13 12
145 doublyLinkedList.print(); // => 12 13 14 15 16 17 18
146 console.log('length is 7:', doublyLinkedList.length()); // => 7
147
```

```
1 function Node(data) {
 2
     this.data = data;
 3
     this.previous = null;
 4
     this.next = null;
 5 }
6
7 function DoublyLinkedList() {
     this.head = null;
8
     this.tail = null;
9
10
     this.numberOfValues = 0;
11 }
12
13 DoublyLinkedList.prototype.add = function (data) {
14
     var node = new Node(data);
15
     if(!this.head) {
16
       this.head = node;
17
       this.tail = node;
     } else {
18
19
       node.previous = this.tail;
20
       this.tail.next = node;
21
       this.tail = node;
22
23
    this.numberOfValues++;
24 };
25 DoublyLinkedList.prototype.remove = function(data) {
     var current = this.head;
26
     while(current) {
27
       if(current.data === data) {
28
         if(current === this.head && current === this.tail) {
29
30
           this.head = null;
31
           this.tail = null;
32
         } else if(current === this.head) {
           this.head = this.head.next;
33
           this.head.previous = null;
34
35
         } else if(current === this.tail) {
           this.tail = this.tail.previous;
36
37
           this.tail.next = null;
38
         } else {
39
           current.previous.next = current.next;
40
           current.next.previous = current.previous;
41
42
         this.numberOfValues--;
43
44
       current = current.next;
45
     }
46 };
47 DoublyLinkedList.prototype.insertAfter = function(data, toNodeData) {
48
     var current = this.head;
49
     while(current) {
50
       if(current.data === toNodeData) {
51
         var node = new Node(data);
52
         if(current === this.tail) {
53
           this.add(data);
54
         } else {
55
           current.next.previous = node;
56
           node.previous = current;
57
           node.next = current.next;
58
           current.next = node;
59
           this.numberOfValues++;
         }
```

```
7/9/2018
  61
  62
         current = current.next;
  63
  64 };
  65 DoublyLinkedList.prototype.traverse = function(fn) {
       var current = this.head;
  66
  67
       while(current) {
         if(fn) {
  68
  69
           fn(current);
  70
  71
         current = current.next;
  72
       }
  73 };
  74 DoublyLinkedList.prototype.traverseReverse = function(fn) {
  75
       var current = this.tail;
  76
       while(current) {
         if(fn) {
  77
  78
           fn(current);
  79
  80
         current = current.previous;
       }
  81
  82 };
  83 DoublyLinkedList.prototype.length = function() {
  84
       return this.numberOfValues;
  85 };
  86 DoublyLinkedList.prototype.print = function() {
  87
       var string = '';
  88
       var current = this.head;
  89
       while(current) {
  90
         string += current.data + ' ';
  91
         current = current.next;
  92
  93
       console.log(string.trim());
 94 };
  95
  96 var doublyLinkedList = new DoublyLinkedList();
  97 doublyLinkedList.print(); // => ''
  98 doublyLinkedList.add(1);
 99 doublyLinkedList.add(2);
 100 doublyLinkedList.add(3);
 101 doublyLinkedList.add(4);
 102 doublyLinkedList.print(); // => 1 2 3 4
 103 console.log('length is 4:', doublyLinkedList.length()); // => 4
 104 doublyLinkedList.remove(3); // remove value
 105 doublyLinkedList.print(); // => 1 2 4
 106 doublyLinkedList.remove(9); // remove non existing value
 107 doublyLinkedList.print(); // => 1 2 4
 108 doublyLinkedList.remove(1); // remove head
 109 doublyLinkedList.print(); // => 2 4
 110 doublyLinkedList.remove(4); // remove tail
 111 doublyLinkedList.print(); // => 2
 112 console.log('length is 1:', doublyLinkedList.length()); // => 1
 113 doublyLinkedList.remove(2); // remove tail, the list should be empty
 114 doublyLinkedList.print(); // => ''
 console.log('length is 0:', doublyLinkedList.length()); // => 0
 116 doublyLinkedList.add(2);
 117 doublyLinkedList.add(6);
 118 doublyLinkedList.print(); // => 2 6
 119 doublyLinkedList.insertAfter(3, 2);
 120 doublyLinkedList.print(); // => 2 3 6
```

```
121 doublyLinkedList.traverseReverse(function(node) { console.log(node.data); });
122 doublyLinkedList.insertAfter(4, 3);
123 doublyLinkedList.print(); // => 2 3 4 6
doublyLinkedList.insertAfter(5, 9); // insertAfter a non existing node
125 doublyLinkedList.print(); // => 2 3 4 6
126 doublyLinkedList.insertAfter(5, 4);
doublyLinkedList.insertAfter(7, 6); // insertAfter the tail
128 doublyLinkedList.print(); // => 2 3 4 5 6 7
129 doublyLinkedList.add(8); // add node with normal method
130 doublyLinkedList.print(); // => 2 3 4 5 6 7 8
131 console.log('length is 7:', doublyLinkedList.length()); // => 7
132 doublyLinkedList.traverse(function(node) { node.data = node.data + 10; });
133 doublyLinkedList.print(); // => 12 13 14 15 16 17 18
doublyLinkedList.traverse(function(node) { console.log(node.data); }); // => 12 13 14
   15 16 17 18
135 console.log('length is 7:', doublyLinkedList.length()); // => 7
136 doublyLinkedList.traverseReverse(function(node) { console.log(node.data); }); // =>
   18 17 16 15 14 13 12
137 doublyLinkedList.print(); // => 12 13 14 15 16 17 18
138 console.log('length is 7:', doublyLinkedList.length()); // => 7
139
```

7/9/2018 graph.es6.js

```
1 class Graph {
2
     constructor() {
 3
       this.vertices = [];
4
       this.edges = [];
5
       this.numberOfEdges = 0;
6
7
8
     addVertex(vertex) {
9
       this.vertices.push(vertex);
       this.edges[vertex] = [];
10
11
     }
12
13
     removeVertex(vertex) {
       const index = this.vertices.indexOf(vertex);
14
15
       if(~index) {
         this.vertices.splice(index, 1);
16
17
       while(this.edges[vertex].length) {
18
19
         const adjacentVertex = this.edges[vertex].pop();
20
         this.removeEdge(adjacentVertex, vertex);
21
22
     }
23
24
     addEdge(vertex1, vertex2) {
25
       this.edges[vertex1].push(vertex2);
26
       this.edges[vertex2].push(vertex1);
27
       this.numberOfEdges++;
28
     }
29
30
     removeEdge(vertex1, vertex2) {
       const index1 = this.edges[vertex1] ? this.edges[vertex1].index0f(vertex2) : -1;
31
32
       const index2 = this.edges[vertex2] ? this.edges[vertex2].indexOf(vertex1) : -1;
33
       if(~index1) {
         this.edges[vertex1].splice(index1, 1);
34
35
         this.numberOfEdges--;
36
37
       if(~index2) {
38
         this.edges[vertex2].splice(index2, 1);
39
     }
40
41
42
     size() {
43
       return this.vertices.length;
44
45
     relations() {
46
47
       return this.numberOfEdges;
48
49
50
     traverseDFS(vertex, fn) {
       if(!~this.vertices.indexOf(vertex)) {
51
52
         return console.log('Vertex not found');
53
       const visited = [];
54
55
       this._traverseDFS(vertex, visited, fn);
56
57
     _traverseDFS(vertex, visited, fn) {
58
59
       visited[vertex] = true;
       if(this.edges[vertex] !== undefined) {
```

```
7/9/2018
                                                  graph.es6.js
  61
           fn(vertex);
  62
         for(let i = 0; i < this.edges[vertex].length; i++) {</pre>
  63
  64
           if(!visited[this.edges[vertex][i]]) {
             this._traverseDFS(this.edges[vertex][i], visited, fn);
  65
           }
  66
  67
         }
       }
  68
  69
       traverseBFS(vertex, fn) {
  70
  71
         if(!~this.vertices.indexOf(vertex)) {
  72
           return console.log('Vertex not found');
  73
  74
         const queue = [];
  75
         queue.push(vertex);
  76
         const visited = [];
  77
         visited[vertex] = true;
  78
  79
         while(queue.length) {
  80
           vertex = queue.shift();
  81
           fn(vertex);
           for(let i = 0; i < this.edges[vertex].length; i++) {</pre>
  82
              if(!visited[this.edges[vertex][i]]) {
  83
  84
                visited[this.edges[vertex][i]] = true;
  85
                queue.push(this.edges[vertex][i]);
             }
  86
  87
           }
         }
  88
       }
  89
  90
  91
       pathFromTo(vertexSource, vertexDestination) {
  92
         if(!~this.vertices.indexOf(vertexSource)) {
           return console.log('Vertex not found');
  93
  94
  95
         const queue = [];
  96
         queue.push(vertexSource);
  97
         const visited = [];
  98
         visited[vertexSource] = true;
  99
         const paths = [];
 100
         while(queue.length) {
 101
 102
           const vertex = queue.shift();
           for(let i = 0; i < this.edges[vertex].length; i++) {</pre>
 103
             if(!visited[this.edges[vertex][i]]) {
 104
               visited[this.edges[vertex][i]] = true;
 105
 106
                queue.push(this.edges[vertex][i]);
 107
                // save paths between vertices
 108
                paths[this.edges[vertex][i]] = vertex;
 109
             }
 110
           }
 111
 112
         if(!visited[vertexDestination]) {
 113
           return undefined;
 114
         }
 115
         const path = [];
 116
 117
         for(var j = vertexDestination; j != vertexSource; j = paths[j]) {
 118
           path.push(j);
 119
 120
         path.push(j);
```

```
7/9/2018
                                               graph.es6.js
 121
        return path.reverse().join('-');
 122
 123
124
      print() {
 125
         console.log(this.vertices.map(function(vertex) {
           return (`${vertex} -> ${this.edges[vertex].join(', ')}`).trim();
 126
 127
         }, this).join(' | '));
 128
 129 }
 130
 131 const graph = new Graph();
 132 graph.addVertex(1);
 133 graph.addVertex(2);
 134 graph.addVertex(3);
 135 graph.addVertex(4);
 136 graph.addVertex(5);
 137 graph.addVertex(6);
 138 graph.print(); // 1 -> | 2 -> | 3 -> | 4 -> | 5 -> | 6 ->
 139 graph.addEdge(1, 2);
 140 graph.addEdge(1, 5);
 141 graph.addEdge(2, 3);
 142 graph.addEdge(2, 5);
 143 graph.addEdge(3, 4);
 144 graph.addEdge(4, 5);
 145 graph.addEdge(4, 6);
 146 graph.print(); // 1 -> 2, 5 | 2 -> 1, 3, 5 | 3 -> 2, 4 | 4 -> 3, 5, 6 | 5 -> 1, 2, 4
     6 -> 4
 147 console.log('graph size (number of vertices):', graph.size()); // => 6
 148 console.log('graph relations (number of edges):', graph.relations()); // => 7
 149 graph.traverseDFS(1, vertex => { console.log(vertex); }); // => 1 2 3 4 5 6
 150 console.log('---');
 151 graph.traverseBFS(1, vertex => { console.log(vertex); }); // => 1 2 5 3 4 6
 graph.traverseDFS(0, vertex => { console.log(vertex); }); // => 'Vertex not found'
 graph.traverseBFS(0, vertex => { console.log(vertex); }); // => 'Vertex not found'
 console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // => 6-4-5-1
 console.log('path from 3 to 5:', graph.pathFromTo(3, 5)); // => 3-2-5
 156 graph.removeEdge(1, 2);
 157 graph.removeEdge(4, 5);
 158 graph.removeEdge(10, 11);
 console.log('graph relations (number of edges):', graph.relations()); // => 5
 160 console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // => 6-4-3-2-5-1
 161 graph.addEdge(1, 2);
 162 graph.addEdge(4, 5);
 console.log('graph relations (number of edges):', graph.relations()); // => 7
 console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // => 6-4-5-1
 165 graph.removeVertex(5);
 166 console.log('graph size (number of vertices):', graph.size()); // => 5
 167 console.log('graph relations (number of edges):', graph.relations()); // => 4
 168 console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // \Rightarrow 6-4-3-2-1
 169
```

7/9/2018 graph.js

```
1 function Graph() {
 2
     this.vertices = [];
 3
     this.edges = [];
 4
     this.numberOfEdges = 0;
 5 }
 6
 7 Graph.prototype.addVertex = function(vertex) {
     this.vertices.push(vertex);
 9
     this.edges[vertex] = [];
10 };
11 Graph.prototype.removeVertex = function(vertex) {
12
     var index = this.vertices.indexOf(vertex);
13
     if(~index) {
       this.vertices.splice(index, 1);
14
15
    while(this.edges[vertex].length) {
16
17
       var adjacentVertex = this.edges[vertex].pop();
       this.removeEdge(adjacentVertex, vertex);
18
19
     }
20 };
21 Graph.prototype.addEdge = function(vertex1, vertex2) {
     this.edges[vertex1].push(vertex2);
22
23
     this.edges[vertex2].push(vertex1);
24
     this.numberOfEdges++;
25 };
26 Graph.prototype.removeEdge = function(vertex1, vertex2) {
     var index1 = this.edges[vertex1] ? this.edges[vertex1].index0f(vertex2) : -1;
27
     var index2 = this.edges[vertex2] ? this.edges[vertex2].index0f(vertex1) : -1;
28
29
     if(~index1) {
30
       this.edges[vertex1].splice(index1, 1);
31
       this.numberOfEdges--;
32
     if(~index2) {
33
34
       this.edges[vertex2].splice(index2, 1);
35
36 };
37 Graph.prototype.size = function() {
38
     return this.vertices.length;
39 };
40 Graph.prototype.relations = function() {
41
     return this.numberOfEdges;
42 };
43 Graph.prototype.traverseDFS = function(vertex, fn) {
     if(!~this.vertices.indexOf(vertex)) {
44
45
       return console.log('Vertex not found');
46
47
     var visited = [];
     this._traverseDFS(vertex, visited, fn);
48
49 };
50 Graph.prototype._traverseDFS = function(vertex, visited, fn) {
     visited[vertex] = true;
51
52
     if(this.edges[vertex] !== undefined) {
53
       fn(vertex);
54
55
     for(var i = 0; i < this.edges[vertex].length; i++) {</pre>
56
       if(!visited[this.edges[vertex][i]]) {
57
         this._traverseDFS(this.edges[vertex][i], visited, fn);
58
59
     }
60|};
```

7/9/2018 graph.js 61 Graph.prototype.traverseBFS = function(vertex, fn) { 62 if(!~this.vertices.indexOf(vertex)) { return console.log('Vertex not found'); 63 64 } 65 var queue = []; queue.push(vertex); 66 var visited = []; 67 68 visited[vertex] = true; 69 70 while(queue.length) { 71 vertex = queue.shift(); 72 fn(vertex); 73 for(var i = 0; i < this.edges[vertex].length; i++) {</pre> 74 if(!visited[this.edges[vertex][i]]) { 75 visited[this.edges[vertex][i]] = true; 76 queue.push(this.edges[vertex][i]); 77 78 } 79 } 80 }; 81 Graph.prototype.pathFromTo = function(vertexSource, vertexDestination) { if(!~this.vertices.indexOf(vertexSource)) { 82 return console.log('Vertex not found'); 83 84 85 var queue = []; queue.push(vertexSource); 86 87 var visited = []; visited[vertexSource] = true; 88 89 var paths = []; 90 91 while(queue.length) { 92 var vertex = queue.shift(); for(var i = 0; i < this.edges[vertex].length; i++) {</pre> 93 94 if(!visited[this.edges[vertex][i]]) { 95 visited[this.edges[vertex][i]] = true; 96 queue.push(this.edges[vertex][i]); 97 // save paths between vertices 98 paths[this.edges[vertex][i]] = vertex; 99 } } 100 101 if(!visited[vertexDestination]) { 102 103 return undefined; 104 } 105 106 var path = []; for(var j = vertexDestination; j != vertexSource; j = paths[j]) { 107 108 path.push(j); } 109 110 path.push(j); return path.reverse().join('-'); 111 112 }; 113 Graph.prototype.print = function() { 114 console.log(this.vertices.map(function(vertex) { 115 return (vertex + ' -> ' + this.edges[vertex].join(', ')).trim(); }, this).join(' | ')); 116

119 var graph = new Graph();
120 graph.addVertex(1);

117 }; 118 7/9/2018 graph.js

```
121 graph.addVertex(2);
122 graph.addVertex(3);
123 graph.addVertex(4);
124 graph.addVertex(5);
125 graph.addVertex(6);
126 graph.print(); // 1 -> | 2 -> | 3 -> | 4 -> | 5 -> | 6 ->
127 graph.addEdge(1, 2);
128 graph.addEdge(1, 5);
129 graph.addEdge(2, 3);
130 graph.addEdge(2, 5);
131 graph.addEdge(3, 4);
132 graph.addEdge(4, 5);
133 graph.addEdge(4, 6);
134 graph.print(); // 1 -> 2, 5 | 2 -> 1, 3, 5 | 3 -> 2, 4 | 4 -> 3, 5, 6 | 5 -> 1, 2, 4
135 console.log('graph size (number of vertices):', graph.size()); // => 6
console.log('graph relations (number of edges):', graph.relations()); // => 7
137 graph.traverseDFS(1, function(vertex) { console.log(vertex); }); // => 1 2 3 4 5 6
138 console.log('---');
139 graph.traverseBFS(1, function(vertex) { console.log(vertex); }); // => 1 2 5 3 4 6
140 graph.traverseDFS(0, function(vertex) { console.log(vertex); }); // => 'Vertex not
141 graph.traverseBFS(0, function(vertex) { console.log(vertex); }); // => 'Vertex not
    found'
142 console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // \Rightarrow 6-4-5-1
143 console.log('path from 3 to 5:', graph.pathFromTo(3, 5)); // \Rightarrow 3-2-5
144 graph.removeEdge(1, 2);
145 graph.removeEdge(4, 5);
146 graph.removeEdge(10, 11);
147 console.log('graph relations (number of edges):', graph.relations()); // => 5
148 console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // => 6-4-3-2-5-1
149 graph.addEdge(1, 2);
150 graph.addEdge(4, 5);
151 console.log('graph relations (number of edges):', graph.relations()); // => 7
152 console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // \Rightarrow 6-4-5-1
153 graph.removeVertex(5);
console.log('graph size (number of vertices):', graph.size()); // => 5
155 console.log('graph relations (number of edges):', graph.relations()); // => 4
console.log('path from 6 to 1:', graph.pathFromTo(6, 1)); // \Rightarrow 6-4-3-2-1
157
```

```
1 class HashTable {
 2
     constructor(size) {
 3
       this.values = {};
 4
       this.numberOfValues = 0;
 5
       this.size = size;
 6
     }
 7
 8
     add(key, value) {
 9
       const hash = this.calculateHash(key);
       if(!this.values.hasOwnProperty(hash)) {
10
         this.values[hash] = {};
11
12
       if(!this.values[hash].hasOwnProperty(key)) {
13
         this.numberOfValues++;
14
15
       this.values[hash][key] = value;
16
17
     }
18
19
     remove(key) {
       const hash = this.calculateHash(key);
20
21
       if(this.values.hasOwnProperty(hash) && this.values[hash].hasOwnProperty(key)) {
22
         delete this.values[hash][key];
23
         this.numberOfValues--;
24
       }
25
     }
26
27
     calculateHash(key) {
28
       return key.toString().length % this.size;
29
     }
30
31
     search(key) {
32
       const hash = this.calculateHash(key);
       if(this.values.hasOwnProperty(hash) && this.values[hash].hasOwnProperty(key)) {
33
34
         return this.values[hash][key];
35
       } else {
36
         return null;
37
       }
38
     }
39
40
     length() {
41
       return this.numberOfValues;
42
43
44
     print() {
45
       let string = '';
46
       for(const value in this.values) {
         for(const key in this.values[value]) {
47
           string += `${this.values[value][key]} `;
48
49
         }
50
51
       console.log(string.trim());
52
53 }
54
55 const hashTable = new HashTable(3);
56 hashTable.add('first', 1);
57 hashTable.add('second', 2);
58 hashTable.add('third', 3);
59 hashTable.add('fourth', 4);
60 hashTable.add('fifth', 5);
```

7/9/2018 hash-table.es6.js

```
hashTable.print(); // => 2 4 1 3 5
console.log('length gives 5:', hashTable.length()); // => 5
console.log('search second gives 2:', hashTable.search('second')); // => 2
hashTable.remove('fourth');
hashTable.remove('first');
hashTable.print(); // => 2 3 5
console.log('length gives 3:', hashTable.length()); // => 3
```

```
1 function HashTable(size) {
 2
    this.values = {};
 3
    this.numberOfValues = 0;
 4
    this.size = size;
 5 }
 6
 7 HashTable.prototype.add = function(key, value) {
    var hash = this.calculateHash(key);
 8
 9
     if(!this.values.hasOwnProperty(hash)) {
10
       this.values[hash] = {};
11
12
     if(!this.values[hash].hasOwnProperty(key)) {
13
       this.numberOfValues++;
14
     }
15
    this.values[hash][key] = value;
16|};
17 HashTable.prototype.remove = function(key) {
     var hash = this.calculateHash(key);
18
     if(this.values.hasOwnProperty(hash) && this.values[hash].hasOwnProperty(key)) {
19
20
       delete this.values[hash][key];
21
       this.numberOfValues--;
22
23 };
24 HashTable.prototype.calculateHash = function(key) {
     return key.toString().length % this.size;
26 };
27 HashTable.prototype.search = function(key) {
28
     var hash = this.calculateHash(key);
     if(this.values.hasOwnProperty(hash) && this.values[hash].hasOwnProperty(key)) {
29
30
       return this.values[hash][key];
31
     } else {
32
       return null;
33
     }
34 };
35 HashTable.prototype.length = function() {
     return this.numberOfValues;
37 };
38 HashTable.prototype.print = function() {
39
     var string = '';
40
     for(var value in this.values) {
41
       for(var key in this.values[value]) {
         string += this.values[value][key] + ' ';
42
43
       }
44
     }
45
     console.log(string.trim());
46 };
47
48 var hashTable = new HashTable(3);
49 hashTable.add('first', 1);
50 hashTable.add('second', 2);
51 hashTable.add('third', 3);
52 hashTable.add('fourth', 4);
53 hashTable.add('fifth', 5);
54 hashTable.print(); // => 2 4 1 3 5
55 console.log('length gives 5:', hashTable.length()); // => 5
56 console.log('search second gives 2:', hashTable.search('second')); // => 2
57 hashTable.remove('fourth');
58 hashTable.remove('first');
59 hashTable.print(); // => 2 3 5
60 console.log('length gives 3:', hashTable.length()); // => 3
```

7/9/2018 hash-table.js

61

7/9/2018 queue.es6.js

```
1 class Queue {
 2
     constructor() {
 3
       this.queue = [];
 4
     }
 5
 6
     enqueue(value) {
 7
       this.queue.push(value);
 8
9
10
     dequeue() {
       return this.queue.shift();
11
12
13
14
     peek() {
       return this.queue[0];
15
16
17
     length() {
18
19
       return this.queue.length;
20
     }
21
22
     print() {
23
       console.log(this.queue.join(' '));
24
25 }
26
27 const queue = new Queue();
28 queue.enqueue(1);
29 queue.enqueue(2);
30 queue.enqueue(3);
31 queue.print(); // => 1 2 3
32 console.log('length is 3:', queue.length()); // => 3
33 console.log('peek is 1:', queue.peek()); // => 3
34 console.log('dequeue is 1:', queue.dequeue()); // => 1
35 queue.print(); // => 2 3
36 console.log('dequeue is 2:', queue.dequeue()); // => 2
37 console.log('length is 1:', queue.length()); // => 1
38 console.log('dequeue is 3:', queue.dequeue()); // => 3
39 queue.print(); // => ''
40 console.log('peek is undefined:', queue.peek()); // => undefined
41 console.log('dequeue is undefined:', queue.dequeue()); // => undefined
42
```

```
1 function Queue() {
 this.queue = [];
 3 }
 4
 5 Queue.prototype.enqueue = function(value) {
 6 this.queue.push(value);
7 };
 8 Queue.prototype.dequeue = function() {
9 return this.queue.shift();
10 };
11 Queue.prototype.peek = function() {
12
    return this.queue[0];
13 };
14 Queue.prototype.length = function() {
15 return this.queue.length;
16 };
17 Queue.prototype.print = function() {
    console.log(this.queue.join(' '));
19 };
20
21 var queue = new Queue();
22 queue.enqueue(1);
23 queue.enqueue(2);
24 queue.enqueue(3);
25 queue.print(); // \Rightarrow 1 2 3
26 console.log('length is 3:', queue.length()); // => 3
27 console.log('peek is 1:', queue.peek()); // => 3
28 console.log('dequeue is 1:', queue.dequeue()); // => 1
29 queue.print(); // => 2 3
30 console.log('dequeue is 2:', queue.dequeue()); // => 2
31 console.log('length is 1:', queue.length()); // => 1
32 console.log('dequeue is 3:', queue.dequeue()); // => 3
33 | queue.print(); // => ''
34 console.log('peek is undefined:', queue.peek()); // => undefined
35 console.log('dequeue is undefined:', queue.dequeue()); // => undefined
36
```

```
1 class Set {
     constructor() {
2
 3
       this.values = [];
4
       this.numberOfValues = 0;
5
6
7
     add(value) {
8
       if(!~this.values.indexOf(value)) {
9
         this.values.push(value);
10
         this.numberOfValues++;
11
       }
     }
12
13
14
     remove(value) {
       const index = this.values.indexOf(value);
15
       if(~index) {
16
17
         this.values.splice(index, 1);
         this.numberOfValues--;
18
19
       }
     }
20
21
22
     contains(value) {
23
       return this.values.indexOf(value) !== -1;
24
     }
25
26
     union(set) {
27
       const newSet = new Set();
       set.values.forEach(value => {
28
29
         newSet.add(value);
30
       });
31
       this.values.forEach(value => {
32
         newSet.add(value);
33
       });
34
       return newSet;
35
36
37
     intersect(set) {
38
       const newSet = new Set();
39
       this.values.forEach(value => {
40
         if(set.contains(value)) {
41
           newSet.add(value);
42
43
       });
44
       return newSet;
45
46
     difference(set) {
47
       const newSet = new Set();
48
       this.values.forEach(value => {
49
50
         if(!set.contains(value)) {
           newSet.add(value);
51
52
         }
53
       });
54
       return newSet;
55
56
57
     isSubset(set) {
       return set.values.every(function(value) {
58
59
         return this.contains(value);
       }, this);
```

```
7/9/2018
                                                 set.es6.js
  61
       }
  62
       length() {
  63
         return this.numberOfValues;
  64
  65
  66
  67
       print() {
         console.log(this.values.join(' '));
  68
  69
  70 }
  71
  72 const set = new Set();
  73 set.add(1);
  74 set.add(2);
  75 set.add(3);
  76 set.add(4);
  77 set.print(); // => 1 2 3 4
  78 set.remove(3);
  79 set.print(); // => 1 2 4
  80 console.log('contains 4 is true:', set.contains(4)); // => true
  81 console.log('contains 3 is false:', set.contains(3)); // => false
  82 console.log('---');
  83 const set1 = new Set();
  84 set1.add(1);
  85 set1.add(2);
 86 const set2 = new Set();
  87 set2.add(2);
  88 set2.add(3);
  89 const set3 = set2.union(set1);
  90 set3.print(); // => 1 2 3
  91 const set4 = set2.intersect(set1);
  92 set4.print(); // => 2
  93 const set5 = set.difference(set3); // 1 2 4 diff 1 2 3
  94 set5.print(); // => 4
  95 const set6 = set3.difference(set); // 1 2 3 diff 1 2 4
  96 set6.print(); // => 3
  97 console.log('set1 subset of set is true:', set.isSubset(set1)); // => true
  98 console.log('set2 subset of set is false:', set.isSubset(set2)); // => false
 99 console.log('set1 length gives 2:', set1.length()); // => 2
 100 console.log('set3 length gives 3:', set3.length()); // => 3
 101
```

```
1 function Set() {
    this.values = [];
 2
 3
    this.numberOfValues = 0;
 4 }
 5
 6 Set.prototype.add = function(value) {
 7
     if(!~this.values.indexOf(value)) {
       this.values.push(value);
 8
 9
       this.numberOfValues++;
10
     }
11 };
12 Set.prototype.remove = function(value) {
     var index = this.values.indexOf(value);
14
     if(~index) {
15
       this.values.splice(index, 1);
16
       this.numberOfValues--;
17
     }
18 };
19 Set.prototype.contains = function(value) {
     return this.values.indexOf(value) !== -1;
21 };
22 Set.prototype.union = function(set) {
23
     var newSet = new Set();
     set.values.forEach(function(value) {
24
25
       newSet.add(value);
26
     });
27
     this.values.forEach(function(value) {
28
       newSet.add(value);
29
     });
30
    return newSet;
31 };
32 Set.prototype.intersect = function(set) {
33
     var newSet = new Set();
     this.values.forEach(function(value) {
34
35
       if(set.contains(value)) {
36
         newSet.add(value);
37
       }
38
     });
39
     return newSet;
40 };
41 Set.prototype.difference = function(set) {
    var newSet = new Set();
42
     this.values.forEach(function(value) {
43
44
       if(!set.contains(value)) {
45
         newSet.add(value);
46
       }
47
     });
48
    return newSet;
49 };
50 Set.prototype.isSubset = function(set) {
51
     return set.values.every(function(value) {
52
       return this.contains(value);
     }, this);
53
54 };
55 Set.prototype.length = function() {
    return this.numberOfValues;
57 };
58 Set.prototype.print = function() {
     console.log(this.values.join(' '));
60 };
```

7/9/2018 set.js 61 62 var set = new Set(); 63 set.add(1); 64 set.add(2); 65 set.add(3); 66 set.add(4); 67 set.print(); // => 1 2 3 4 68 set.remove(3); 69 set.print(); // => 1 2 4 70 console.log('contains 4 is true:', set.contains(4)); // => true 71 console.log('contains 3 is false:', set.contains(3)); // => false 72 console.log('---'); 73 var set1 = new Set(); 74 set1.add(1); 75 set1.add(2); 76 var set2 = new Set(); 77 set2.add(2); 78 set2.add(3); 79 var set3 = set2.union(set1); 80 set3.print(); // => 1 2 3 81 var set4 = set2.intersect(set1); 82 set4.print(); // => 2 83 var set5 = set.difference(set3); // 1 2 4 diff 1 2 3 84 set5.print(); // => 4 85 var set6 = set3.difference(set); // 1 2 3 diff 1 2 4 86 set6.print(); // => 3 87 console.log('set1 subset of set is true:', set.isSubset(set1)); // => true 88 console.log('set2 subset of set is false:', set.isSubset(set2)); // => false 89 console.log('set1 length gives 2:', set1.length()); // => 2 90 console.log('set3 length gives 3:', set3.length()); // => 3

91

```
1 function Node(data) {
2
     this.data = data;
 3
     this.next = null;
4 }
5
6 class SinglyLinkedList {
7
     constructor() {
       this.head = null;
8
9
       this.tail = null;
10
       this.numberOfValues = 0;
     }
11
12
     add(data) {
13
14
       const node = new Node(data);
       if(!this.head) {
15
16
         this.head = node;
17
         this.tail = node;
       } else {
18
19
         this.tail.next = node;
20
         this.tail = node;
21
22
       this.numberOfValues++;
     }
23
24
25
     remove(data) {
       let previous = this.head;
26
27
       let current = this.head;
28
       while(current) {
29
         if(current.data === data) {
30
           if(current === this.head) {
31
             this.head = this.head.next;
32
           if(current === this.tail) {
33
34
             this.tail = previous;
35
36
           previous.next = current.next;
37
           this.numberOfValues--;
38
         } else {
39
           previous = current;
40
41
         current = current.next;
42
43
44
45
     insertAfter(data, toNodeData) {
       let current = this.head;
46
47
       while(current) {
         if(current.data === toNodeData) {
48
49
           const node = new Node(data);
50
           if(current === this.tail) {
51
             this.tail.next = node;
52
             this.tail = node;
           } else {
53
54
             node.next = current.next;
55
             current.next = node;
56
57
           this.numberOfValues++;
58
59
         current = current.next;
60
```

```
7/9/2018
  61
       }
  62
       traverse(fn) {
  63
  64
         let current = this.head;
  65
         while(current) {
           if(fn) {
  66
  67
             fn(current);
  68
  69
           current = current.next;
  70
  71
       }
  72
  73
       length() {
  74
         return this.numberOfValues;
  75
  76
  77
       print() {
         let string = '';
  78
  79
         let current = this.head;
         while(current) {
  80
  81
           string += `${current.data} `;
  82
           current = current.next;
  83
  84
         console.log(string.trim());
  85
       }
  86 }
  87
  88 const singlyLinkedList = new SinglyLinkedList();
  89 singlyLinkedList.print(); // => '
  90 singlyLinkedList.add(1);
  91 singlyLinkedList.add(2);
  92 singlyLinkedList.add(3);
  93 singlyLinkedList.add(4);
  94 singlyLinkedList.print(); // => 1 2 3 4
  95 console.log('length is 4:', singlyLinkedList.length()); // => 4
  96 singlyLinkedList.remove(3); // remove value
  97 singlyLinkedList.print(); // => 1 2 4
  98 singlyLinkedList.remove(9); // remove non existing value
 99 singlyLinkedList.print(); // => 1 2 4
 100 singlyLinkedList.remove(1); // remove head
 101 singlyLinkedList.print(); // => 2 4
 102 singlyLinkedList.remove(4); // remove tail
 103 singlyLinkedList.print(); // => 2
 104 console.log('length is 1:', singlyLinkedList.length()); // => 1
 105 singlyLinkedList.add(6);
 106 singlyLinkedList.print(); // => 2 6
 107 singlyLinkedList.insertAfter(3, 2);
 108 singlyLinkedList.print(); // => 2 3 6
 109 singlyLinkedList.insertAfter(4, 3);
 110|singlyLinkedList.print(); // => 2 3 4 6
 111 singlyLinkedList.insertAfter(5, 9); // insertAfter a non existing node
 112 singlyLinkedList.print(); // => 2 3 4 6
 113 singlyLinkedList.insertAfter(5, 4);
 114 singlyLinkedList.insertAfter(7, 6); // insertAfter the tail
 115 singlyLinkedList.print(); // => 2 3 4 5 6 7
 116 singlyLinkedList.add(8); // add node with normal method
 117 singlyLinkedList.print(); // => 2 3 4 5 6 7 8
 118 console.log('length is 7:', singlyLinkedList.length()); // => 7
 119 singlyLinkedList.traverse(node => { node.data = node.data + 10; });
 120 singlyLinkedList.print(); // => 12 13 14 15 16 17 18
```

```
singlyLinkedList.traverse(node => { console.log(node.data); }); // => 12 13 14 15 16
17 18
console.log('length is 7:', singlyLinkedList.length()); // => 7
123
```

```
1 function Node(data) {
 2
     this.data = data;
 3
     this.next = null;
4 }
 5
6 function SinglyLinkedList() {
7
     this.head = null;
     this.tail = null;
8
9
     this.numberOfValues = 0;
10 }
11
12 SinglyLinkedList.prototype.add = function(data) {
13
     var node = new Node(data);
14
     if(!this.head) {
15
       this.head = node;
16
       this.tail = node;
17
     } else {
       this.tail.next = node;
18
19
       this.tail = node;
20
21
     this.numberOfValues++;
22 };
23 SinglyLinkedList.prototype.remove = function(data) {
24
     var previous = this.head;
25
     var current = this.head;
     while(current) {
26
       if(current.data === data) {
27
         if(current === this.head) {
28
29
           this.head = this.head.next;
30
31
         if(current === this.tail) {
32
           this.tail = previous;
33
34
         previous.next = current.next;
35
         this.numberOfValues--;
       } else {
36
37
         previous = current;
38
39
       current = current.next;
40
41 };
42 SinglyLinkedList.prototype.insertAfter = function(data, toNodeData) {
43
     var current = this.head;
44
     while(current) {
45
       if(current.data === toNodeData) {
         var node = new Node(data);
46
         if(current === this.tail) {
47
           this.tail.next = node;
48
49
           this.tail = node;
50
         } else {
51
           node.next = current.next;
52
           current.next = node;
53
54
         this.numberOfValues++;
55
56
       current = current.next;
57
     }
58 };
59 SinglyLinkedList.prototype.traverse = function(fn) {
     var current = this.head;
```

```
while(current) {
 61
 62
        if(fn) {
          fn(current);
 63
 64
 65
        current = current.next;
      }
 66
 67 };
 68 SinglyLinkedList.prototype.length = function() {
 69
      return this.numberOfValues;
 70 };
 71 | SinglyLinkedList.prototype.print = function() {
     var string = '';
 72
 73
      var current = this.head;
 74
     while(current) {
 75
        string += current.data + ' ';
 76
        current = current.next;
 77
 78
      console.log(string.trim());
 79|};
 80
 81 var singlyLinkedList = new SinglyLinkedList();
 82 singlyLinkedList.print(); // => ''
 83 singlyLinkedList.add(1);
 84 singlyLinkedList.add(2);
 85 singlyLinkedList.add(3);
 86 singlyLinkedList.add(4);
 87 singlyLinkedList.print(); // => 1 2 3 4
 88 console.log('length is 4:', singlyLinkedList.length()); // => 4
 89 singlyLinkedList.remove(3); // remove value
 90 singlyLinkedList.print(); // => 1 2 4
 91 singlyLinkedList.remove(9); // remove non existing value
 92 singlyLinkedList.print(); // => 1 2 4
 93 singlyLinkedList.remove(1); // remove head
 94 singlyLinkedList.print(); // => 2 4
 95 singlyLinkedList.remove(4); // remove tail
 96 singlyLinkedList.print(); // => 2
 97 console.log('length is 1:', singlyLinkedList.length()); // => 1
 98 singlyLinkedList.add(6);
99 singlyLinkedList.print(); // => 2 6
100 singlyLinkedList.insertAfter(3, 2);
101 singlyLinkedList.print(); // => 2 3 6
102 singlyLinkedList.insertAfter(4, 3);
103 | singlyLinkedList.print(); // => 2 3 4 6
104 singlyLinkedList.insertAfter(5, 9); // insertAfter a non existing node
105 singlyLinkedList.print(); // => 2 3 4 6
106 singlyLinkedList.insertAfter(5, 4);
107 singlyLinkedList.insertAfter(7, 6); // insertAfter the tail
108 singlyLinkedList.print(); // => 2 3 4 5 6 7
109 singlyLinkedList.add(8); // add node with normal method
110 singlyLinkedList.print(); // => 2 3 4 5 6 7 8
111 console.log('length is 7:', singlyLinkedList.length()); // => 7
singlyLinkedList.traverse(function(node) { node.data = node.data + 10; });
113 | singlyLinkedList.print(); // => 12 13 14 15 16 17 18
114 singlyLinkedList.traverse(function(node) { console.log(node.data); }); // => 12 13 14
    15 16 17 18
115 console.log('length is 7:', singlyLinkedList.length()); // => 7
116
```

7/9/2018 stack.es6.js

```
1 class Stack {
 2
     constructor() {
 3
       this.stack = [];
 4
     }
 5
     push(value) {
 6
 7
       this.stack.push(value);
 8
9
10
     pop() {
      return this.stack.pop();
11
12
13
14
     peek() {
       return this.stack[this.stack.length - 1];
15
16
17
     length() {
18
19
       return this.stack.length;
20
     }
21
22
     print() {
23
       console.log(this.stack.join(' '));
24
25 }
26
27 const stack = new Stack();
28 stack.push(1);
29 stack.push(2);
30 stack.push(3);
31 stack.print(); // => 1 2 3
32 console.log('length is 3:', stack.length()); // => 3
33 console.log('peek is 3:', stack.peek()); // => 3
34 console.log('pop is 3:', stack.pop()); // => 3
35 stack.print(); // => 1 2
36 console.log('pop is 2:', stack.pop()); // => 2
37 console.log('length is 1:', stack.length()); // => 1
38 console.log('pop is 1:', stack.pop()); // => 1
39 stack.print(); // => ''
40 console.log('peek is undefined:', stack.peek()); // => undefined
41 console.log('pop is undefined:', stack.pop()); // => undefined
42
```

7/9/2018 stack.js

```
1 function Stack() {
 2 this.stack = [];
 3 }
 4
 5 Stack.prototype.push = function(value) {
 6 this.stack.push(value);
7 };
 8 Stack.prototype.pop = function() {
9 return this.stack.pop();
10 };
11 Stack.prototype.peek = function() {
12
    return this.stack[this.stack.length - 1];
13 };
14 Stack.prototype.length = function() {
15 return this.stack.length;
16 };
17 Stack.prototype.print = function() {
18 console.log(this.stack.join(' '));
19 };
20
21 var stack = new Stack();
22 stack.push(1);
23 stack.push(2);
24 stack.push(3);
25 stack.print(); // => 1 2 3
26 console.log('length is 3:', stack.length()); // => 3
27 console.log('peek is 3:', stack.peek()); // => 3
28 console.log('pop is 3:', stack.pop()); // => 3
29 stack.print(); // => 1 2
30 console.log('pop is 2:', stack.pop()); // => 2
31 console.log('length is 1:', stack.length()); // => 1
32 console.log('pop is 1:', stack.pop()); // => 1
33 stack.print(); // => ''
34 console.log('peek is undefined:', stack.peek()); // => undefined
35 console.log('pop is undefined:', stack.pop()); // => undefined
36
```

```
1 function Node(data) {
2
     this.data = data;
 3
     this.children = [];
4 }
5
6 class Tree {
7
     constructor() {
       this.root = null;
8
9
     }
10
     add(data, toNodeData) {
11
12
       const node = new Node(data);
       const parent = toNodeData ? this.findBFS(toNodeData) : null;
13
14
       if(parent) {
         parent.children.push(node);
15
       } else {
16
17
         if(!this.root) {
           this.root = node;
18
19
         } else {
           return 'Root node is already assigned';
20
21
22
       }
23
     }
24
25
     remove(data) {
26
       if(this.root.data === data) {
27
         this.root = null;
28
29
30
       const queue = [this.root];
31
       while(queue.length) {
32
         const node = queue.shift();
         for (let [index, child] of node.children.entries()) {
33
           if(child.data === data) {
34
             node.children.splice(index, 1);
35
36
           } else {
37
             queue.push(child);
38
39
         }
40
       }
41
     }
42
43
     contains(data) {
44
       return !!this.findBFS(data);
45
     }
46
     findBFS(data) {
47
       const queue = [this.root];
48
49
       while(queue.length) {
50
         const node = queue.shift();
         if(node.data === data) {
51
52
           return node;
53
         for(const child of node.children) {
54
55
           queue.push(child);
56
         }
57
       }
58
       return null;
59
     }
```

queue.push(child);

119

120

```
7/9/2018
                                                 tree.es6.js
 121
 122
         console.log(string.slice(0, -2).trim());
 123
 124
 125
      printByLevel() {
 126
         if(!this.root) {
 127
           return console.log('No root node found');
 128
 129
         const newline = new Node('\n');
 130
         const queue = [this.root, newline];
         let string = '';
 131
 132
         while(queue.length) {
 133
           const node = queue.shift();
 134
           string += node.data.toString() + (node.data !== '\n' ? ' ' : '');
 135
           if(node === newline && queue.length) {
 136
             queue.push(newline);
 137
 138
           for(const child of node.children) {
 139
             queue.push(child);
 140
 141
 142
         console.log(string.trim());
 143
 144 }
 145
 146 const tree = new Tree();
 147 tree.add('ceo');
 148 tree.add('cto', 'ceo');
 149 tree.add('dev1', 'cto');
150 tree.add('dev2', 'cto');
151 tree.add('dev3', 'cto');
 152 tree.add('cfo', 'ceo');
 153 tree.add('accountant', 'cfo');
 154 tree.add('cmo', 'ceo');
 155 tree.print(); // => ceo | cto cfo cmo | dev1 dev2 dev3 accountant
 156 tree.printByLevel(); // => ceo \n cto cfo cmo \n dev1 dev2 dev3 accountant
 157 console.log('tree contains dev1 is true:', tree.contains('dev1')); // => true
 158 console.log('tree contains dev4 is false:', tree.contains('dev4')); // => false
 159 console.log('--- BFS');
 160 tree.traverseBFS(node => { console.log(node.data); }); // => ceo cto cfo cmo dev1
     dev2 dev3 accountant
 161 console.log('--- DFS preOrder');
 162 tree.traverseDFS(node => { console.log(node.data); }, 'preOrder'); // => ceo cto dev1
     dev2 dev3 cfo accountant cmo
 163 console.log('--- DFS postOrder');
 164 tree.traverseDFS(node => { console.log(node.data); }, 'postOrder'); // => dev1 dev2
     dev3 cto accountant cfo cmo ceo
 165 tree.remove('cmo');
 166 tree.print(); // => ceo | cto cfo | dev1 dev2 dev3 accountant
 167 tree.remove('cfo');
 168 tree.print(); // => ceo | cto | dev1 dev2 dev3
```

169

7/9/2018 tree.js

```
1 function Node(data) {
 2
     this.data = data;
 3
     this.children = [];
 4 }
 5
 6 function Tree() {
 7
     this.root = null;
 8 }
 9
10 Tree.prototype.add = function(data, toNodeData) {
     var node = new Node(data);
11
12
     var parent = toNodeData ? this.findBFS(toNodeData) : null;
13
     if(parent) {
14
       parent.children.push(node);
     } else {
15
16
       if(!this.root) {
17
         this.root = node;
18
       } else {
19
         return 'Root node is already assigned';
20
       }
21
22 };
23 Tree.prototype.remove = function(data) {
     if(this.root.data === data) {
24
25
       this.root = null;
     }
26
27
28
     var queue = [this.root];
29
     while(queue.length) {
30
       var node = queue.shift();
31
       for(var i = 0; i < node.children.length; i++) {</pre>
         if(node.children[i].data === data) {
32
           node.children.splice(i, 1);
33
34
         } else {
35
           queue.push(node.children[i]);
36
37
       }
     }
38
39 };
40 Tree.prototype.contains = function(data) {
     return this.findBFS(data) ? true : false;
41
42 };
43 Tree.prototype.findBFS = function(data) {
     var queue = [this.root];
44
45
     while(queue.length) {
46
       var node = queue.shift();
47
       if(node.data === data) {
48
         return node;
49
50
       for(var i = 0; i < node.children.length; i++) {</pre>
51
         queue.push(node.children[i]);
52
53
54
     return null;
55|};
56 Tree.prototype._preOrder = function(node, fn) {
57
     if(node) {
       if(fn) {
58
59
         fn(node);
60
       }
```

```
7/9/2018
  61
         for(var i = 0; i < node.children.length; i++) {</pre>
  62
           this._preOrder(node.children[i], fn);
  63
  64
  65 };
  66 Tree.prototype._postOrder = function(node, fn) {
  67
       if(node) {
         for(var i = 0; i < node.children.length; i++) {</pre>
  68
  69
           this._postOrder(node.children[i], fn);
  70
         if(fn) {
  71
  72
           fn(node);
  73
  74
       }
  75 };
  76 Tree.prototype.traverseDFS = function(fn, method) {
       var current = this.root;
  77
       if(method) {
  78
  79
         this['_' + method](current, fn);
       } else {
  80
         this._preOrder(current, fn);
  81
  82
  83 };
  84 Tree.prototype.traverseBFS = function(fn) {
  85
       var queue = [this.root];
       while(queue.length) {
  86
  87
         var node = queue.shift();
  88
         if(fn) {
  89
           fn(node);
  90
  91
         for(var i = 0; i < node.children.length; i++) {</pre>
  92
           queue.push(node.children[i]);
  93
  94
  95 };
  96 Tree.prototype.print = function() {
  97
       if(!this.root) {
  98
         return console.log('No root node found');
  99
 100
       var newline = new Node('|');
       var queue = [this.root, newline];
 101
 102
       var string = '';
 103
       while(queue.length) {
         var node = queue.shift();
 104
         string += node.data.toString() + ' ';
 105
 106
         if(node === newline && queue.length) {
 107
           queue.push(newline);
 108
         for(var i = 0; i < node.children.length; i++) {</pre>
 109
 110
           queue.push(node.children[i]);
         }
 111
       }
 112
       console.log(string.slice(0, -2).trim());
 113
 114|};
 115 Tree.prototype.printByLevel = function() {
       if(!this.root) {
 116
 117
         return console.log('No root node found');
 118
       }
       var newline = new Node('\n');
 119
 120
       var queue = [this.root, newline];
```

```
7/9/2018
                                                  tree.js
 121
       var string = '';
 122
       while(queue.length) {
 123
         var node = queue.shift();
 124
         string += node.data.toString() + (node.data !== '\n' ? ' ' : '');
 125
         if(node === newline && queue.length) {
 126
           queue.push(newline);
 127
 128
         for(var i = 0; i < node.children.length; i++) {</pre>
 129
           queue.push(node.children[i]);
 130
 131
 132
       console.log(string.trim());
 133 };
 134
 135 var tree = new Tree();
 136 tree.add('ceo');
137 tree.add('cto', 'ceo');
 138 tree.add('dev1', 'cto');
139 tree.add('dev2', 'cto');
140 tree.add('dev3', 'cto');
 141 tree.add('cfo', 'ceo');
 142 tree.add('accountant', 'cfo');
 143 tree.add('cmo', 'ceo');
 144 tree.print(); // => ceo | cto cfo cmo | dev1 dev2 dev3 accountant
 145 tree.printByLevel(); // => ceo \n cto cfo cmo \n dev1 dev2 dev3 accountant
 146 console.log('tree contains dev1 is true:', tree.contains('dev1')); // => true
 console.log('tree contains dev4 is false:', tree.contains('dev4')); // => false
 148 console.log('--- BFS');
 149 tree.traverseBFS(function(node) { console.log(node.data); }); // => ceo cto cfo cmo
     dev1 dev2 dev3 accountant
 150 console.log('--- DFS preOrder');
 151 tree.traverseDFS(function(node) { console.log(node.data); }, 'preOrder'); // => ceo
     cto dev1 dev2 dev3 cfo accountant cmo
 152 console.log('--- DFS postOrder');
 153 tree.traverseDFS(function(node) { console.log(node.data); }, 'postOrder'); // => dev1
     dev2 dev3 cto accountant cfo cmo ceo
 154 tree.remove('cmo');
 155 tree.print(); // => ceo | cto cfo | dev1 dev2 dev3 accountant
 156 tree.remove('cfo');
 157 tree.print(); // => ceo | cto | dev1 dev2 dev3
 158
```

```
1 function Node(data) {
2
     this.data = data;
 3
     this.isWord = false;
4
     this.prefixes = 0;
 5
     this.children = {};
6 }
7
  class Trie {
8
9
     constructor() {
       this.root = new Node('');
10
11
12
     add(word) {
13
14
       if(!this.root) {
15
         return null;
16
17
       this._addNode(this.root, word);
18
19
20
     _addNode(node, word) {
21
       if(!node || !word) {
22
         return null;
23
       }
24
       node.prefixes++;
25
       const letter = word.charAt(0);
26
       let child = node.children[letter];
27
       if(!child) {
28
         child = new Node(letter);
29
         node.children[letter] = child;
30
       }
31
       const remainder = word.substring(1);
32
       if(!remainder) {
33
         child.isWord = true;
34
       this._addNode(child, remainder);
35
     }
36
37
38
     remove(word) {
39
       if(!this.root) {
40
         return;
41
       if(this.contains(word)) {
42
         this._removeNode(this.root, word);
43
44
45
     }
46
     _removeNode(node, word) {
47
       if(!node || !word) {
48
49
         return;
50
       }
51
       node.prefixes--;
52
       const letter = word.charAt(0);
53
       const child = node.children[letter];
54
55
       if(child) {
56
         const remainder = word.substring(1);
57
         if(remainder) {
           if(child.prefixes === 1) {
58
59
             delete node.children[letter];
           } else {
```

```
7/9/2018
                                                   trie.es6.js
  61
                this._removeNode(child, remainder);
  62
              }
           } else {
  63
              if(child.prefixes === 0) {
  64
  65
                delete node.children[letter];
              } else {
  66
                child.isWord = false;
  67
              }
  68
  69
           }
  70
         }
  71
       }
  72
  73
       contains(word) {
  74
         if(!this.root) {
  75
           return false;
  76
  77
         return this._contains(this.root, word);
  78
       }
  79
  80
       _contains(node, word) {
  81
         if(!node || !word) {
  82
           return false;
  83
  84
         const letter = word.charAt(0);
  85
         const child = node.children[letter];
  86
         if(child) {
  87
           const remainder = word.substring(1);
  88
           if(!remainder && child.isWord) {
  89
              return true;
  90
           } else {
  91
              return this._contains(child, remainder);
  92
           }
  93
         } else {
  94
           return false;
  95
         }
       }
  96
  97
  98
       countWords() {
  99
         if(!this.root) {
 100
           return console.log('No root node found');
 101
 102
         const queue = [this.root];
 103
         let counter = 0;
 104
         while(queue.length) {
           const node = queue.shift();
 105
           if(node.isWord) {
 106
 107
              counter++;
 108
           for(const child in node.children) {
 109
              if(node.children.hasOwnProperty(child)) {
 110
 111
                queue.push(node.children[child]);
 112
              }
 113
           }
 114
         }
 115
         return counter;
 116
 117
       getWords() {
 118
 119
         const words = [];
         const word = '';
 120
```

```
7/9/2018
                                                  trie.es6.js
 121
         this._getWords(this.root, words, word);
 122
         return words;
 123
       }
 124
       _getWords(node, words, word) {
 125
 126
         for(const child in node.children) {
           if(node.children.hasOwnProperty(child)) {
 127
 128
             word += child;
             if (node.children[child].isWord) {
 129
 130
               words.push(word);
 131
             }
 132
             this._getWords(node.children[child], words, word);
             word = word.substring(0, word.length - 1);
 133
 134
           }
 135
         }
 136
       }
 137
 138
       print() {
 139
         if(!this.root) {
 140
           return console.log('No root node found');
 141
         const newline = new Node('|');
 142
 143
         const queue = [this.root, newline];
         let string = '';
 144
 145
         while(queue.length) {
 146
           const node = queue.shift();
 147
           string += `${node.data.toString()} `;
 148
           if(node === newline && queue.length) {
 149
             queue.push(newline);
 150
 151
           for(const child in node.children) {
 152
             if(node.children.hasOwnProperty(child)) {
 153
               queue.push(node.children[child]);
 154
             }
 155
           }
 156
         console.log(string.slice(0, -2).trim());
 157
 158
 159
       printByLevel() {
 160
 161
         if(!this.root) {
           return console.log('No root node found');
 162
 163
         const newline = new Node('\n');
 164
         const queue = [this.root, newline];
 165
         let string = '';
 166
 167
         while(queue.length) {
 168
           const node = queue.shift();
           string += node.data.toString() + (node.data !== '\n' ? ' ' : '');
 169
 170
           if(node === newline && queue.length) {
 171
             queue.push(newline);
 172
 173
           for(const child in node.children) {
 174
             if(node.children.hasOwnProperty(child)) {
               queue.push(node.children[child]);
 175
 176
 177
 178
         }
 179
         console.log(string.trim());
 180
       }
```

7/9/2018 trie.es6.js 181 } 182 183 const trie = new Trie(); 184 trie.add('one'); 185 trie.add('two'); 186 trie.add('fifth'); 187 trie.add('fifty'); 188 trie.print(); // => | o t f | n w i | e o f | t | h y 189 trie.printByLevel(); // => o t f \n n w i \n e o f \n t \n h y 190 console.log('words are: one, two, fifth, fifty:', trie.getWords()); // => ['one', 'two', 'fifth', 'fifty'] 191 console.log('trie count words is 4:', trie.countWords()); // => 4 192 console.log('trie contains one is true:', trie.contains('one')); // => true 193 console.log('trie contains on is false:', trie.contains('on')); // => false 194 trie.remove('one'); 195 console.log('trie contains one is false:', trie.contains('one')); // => false 196 console.log('trie count words is 3:', trie.countWords()); // => 3 197 console.log('words are two, fifth, fifty:', trie.getWords()); // => ['two', 'fifth', 'fifty'] 198

```
1 function Node(data) {
 2
     this.data = data;
 3
     this.isWord = false;
 4
     this.prefixes = 0;
 5
     this.children = {};
 6 }
 7
 8 function Trie() {
 9
     this.root = new Node('');
10 }
11
12 Trie.prototype.add = function(word) {
     if(!this.root) {
13
14
       return null;
15
     this._addNode(this.root, word);
16
17 };
18 Trie.prototype._addNode = function(node, word) {
19
     if(!node || !word) {
20
       return null;
21
     }
22
     node.prefixes++;
23
     var letter = word.charAt(0);
24
     var child = node.children[letter];
25
     if(!child) {
       child = new Node(letter);
26
27
       node.children[letter] = child;
28
29
     var remainder = word.substring(1);
30
     if(!remainder) {
       child.isWord = true;
31
32
     this._addNode(child, remainder);
33
34 };
35 Trie.prototype.remove = function(word) {
36
     if(!this.root) {
37
       return;
38
39
     if(this.contains(word)) {
40
       this._removeNode(this.root, word);
41
42|};
43 Trie.prototype._removeNode = function(node, word) {
     if(!node || !word) {
44
45
       return;
46
47
     node.prefixes--;
48
     var letter = word.charAt(0);
49
50
     var child = node.children[letter];
51
     if(child) {
52
       var remainder = word.substring(1);
53
       if(remainder) {
         if(child.prefixes === 1) {
54
55
           delete node.children[letter];
56
         } else {
57
           this._removeNode(child, remainder);
58
59
       } else {
         if(child.prefixes === 0) {
```

```
7/9/2018
                                                    trie.js
  61
             delete node.children[letter];
  62
           } else {
             child.isWord = false;
  63
  64
  65
         }
       }
  66
  67 };
  68 Trie.prototype.contains = function(word) {
  69
       if(!this.root) {
  70
         return false;
  71
       return this._contains(this.root, word);
  72
  73 };
  74 Trie.prototype._contains = function(node, word) {
  75
       if(!node || !word) {
  76
         return false;
  77
  78
       var letter = word.charAt(0);
  79
       var child = node.children[letter];
  80
       if(child) {
  81
         var remainder = word.substring(1);
  82
         if(!remainder && child.isWord) {
  83
           return true;
  84
         } else {
  85
           return this. contains(child, remainder);
  86
  87
       } else {
  88
         return false;
  89
 90|};
  91 Trie.prototype.countWords = function() {
  92
       if(!this.root) {
         return console.log('No root node found');
  93
  94
  95
       var queue = [this.root];
  96
       var counter = 0;
  97
       while(queue.length) {
  98
         var node = queue.shift();
 99
         if(node.isWord) {
 100
           counter++;
 101
         for(var child in node.children) {
 102
 103
           if(node.children.hasOwnProperty(child)) {
             queue.push(node.children[child]);
 104
 105
           }
 106
         }
 107
       }
 108
       return counter;
 109 };
 110 Trie.prototype.getWords = function() {
 111
       var words = [];
 112
       var word = '';
       this._getWords(this.root, words, word);
 113
 114
       return words;
 115 };
 116 Trie.prototype._getWords = function(node, words, word) {
 117
       for(var child in node.children) {
 118
         if(node.children.hasOwnProperty(child)) {
 119
           word += child;
           if (node.children[child].isWord) {
 120
```

```
7/9/2018
                                                   trie.js
 121
             words.push(word);
 122
 123
           this. getWords(node.children[child], words, word);
 124
           word = word.substring(0, word.length - 1);
 125
         }
 126
       }
 127 };
 128 Trie.prototype.print = function() {
 129
       if(!this.root) {
         return console.log('No root node found');
 130
 131
       }
 132
       var newline = new Node(' ');
       var queue = [this.root, newline];
 133
 134
       var string = '';
 135
       while(queue.length) {
 136
         var node = queue.shift();
         string += node.data.toString() + ' ';
 137
 138
         if(node === newline && queue.length) {
 139
           queue.push(newline);
 140
 141
         for(var child in node.children) {
 142
           if(node.children.hasOwnProperty(child)) {
             queue.push(node.children[child]);
 143
 144
 145
         }
 146
 147
       console.log(string.slice(0, -2).trim());
 148 };
 149 Trie.prototype.printByLevel = function() {
 150
       if(!this.root) {
 151
         return console.log('No root node found');
 152
       }
 153
       var newline = new Node('\n');
 154
       var queue = [this.root, newline];
 155
       var string = '';
 156
       while(queue.length) {
 157
         var node = queue.shift();
         string += node.data.toString() + (node.data !== '\n' ? ' ' : '');
 158
 159
         if(node === newline && queue.length) {
 160
           queue.push(newline);
 161
         for(var child in node.children) {
 162
 163
           if(node.children.hasOwnProperty(child)) {
 164
             queue.push(node.children[child]);
 165
           }
         }
 166
 167
 168
       console.log(string.trim());
 169 };
 170
 171 var trie = new Trie();
 172 trie.add('one');
 173 trie.add('two');
 174 trie.add('fifth');
 175 trie.add('fifty');
 176 trie.print(); // => | o t f | n w i | e o f | t | h y
 177 trie.printByLevel(); // => o t f \n n w i \n e o f \n t \n h y
 178 console.log('words are: one, two, fifth, fifty:', trie.getWords()); // => [ 'one',
     'two', 'fifth', 'fifty' ]
 179 console.log('trie count words is 4:', trie.countWords()); // => 4
```

7/9/2018 trie.j

```
console.log('trie contains one is true:', trie.contains('one')); // => true
console.log('trie contains on is false:', trie.contains('on')); // => false
trie.remove('one');
console.log('trie contains one is false:', trie.contains('one')); // => false
console.log('trie count words is 3:', trie.countWords()); // => 3
console.log('words are two, fifth, fifty:', trie.getWords()); // => [ 'two', 'fifth', 'fifty' ]
```