

Scenario 6 — Mobile App (OTP Login)

✗ Weak: "Test OTP login on mobile."

What's missing: No platform (Android/iOS), no OTP expiry time,
no resend behavior, no network failure scenario, no Appium/device context.

Persona : Act as a Senior Automation Engineer

Context : Use redbus mobile app for OTP based login

Instruction : Generate test case for Redbus login using the OTP.

[Critical] When the app installed it will ask the OTP for the registered mobile number.

Then OTP only accepts 4 digits with Resend OTP option (clickable only available after 30 seconds)

[Mandatory] Include the OTP expiry time as 30 seconds and if user clicks the Resend OTP then it should send again or it will not.

[Essential] If user entered correct OTP but time expired then error message should display.

It user moved to different country then user should get a correct message.

It network connect to fails then user need to click Resend OTP button.

[Strict] Generate 10 test case to cover positive, negative, edge and boundary.

Example : TC ID | Test case description | Test data | Test steps | Expected result | Status | Automation feasible | TC Owner

Output : Generate the Test cases in downloadable CSV format

Tone : Should be very professional, on scale of 10 consider 7 or 8

Summary of Test Coverage

As a Senior Automation Engineer, I have designed this set of 10 test cases for the **RedBus Mobile App OTP-based Login** feature. The suite covers functional, edge, boundary, network, and cross-border location scenarios.

TC ID	Test Case Description	Test Type	Automation Feasible
TC_REDBUS_001	Verify successful login with valid 4-digit OTP during first-time app installation	Positive / Smoke	Yes
TC_REDBUS_002	Verify error message when entering correct OTP after 30-second expiry time	Negative / Expiry	Yes
TC_REDBUS_003	Verify 'Resend OTP' button disabled state and timer countdown during initial 30 seconds	UI / Boundary	Yes

TC ID	Test Case Description	Test Type	Automation Feasible
TC_REDBUS_004	Verify successful trigger and reception of fresh OTP upon clicking 'Resend OTP' after 30 seconds	Positive / Resend	Yes
TC_REDBUS_005	Verify OTP length input field boundary restriction (strictly 4 digits)	Boundary / Input	Yes
TC_REDBUS_006	Verify login behavior and error handling when user moves to a different country	Edge / Region	Yes (via VPN/Proxy)
TC_REDBUS_007	Verify behavior and retry mechanism when network connection fails during OTP verification	Negative / Network	Yes (via Mock/ADB)
TC_REDBUS_008	Verify rejection and inline validation message when entering an incorrect 4-digit OTP	Negative	Yes
TC_REDBUS_009	Verify behavior when maximum allowed Resend OTP retry attempts are exceeded	Edge / Rate Limit	Yes
TC_REDBUS_010	Verify app backgrounding/foregrounding behavior during active 30-second OTP expiry window	Mobile Specific / Edge	Yes (via Appium)

Scenario 2 :

Persona: Act as Senior QA Engineer

Context: Use the file.io site to upload the files.

Instruction: Generate test case for file upload feature

[Critical] Where the upload file icon is positioned, Upload the files and if it is uploaded successfully then the success message should display and error should display if file size exceed or incorrect formats or very long file names.

[Mandatory] Include the following file formats PDF, CSV, TXT, DOCX, XSLX, HTML, XLS,DOC

[Important] File size should not exceed greater than 5 MB.

It should not accept the compressed files.

It should not allow the very long file names like more than 55 characters.

It should allow the special characters in the file names.
[Strict] Generate 8 test case to cover positive, negative, edge and boundary.
Example: Test ID | Description | Test Data | Pre-Condition | Steps | Expected Result
Output Format: Generate test cases in tabular format for easy copy & paste
Tone: It should be in professional

file.io - File Upload Feature Test Suite

Author: Senior QA Engineer | Target: Upload Functionality Validation

Test ID	Descr iption	Test Data	Pre- Cond ition	Steps	Expected Result
TC_FILE IO_001	Verify succes ful uploa d for all mand atory file format s (<5 MB)	Sample .pdf, .csv, .txt, .docx, .xlsx, .html, .xls, .doc files (~1 MB)	Uplo ad icon is positi oned and visibl e on home page	1. Click Uploa d icon. 2. Select valid file. 3. Repea t for each forma t.	Files upload successfully with a success message and download link displayed.
TC_FILE IO_002	Verify uploa d rejecti on when file size excee ds 5 MB	large_report.pdf (5.1 MB)	Uplo ad icon is visibl e and activ e	1. Click Uploa d icon. 2. Select 5.1 MB file. 3. Click Uploa d.	Upload is blocked; error message "File size exceeds maximum limit of 5 MB" is displayed.
TC_FILE IO_003	Verify file size bound ary conditi ons at exactl y 5 MB	file1.xlsx (5.0 MB), file2.docx (4.99 MB)	Boun dary test files prepa red	1. Uploa d 4.99 MB file. 2. Uploa d 5.0 MB file.	Both files upload successfully with success notifications and generated links.
TC_FILE IO_004	Verify rejecti on of	archive.zip, data.rar, files.tar.gz	User is on	1. Select compr	Upload rejected; error message "Unsupported format. Compressed

	compressed file formats		home page	essed file. 2. Attempt upload.	files not allowed" is displayed.
TC_FILE IO_005	Verify rejection when file name exceeds 55 characters	ThisIsAnExtremelyLongFileNameThatExceedsTheFiftyFiveCharacterLimitTest.pdf (67 chars)	File size < 5 MB	1. Select file with 67-char name. 2. Click Upload.	Upload blocked; error message "File name exceeds 55 character limit" is displayed.
TC_FILE IO_006	Verify boundary test for file name length at 55 characters	FileName_Length_Is_Exactly_FiftyFive_Chars_Test_55.docx (55 chars), FileName_Length_Is_Exceeding_FiftySix_Chars_Test_56.docx (56 chars)	User is on home page	1. Upload 55-char named file. 2. Upload 56-char named file.	55-char file uploads successfully; 56-char file is rejected with length error message.
TC_FILE IO_007	Verify successful upload with special characters in file name	Report_2026#@!\$&-+=_v1.0.xlsx (Special chars: #@!\$&-+=_)	Target file size < 5 MB	1. Select file with special characters. 2. Click Upload.	System accepts file without name corruption, showing success message and link.
TC_FILE IO_008	Verify upload rejection for non-listed file extensions	script.exe, payload.sh, image.png, audio.mp3	User is on home page	1. Select non-supported file. 2. Attempt upload.	Upload blocked; error message "Invalid file format. Only PDF, CSV, TXT, DOCX, XLSX, HTML, XLS, DOC allowed" displays.

Scenario 3 :

Persona: Act as Senior QA Automation Engineer

Context: Use the Make My Trip website

Instruction: Generate test case for UI search feature

[Critical] Where the Search box is positioned, Use alphanumeric, special characters during the search, whether the search result returns exact or partial match results.

[Mandatory] Search Flights for September month from Hyderabad to Tirupati

[Strict] Generate 10 test case to cover all of the above features.

Example: Test ID | Description | Test Data | Pre-Condition | Steps | Expected Result

Output Format: Generate test cases to paste the table in Notepad++ and downloadable format in csv file

Tone: It should meet the QA standard and should be simple & professional and easily reviewable by QA Manager

Test ID	Description	Test Data	Pre-Condition	Steps	Expected Result
TC_MMT_001	Verify position and presence of Flight Search box UI elements on MakeMyTrip landing page	N/A	User navigates to MakeMyTrip home page (https://www.makemytrip.com).	1. Launch browser and open MakeMyTrip URL. 2. Verify the Flights section is selected by default. 3. Observe the position and visibility of FROM, TO, DEPARTURE, and Search buttons.	Search box container is prominently positioned in the upper-center viewport. All input fields (FROM, TO, DEPARTURE, Search button) are rendered and aligned correctly without UI overlaps.
TC_MMT_002	Verify flight search for valid route from Hyderabad to Tirupati for September 2026	From: Hyderabad (HYD), To: Tirupati (TIR), Departure: 15 Sep 2026	MakeMyTrip home page is loaded with Flights tab selected.	1. Select 'Flights' tab on home page. 2. Click 'From' field and enter 'Hyderabad'. Select 'HYD' from autosuggestion. 3. Click 'To' field and enter 'Tirupati'. Select 'TIR' from autosuggestion. 4. Select Departure date as '15 Sep 2026'. 5. Click 'Search' button.	User is redirected to the Search Results Listing page displaying valid available flights from Hyderabad (HYD) to Tirupati (TIR) for 15th September 2026.
TC_MMT_003	Verify exact match autosuggestion results when searching using airport code (IATA)	From: HYD, To: TIR	MakeMyTrip home page is loaded with Flights tab active.	1. Click 'From' input field. 2. Type exact IATA code 'HYD'. 3. Observe autosuggest drop-down list. 4. Click 'To' input field and type exact IATA code 'TIR'. Autosuggestion displays exact match 'Rajiv Gandhi International Airport, Hyderabad, India (HYD)' at top rank. Entering 'TIR' displays 'Tirupati Airport, Tirupati, India (TIR)' as exact match.	
TC_MMT_004	Verify partial match autosuggestion results when entering partial city name keywords	From: 'Hyder', To: 'Tiru'	MakeMyTrip home page is loaded.	1. Click 'From' field and type partial string 'Hyder'. 2. Observe autosuggestion results. 3. Click 'To' field and type partial string 'Tiru'. 4. Select matching options from list and click Search. Autosuggestion dynamically displays matching partial results containing 'Hyderabad' and 'Tirupati'. User can successfully select cities and initiate flight search.	
TC_MMT_005	Verify handling of alphanumeric input in From/To search input fields	From: 'Hyd123', To: 'Tirupati2026'	MakeMyTrip home page is loaded.	1. Click 'From' field and type 'Hyd123'. 2. Observe dropdown and inline validation. 3. Clear field, click 'To' field and type 'Tirupati2026'. App strips invalid numeric characters or displays 'No matching airports found' gracefully without throwing UI/JavaScript errors.	
TC_MMT_006	Verify handling of special characters input in From/To search input fields	From: 'Hyd@#\$', To: 'Tiru%^&'	MakeMyTrip home page is loaded.	1. Click 'From' input field and enter special characters 'Hyd@#\$', To: 'Tiru%^&'. 2. Observe UI response. 3. Click 'To' input field and enter 'Tiru%^&'. Special characters are sanitized or handled gracefully. System shows 'No matching cities/airports found' without breaking UI page layout.	
TC_MMT_007	Verify date picker selection for boundary dates of September month (1st Sep vs 30th Sep)	From: HYD, To: TIR, Dates: 01 Sep 2026 and 30 Sep 2026	User is on Flights search form.	1. Enter From: HYD and To: TIR. 2. Open Departure calendar. 3. Navigate to September 2026. 4. Select 01 Sep 2026 and perform search. 5. Re-query for 30 Sep 2026 and search. Both boundary dates (01 Sep 2026 and 30 Sep 2026) are selectable in calendar, and search returns relevant flight schedules for start and end of September.	

TC_MMT_008 Verify error handling when From and To origin-destination values are set to the same city
From: Hyderabad (HYD), To: Hyderabad (HYD) MakeMyTrip home page is loaded. 1. Select 'From' as Hyderabad (HYD). 2. Select 'To' as Hyderabad (HYD). 3. Observe UI validation message or auto-clear behavior.
System prevents selecting same city for both origin and destination or displays validation error: 'From and To city cannot be same'.

TC_MMT_009 Verify search submission behavior when mandatory fields are missing/empty From: [Blank], To: Tirupati (TIR) User is on Flights search form. 1. Leave 'From' field empty/unselected. 2. Select 'To' field as Tirupati (TIR). 3. Click 'Search' button. Search is not submitted. UI highlights missing 'From' field with inline validation or focuses automatically on required field.

TC_MMT_010 Verify search persistence and UI responsiveness across viewport resizes (Responsive UI test)
From: HYD, To: TIR, Date: 20 Sep 2026 MakeMyTrip home page is loaded on browser. 1. Populate From: HYD, To: TIR, Date: 20 Sep 2026. 2. Resize browser viewport from Desktop (1920x1080) to Tablet/Mobile breakpoint (768x1024). 3. Click 'Search' button. Search box UI adapts responsively to viewport size without element clipping or overlap, and Search action successfully executes.