

Assignment ::- 6

Name	Abhineet Tiwari
Roll No:	20965
Subject	DBMS

Q1) Create a MySQL database named CollegeDB and create two tables: Course and Student.

Course Table

Column Name	Data Type	Constraint
CourseID	INT	PRIMARY KEY
CourseName	VARCHAR(50)	NOT NULL
Fees	DECIMAL(10,2)	NOT NULL

Student Table

Column Name	Data Type	Constraint
StudentID	INT	PRIMARY KEY
StudentName	VARCHAR(50)	NOT NULL
Age	INT	
City	VARCHAR(30)	
CourseID	INT	FOREIGN KEY

```
CREATE DATABASE CollegeDB;
```

```
USE CollegeDB;
```

```
CREATE TABLE Course (
```

```
    CourseID INT PRIMARY KEY,
```

```
    CourseName VARCHAR(50) NOT NULL,
```

```
    Fees DECIMAL(10,2) NOT NULL
```

```
);
```

```
CREATE TABLE Student (
```

```
    StudentID INT PRIMARY KEY,
```

```
    StudentName VARCHAR(50) NOT NULL,
```


Age INT,

City VARCHAR(30),

CourseID INT,

FOREIGN KEY (CourseID) REFERENCES Course(CourseID)

);



Q2) Insert at least 4 records into the Course table and 6 records into the Student table.

Make sure every student has a valid CourseID from the Course table.

INSERT INTO Course (CourseID, CourseName, Fees)

VALUES


(101, 'BSc IT', 45000.00),

(102, 'BCA', 40000.00),

(103, 'BSc CS', 42000.00),

(104, 'Data Science', 55000.00);

SELECT * FROM COURSE;



Q3) Write a MySQL query to insert one new student record into the Student table.


The record should include:

Field
StudentID
StudentName
Age
City
CourseID

INSERT INTO Student (StudentID, StudentName, Age, City, CourseID)

VALUES (7, 'Rohan Kulkarni', 20, 'Pune', 104);

select * FROM STUDENT;



Q4) Write a MySQL query to update the city of a student using StudentID.

Example requirement:

Change Required


Update the city of StudentID 2 to Mumbai

UPDATE Student

SET City = 'Mumbai'

WHERE StudentID = 2;

SELECT * FROM STUDENT;



Q5) Write a MySQL query to update the fees of a course using CourseID.

Example requirement:

Change Required


Update the fees of CourseID 101 to 47000

UPDATE Course

SET Fees = 47000.00

WHERE CourseID = 101;

SELECT * FROM COURSE;



Q6) Write a MySQL query to delete one student record using StudentID.

Also write one line explaining why the WHERE clause is important while using DELETE.

DELETE FROM Student

WHERE StudentID = 6;

SELECT * FROM STUDENT ;

MySQL Workbench

Abhineet x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

collegedb

Tables

Views

Stored Procedures

Functions

employeeedb

minicollegedb

schooledb

sys

Administration Schemas

Information

No object selected

Object Info Session

SQL File 14* SQL File 15* SQL File 16* SQL File 17* SQL File 18* SQL File 19*

Limit to 1000 rows

```
1 -- Q6: Delete student with StudentID 6
2
3 DELETE FROM Student
4 WHERE StudentID = 6;
5 SELECT * FROM STUDENT ;
```

Result Grid

StudentID	StudentName	Age	City	CourseID
3	Aman Verma	21	Nashik	103
4	Sneha Joshi	20	Mumbai	101
5	Karan Mehta	22	Thane	102
7	Rohan Kukarni	20	Pune	104

Output

Action Output

#	Time	Action	Message	Duration / Fetch
50	17:24:30	DELETE FROM Student WHERE StudentID = 6	1 row(s) affected	0.031 sec
51	17:24:47	DELETE FROM Student WHERE StudentID = 6	0 row(s) affected	0.000 sec
52	17:24:47	SELECT * FROM STUDENT LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

27°

ENG US

50%

05:24 PM 16-08-2026