

महाराष्ट्र शासन

क्र.मअसे-२०२०/१०/३७३
दूरध्वनी: २६६७७५५५
फॅक्स : २६६७७६६६
Email : supdt@mahafireservice.gov.in
Website: www.mahafireservice.gov.in

महाराष्ट्र अग्निशमन सेवा संचालनालय,
महाराष्ट्र अग्निशमन सेवा अकादमी,
विद्यानगरी, हंस भुग्रा मार्ग,
सांताक्रूझ-पूर्व, मुंबई-४०० ०९८.
दिनांक : २७ मार्च, २०२०.

: परिपत्रक :

विषय : “कोविड-१९-नॉव्हेल कोरोना” विषाणू प्रादुर्भाव कमी करण्यासाठी
अग्निशमन दलांनी करावयाच्या उपाययोजनांबाबत.

“कोविड-१९-नॉव्हेल कोरोना” विषाणू प्रादुर्भाव भारतात व महाराष्ट्रात आढळून आलेला आहे. हा प्रादुर्भाव रोखण्यासाठी विविध उपाययोजना शासन राबवित आहे. कोविड-१९ च्या निर्मुलनासाठी शासनाने दिनांक १४.०४.२०२० पर्यंत लॉकडाऊन घोषित केला असून कलम १४४ लागू करून संचारबंदी लागू केली आहे. कोरोना विषाणूचा प्रदुर्भाव कमी करण्यासाठी जनतेने घराबाहेर न पडणे, गर्दी निर्माण करणा-या घटना टाळाव्यात याबाबत दक्षता घेणे आवश्यक आहे.

०२. बृहन्मुंबई महानगरपालिकेच्या मुंबई शहरामध्ये वैद्यकीय समितीने दिलेल्या मार्गदर्शक सुचनांद्वारे कोरोना विषाणूचा प्रदुर्भाव कमी करण्यासाठी सोडियम हायपोक्लोराईटचे मिश्रण वापरून अग्निशमन दलाच्या जलद प्रतिसाद वाहन (Quick Response Vehicle) किंवा तत्सम अग्निशमन वाहनांमार्फत मुंबई शहरामध्ये फवारणी केली जात आहे. सोडियम हायपोक्लोराईटचे मिश्रणाबाबत सविस्तर माहिती सोबत परिशिष्ट-अ मध्ये जोडली असून सोडियम हायपोक्लोराईटचे मिश्रण पाण्यामध्ये किती प्रमाणात असावे आणि त्याच्या वापराबाबतची कार्यपद्धती काय असावी याबाबतची माहिती सोबत परिशिष्ट-ब मध्ये देण्यात आलेली आहे.

०३. याच धर्तीवर राज्यातील अन्य महानगरपालिका/नगरपरिषदा/नगरपंचायती तसेच विशेष नियोजन प्राधिकरणांच्या अग्निशमन दलांनी त्यांच्या कार्यक्षेत्रात तसेच कार्यक्षेत्राबाहेरही कोरोना विषाणूचा प्रदुर्भाव कमी करण्यासाठी सोबतच्या परिशिष्ट-अ व परिशिष्ट-ब मध्ये दिलेल्या सुचनांनुसार झोपडपट्ट्या, गर्दीची ठिकाणे, रस्ते, इमारतींची प्रवेशद्वारे, इमारतींच्या भिंती, वाहन पार्किंगच्या जागा, इस्पीतळे, सार्वजनिक मंडई, इत्यादी वर्दळीच्या ठिकाणी सोडियम हायपोक्लोराईटचे मिश्रण अग्निशमन दलाच्या जलद प्रतिसाद वाहन (Quick Response Vehicle) किंवा तत्सम अग्निशमन वाहनांच्या टाक्यांमध्ये घेवून त्यामार्फत फवारणी करण्यात यावी.

(डॉ.प्र.सु.रहांगदळे)

संचालक

महाराष्ट्र अग्निशमन सेवा

- प्रत :
१. मा.प्रधान सचिव-२, नगर विकास विभाग, मंत्रालय, मुंबई-४०००३२ यांना माहितीसाठी सादर.
 २. मा.मुख्य कार्यकारी अधिकारी/व्यवस्थापकीय संचालक, विशेष नियोजन प्राधिकरणे.
 ३. आयुक्त, सर्व महानगरपालिका (बृहन्मुंबई महानगरपालिका वगळून).
 ४. मुख्याधिकारी सर्व नगर परिषदा / नगर पंचायती.
 ५. सर्व महानगरपालिका/ नगर परिषदा / नगर पंचायती व विशेष नियोजन प्राधिकरणे यांचे मुख्य अग्निशमन अधिकारी व प्रभारी अग्निशमन अधिकारी.

TECHNICAL DATA SHEET

SODIUM HYPOCHLORITE 10% solution

Disinfectant and bleaching agent

Composition

Active ingredient:

Sodium hypochlorite (50 g/l active chlorine)

Properties and action

SODIUM HYPOCHLORITE 10% solution is clear, pale yellowish liquid with characteristic chlorine odour. SODIUM HYPOCHLORITE 10% solution has strong bactericidal effect on all clinical strains of bacteria. It has remarkable bactericidal (Gram-positive and Gram-negative bacteria), sporocidal and fungicidal effect that is achieved in a very short time even at high dilution rates (small concentrations).

SODIUM HYPOCHLORITE 10% solution is approved for use in food industry.

Use

SODIUM HYPOCHLORITE 10% solution is used in healthcare facilities, in public facilities, in hospitality and hotel industries and in household, as efficient disinfectant and bleaching agent.

- **General disinfecting and deodorizing**
- 0.1% solution may be used to sanitize walls, baths and other hard surfaces. Add the working solution and allow it to stand for 5 minutes. Wash and then rinse well with clean water.
- **Healthcare facilities**
- Depending on the needs, preparation of different concentrations, as follows:

Cloths and mops	0.006 % solution
Work surfaces, floors etc.	0.01 % solution
Crockery, cutlery	0.01 % solution
General disinfection	0.1 % solution
Laboratory work surfaces	0.1 % solution
Sink, Piperre Jars	0.25 % solution
Blood Spillage	1 % solution

- **Public facilities**
- 0.006 % solution may be used to sanitize surfaces, walls, floors.

TECHNICAL DATA SHEET

- **Water disinfection**
 - Preparation of *0.00005 % solution*.
- **Swimming pools disinfection**
 - Preparation of *0.00005 % solution*.
- **Chlorination of wells and water supply systems**
 - Preparation of *0.00005 - 0.0001 % solution*.

- **Bleaching**

Use on white cottons and linens ONLY. Always test a small area of the fabric colour fastness first. Do not use on silks, synthetic materials or satins.

- *0.01 % solution* for whitening. Add the laundry, wash and then rinse in clean water:
- *0.1 % solution* for stain removal. For white fabric with stubborn stains, soak the stained area for 10-15 minutes. Rinse with water. This may be repeated if the fabric is still not stain free.

- **Cleaning of haemodialysis machines**

The whole system is filled with a *3-4% solution*, heated to 37°C and pumped for 30 minutes to 1 hour. The whole system is then rinsed with deionized water, until negative chloride reaction with indicator KI starch paper.

Instructions for use

SODIUM HYPOCHLORITE 10% solution is used diluted with water in various concentrations, depending on type of material, dirt/impurity and pathogen contamination. The concentration of working solutions refers to the concentration of active chlorine (g/l).

Concentration of solution (%)	Active chlorine (g/l)	SODIUM HYPOCHLORITE 10% solution (ml)	WATER
0.00005	0.0005	10	Up to 1000 L
0.0001	0.001	20	
0.006	0.06	6	Up to 5 L
0.01	0.1	10	
0.1	1	100	
0.25	2.5	250	
1	10	1000	
3	30	3000	
4	40	4000	

PROPERTIES	SODIUM HYPOCHLORITE
General Identity	Household chemical used for disinfectant
Solubility	Miscible
Flash point	-----
Boiling point	101 ⁰ C
Auto ignition temperature	-----
Safety while handling	Actually used at various hospitals, care shall be taken while handling, storing and application.
Community Applications	Concentration of Sodium Hypochlorite to be mixed with water 10 Litres of NaOCl x 500 litres of Water.
Corrosiveness	It is corrosive in nature.

INSTRUCTIONS FOR SAFE HANDLING OF SODIUM HYPOCHLORITE

- 1) Minimum personnel protective equipment (PPE) that must be worn when preparing or handling a Sodium Hypochlorite (NaOCl) solution
 - a) Full P. P. E. Uniform
 - b) Gloves
 - c) Safety Glasses
 - d) Face Mask.
 - e) Gum boots
- 2) Concentration of Sodium hypochlorite to be mixed with water
10 Litres of NaOCl x 500 litres of Water.
- 3) Do not apply the sanitization mixture on live electrical wirings or any electrical panels.
- 4) Apply this mixture at the corners of the road, dividers. Do not spray on the roads directly.
- 5) After completion of sanitization make sure that QRV used and all the PPE material used shall be sanitized or cleaned before entering into the premises.
- 6) The care shall be taken while using Sodium Hypochlorite mixture in the Water Tank of Fire Fighting Vehicles, the Tank shall be made up of S.S. (Stainless Steel) make, as this is a Corrosive Mixture.

TECHNICAL DATA SHEET

Precaution measures

SODIUM HYPOCHLORITE 10% solution releases toxic gas in contact with acids. Irritates eyes and skin in contact with skin, immediately wash with plenty of water. Do not mix with strong acids, amines and ammonia. Wear protective gloves and glasses during manipulation with this product.

Storage considerations

Keep away from the reach of children!

Store **SODIUM HYPOCHLORITE 10% solution** in tightly sealed original packaging, in a dry and ventilated place, away from light, at temperature from +2° C to +8° C, separately from food and beverages.

Shelf life

3 months.

Note: Do not use **SODIUM HYPOCHLORITE 10% solution** after the expiry date. The expiry date refers to the last day of that month.

Packaging

SODIUM HYPOCHLORITE 10% solution is packed in:
- 10 l plastic canister.

For information regarding safe use, please refer to the SDS.