

Web Development Presentation Cheat Sheet

contact.html Explanation

Each line of contact.html explained with possible questions and answers.

- `<!DOCTYPE html>` — Declares HTML5 document type.
- `<html lang="en">` — Starts HTML document, sets language to English.
- `<head>` — Contains metadata and links.
- `<meta charset="UTF-8">` — Sets character encoding to UTF-8.
- `<meta name="viewport" content="width=device-width, initial-scale=1.0">` — Ensures responsive design.
- `<title>` — Defines browser tab title.
- `<link rel="stylesheet">` — Links external CSS file.
- `<body>` — Contains visible webpage content.
- `<header>` — Header with logo and emblem.
- `<nav>` — Navigation bar with links.
- `<div class="hero">` — Hero banner with background image.
- `<div class="content-section">` — Section for content blocks.
- `<div class="card">` — Card-style box for address/contacts.
- `<form>` — Form for user to send a message.
- `<footer>` — Footer with copyright.

contact.css Explanation

- `* { ... }` — Universal selector: resets margin, padding, sets box-sizing.
- `body { ... }` — Sets global background color, text color, font.
- `.container` — Centers and constrains layout width.
- `header, nav, footer` — Thematic styling and padding for sections.
- `.logo img, .govt-emblem` — Control logo/emblem image sizes.
- `nav ul, li, a` — Horizontal nav menu with styling.
- `.hero` — Banner with overlay and centered text.
- `.content-section, .card` — Stylish content boxes with shadows.
- `.btn` — Styled submit button with hover effects.
- `table` — Styled table layout for contacts.
- `.form-group` — Styled spacing for form elements.

Why the Dot (.) in CSS?

In CSS, a dot (.) indicates a class selector.

`.container` — applies styles to `class='container'`.

`body` — applies to `<body>` element directly (no class needed).

🔗 Common Teacher Questions & Answers

- Q: Why use `<!DOCTYPE html>`?

A: To specify HTML5 and ensure standard rendering.

- Q: Why use a class instead of an id?

A: Classes can be reused, ids must be unique.

- Q: Why is style used inline sometimes?

A: Quick override, but not best practice.

- Q: Why use semantic tags like `<nav>`?

A: Improves accessibility and SEO.

- Q: Why dot before class name in CSS?

A: Dot means class selector. Without it, it's interpreted as a tag.

- Q: What happens if you forget the dot?

A: CSS rule won't apply; browser will misinterpret it.

- Q: Why use `'box-sizing: border-box'`?

A: Keeps width consistent by including padding and borders.

- Q: Why separate HTML and CSS?

A: Clean, reusable, maintainable structure.