
PROJECT NAME :- **KNOW UR SOAP**



INTRODUCTION:-

Know Your Soap is an application which provides a daily consumer the truth about the soaps .

This app provides information about soap and about the user's skin type. It helps consumers to know the details hidden by the multinational companies and it gives the Consumers a choice, a chance to choose something which is good for them, which is matched for them, not something which is bought and wasted

IMPORTANCE:-

Soap is a single, common thing which is used by both the poor and the rich, causing it to be a very big industry in the last few years. It has grown to \$220 million over the whole world. And in this industry a very big problem is adulteration. A consumer does not get what he has paid for. In this industry adulteration is a common thing and it causes the whole logic of the industry to collapse. The profit would be large but the customer satisfaction is zero. There is nothing a consumer can do. That's where my app comes in. It helps the consumer to choose something which he deserves for what he pays for. He is paying for the product and that's where my app comes in.

And no one has taken action in this area for a long time. No one has talked about this, not even the government. The last data was found in 2014 about toilet soaps and before that in 2004. After these two years no action has been taken by the government and anyone else except this. This app will revolutionize this industry and will provide liberation in this industry, causing the consumer to be the right one .

WORKING OF THE APP

THE APP IS MADE PURELY AND ENTIRELY BY US. IT IS MADE THROUGH VPL IN MIT APP INVENTOR. IT IS A PURE DEVELOPMENT OF US AND MY TEAM.

WHEN THE CONSUMER OPENS THE APP THEY WILL SEE A SCREEN WHICH WILL CONTAIN THREE OPTIONS:

1. SCAN YOUR SOAP
2. SCAN YOUR SKIN
3. COMPARE BETWEEN THEM

IN THE FIRST OPTION, IF YOU CLICK ON YOUR SOAP, IT WILL TAKE YOU TO A PAGE WHERE YOU CAN USE SCANNING TECHNOLOGY TO SCAN THE QR CODE OF THE SOAP AND GET INFORMATION WHICH HAS ALREADY BEEN WRITTEN. THESE WRITTEN DATA ARE MODIFIED BY US BY CONSIDERING DATA FROM GOVERNMENT FILES, PRIVATELY OWNED FILES, AND REAL-LIFE EXPERIMENTAL DATA WHICH WE HAVE DONE IN OUR LAB. WHEN THEY GET THE SOAP TYPE, WHICH GRADE IS THAT, THE PH LEVEL AND ANY OTHER INFORMATION, THEN THE USER CAN READ THESE DETAILS WHICH ARE GIVEN IN LABELS BUT VERY LESS; SOME SOAPS DON'T GIVE THIS INFORMATION. IN MY APP IT WILL BE CLEAR LIKE CRYSTAL. WHEN THE USER MOVES BACK HE CAN GO INTO THE OPTION OF SKIN, KNOW YOUR SKIN. IN THAT OPTION THE USER CAN SCAN A PART OF HIS SKIN AND KNOW WHICH TYPE IT IS: IF IT'S SOFT, IF IT'S HARD, IF IT'S DRY, AND LIKE ON. THE USER CAN ALSO PREDICT THEIR SKIN TYPE OR KNOW THEIR SKIN TYPE ACCORDING TO THE WEATHER AS THE WEATHER CHANGES THE SKIN TYPE. THE USER CAN TYPE WHICH CITY THEY ARE IN AND THE APP CAN TELL OR PREDICT WHICH TYPE OF SKIN TYPE IT WILL BE WHEN THAT WEATHER IS CAUSED IN THAT CITY AT CURRENT LIVE TIME. . THEN MOVING ON, BY COMPARING HE CAN COMPARE BETWEEN BOTH THE SOAP TYPE AND HIS SKIN, WHICH WILL GIVE PREDETERMINED DATA WHICH WE HAVE ANALYZED THROUGH OUR SURVEYS AND ALL.

OUR PROCEDURE

The following information is the procedure which we followed to find the total fatty matter of six different soaps.

1. CHEMICAL PREPARATION

* 50% SULFURIC ACID SOLUTION: TAKE 25 ML DISTILLED WATER IN A BEAKER, AND THEN SLOWLY AND CAREFULLY ADD 25 ML CONCENTRATED SULFURIC ACID .

2. SAMPLE PREPARATION AND INITIAL SEPARATION

- * CHOP THE BAR SOAP TO MAKE SMALL PIECES .
- * TAKE 5 TO 10 G OF THE SOAP SAMPLE IN A CONICAL FLASK AND NOTE THE SAMPLE WEIGHT .
- * TRANSFER 100 ML OF HOT DISTILLED WATER INTO THE FLASK .
- * COMPLETELY DISSOLVE THE SOAP CONTENT IN THE WATER USING A GLASS ROD .
- * ADD 10 ML OF THE 50% SULFURIC ACID INTO THE FLASK .
- * HEAT THE FLASK AT 60° C UNTIL THE FATTY ACIDS SEPARATE AS A CLEAR LAYER .

3. FATTY EXTRACTION

- * TRANSFER THE PREPARED SOLUTION QUANTITATIVELY TO A SEPARATING FUNNEL .
- * DRAW OFF THE AQUEOUS ACID LAYER INTO A SECOND SEPARATING FUNNEL .
- * ADD 50 ML OF ETHER INTO THE AQUEOUS LAYER AND SHAKE THE FUNNEL VIGOROUSLY .
- * ALLOW THE MIXTURE TO STAND UNTIL THE ETHER LAYER SEPARATES .
- * DRAIN AND COLLECT THE LOWER AQUEOUS LAYER .
- * TRANSFER THE ETHER LAYER TO THE *FIRST* SEPARATING FUNNEL .
- * REPEAT THE EXTRACTION TWO MORE TIMES USING 50 ML OF ETHER EACH TIME, AND COMBINE THE UPPER ETHER LAYERS WITH THE EXTRACT IN THE FIRST SEPARATING FUNNEL .
- * SHAKE THE FUNNEL TO MIX THE COMBINED EXTRACTS .
- * DRAIN THE WATER LAYER FROM THE EXTRACT, IF ANY IS PRESENT .

4. WASHING THE EXTRACT

THIS STEP IS PERFORMED TO REMOVE THE ACID FROM THE EXTRACT:

- * ADD 10 ML DISTILLED WATER TO THE SEPARATING FUNNEL AND SHAKE THE FUNNEL VIGOROUSLY .

- * DRAIN AND COLLECT THE LOWER WATER LAYER .
- * TAKE THE WASHING WATER (WHICH MAY CONTAIN RESIDUAL FATTY MATTER) INTO ANOTHER SEPARATING FUNNEL AND EXTRACT THE RESIDUE WITH 20 ML ETHER.
- * COMBINE THIS NEW EXTRACT WITH THE PREVIOUS COMBINED EXTRACTS .
- * SHAKE THE FUNNEL TO MIX THE CONTENTS AND DRAIN ANY WATER LAYER FROM THE EXTRACT .

5. DRYING THE EXTRACT

- * TAKE THE WEIGHT OF A CLEAN AND DRY BEAKER (DESIGNATED AS W₂, E.G., 102.1774 G) .
- * COLLECT THE COMBINED EXTRACT INTO THE BEAKER QUANTITATIVELY RINSING THE FUNNEL WITH ETHER AND ACETONE
- * HEAT THE BEAKER IN A WATER BATH TO EVAPORATE THE ETHER .
- * COOL THE BEAKER .
- * TAKE THE FINAL WEIGHT OF THE BEAKER WITH THE FATTY MATTER (DESIGNATED AS W₃, E.G., 108.7905 G) .


6. CALCULATION

CALCULATION WEIGHT OF THE CHINA DISH (X) = _____



WEIGHT OF CHINA DISH + SOAP AFTER DRYING (Y) = _____

WEIGHT OF SOAP SAMPLE = 5 G

% OF FATTY MATER = $(y - x) \times 100 \div \text{Weight of soap sample}$



GLIMPSES OF OUR APP



initialize global selectedsoap to " "

initialize global selectedskin to " "

when ListPicker2 .AfterPicking

do set global selectedskin to ListPicker2 . Selection

when ListPicker1 .AfterPicking

do set global selectedsoap to ListPicker1 . Selection

when Button1 .Click

do if

- if get global selectedsoap = "GRADE 1" and get global selectedskin = "Soft"
- then set Label1 . Text to "Grade 1 soap keeps soft skin naturally smooth wi..."
- else if get global selectedsoap = "GRADE 1" and get global selectedskin = "Dry"
- then set Label1 . Text to "Grade 1 is ideal for dry skin because its rich f..."
- else if get global selectedsoap = "GRADE 1" and get global selectedskin = "Oily"
- then set Label1 . Text to "Grade 1 is not suitable for oily skin. Its high ..."
- else if get global selectedsoap = "GRADE 2" and get global selectedskin = "Soft"
- then set Label1 . Text to "Grade 2 works okay for soft skin, giving a balan..."
- else if get global selectedsoap = "GRADE 2" and get global selectedskin = "Dry"
- then set Label1 . Text to "Grade 2 may feel slightly drying for dry skin. I..."
- else if get global selectedsoap = "GRADE 2" and get global selectedskin = "Oily"
- then set Label1 . Text to "Grade 2 is a good match for mildly oily skin. It..."
- else if get global selectedsoap = "GRADE 3" and get global selectedskin = "Soft"
- then set Label1 . Text to "Grade 3 is not recommended for soft skin. Its st..."
- else if get global selectedsoap = "GRADE 3" and get global selectedskin = "Dry"
- then set Label1 . Text to "Grade 3 is bad for dry skin. It removes too much..."
- else if get global selectedsoap = "GRADE 3" and get global selectedskin = "Oily"
- then set Label1 . Text to "Grade 3 is bad for dry skin. It removes too much..."
- else

initialize global APIkey to "1517aed56fcc41ecbd9143632250212"

when ListPicker1 .AfterPicking
do set global selectedweather to ListPicker1 . Selection

when Button1 .Click
do set Web1 . Url to join "http://api.weatherapi.com/v1/current.json?key=" get global APIkey "&q=" Label1 . Width "&aq=no"
call Web1 .Get

initialize global selectedweather to " "

when Web1 .GotText
url responseCode responseType responseContent
do if get responseCode ≥ 400
then set Label1 . Text to "no data"
set Label1 . Text to "no data"
else set global response to call Web1 .JsonTextDecodeWithDictionaries jsonText get responseContent
set Label2 . Text to join get value for key "temp_c" in dictionary get value for key "current" in dictionary get global response or if not found "not found" "°C"
set Label1 . Text to get value for key "text" in dictionary get value for key "condition" in dictionary get value for key "current" in dictionary get global response or if not found "not found"
set Image1 . Picture to join "https" get value for key "condition" in dictionary get value for key "current" in dictionary get global response or if not found "not found"

when Button2 .Click
do if get global selectedweather = "SUNNY"
then set Label3 . Text to "In hot and sunny weather, our skin produces more..."
else if get global selectedweather = "RAINY"
then set Label3 . Text to "In the rainy season, the air becomes very humid..."
else if get global selectedweather = "HUMID"
then set Label3 . Text to "In humid weather, moisture in the air mixes with..."
else if get global selectedweather = "WINTER"
then set Label3 . Text to "In winter air has very low humidity, so your ski..."
else if get global selectedweather = "CLOUDY"
then set Label3 . Text to "In cloudy weather UV rays still reach your skin..."

