

Python Lists – MCQ Practice Questions

25 Multiple Choice Questions

1. Which of the following commands will create a list?

- a) `list1 = list()`
- b) `list1 = []`
- c) `list1 = list([1, 2, 3])`
- d) all of the mentioned

2. Suppose list1 is [4, 2, 2, 4, 5, 2, 1, 0], Which of the following is correct syntax for slicing operation?

- a) `print(list1[2:])`
- b) `print(list1[:2])`
- c) `print(list1[:-2])`
- d) all of the mentioned

3. Suppose list1 is [2, 33, 222, 14, 25], What is list1[:-1]?

- a) [2, 33, 222, 14]
- b) Error
- c) 25
- d) [25, 14, 222, 33, 2]

4. What will be the output of the following Python code?

```
names = ['Amir', 'Bear', 'Charlton', 'Daman']
print(names[-1][-1])
```

- a) A
- b) Daman
- c) Error
- d) n

5. What will be the output of the following Python code?

```
names1 = ['Amir', 'Bear', 'Charlton', 'Daman']
names2 = names1
names3 = names1[:]

names2[0] = 'Alice'
names3[1] = 'Bob'

sum = 0
for ls in (names1, names2, names3):
    if ls[0] == 'Alice':
        sum += 1
    if ls[1] == 'Bob':
```

```
sum += 10
```

```
print (sum)
```

- a) 11
- b) 12**
- c) 21
- d) 22

6. Suppose list1 is [1, 3, 2], What is list1 * 2?

- a) [2, 6, 4]
- b) [1, 3, 2, 1, 3]
- c) [1, 3, 2, 1, 3, 2]**
- d) [1, 3, 2, 3, 2, 1]

7. Suppose list1 = [0.5 * x for x in range(0, 4)], list1 is:

- a) [0, 1, 2, 3]
- b) [0, 1, 2, 3, 4]
- c) [0.0, 0.5, 1.0, 1.5]**
- d) [0.0, 0.5, 1.0, 1.5, 2.0]

8. What will be the output of the following Python code?

```
list1 = [11, 2, 23]
list2 = [11, 2, 2]
print(list1 < list2)
```

- a) True
- b) False**
- c) Error
- d) None

9. To insert 5 to the third position in list1, we use which command?

- a) list1.insert(3, 5)**
- b) list1.insert(2, 5)
- c) list1.add(3, 5)
- d) list1.append(3, 5)

10. Suppose listExample is [3, 4, 5, 20, 5, 25, 1, 3], what is list1 after listExample.pop(1)?

- a) [3, 4, 5, 20, 5, 25, 1, 3]
- b) [1, 3, 3, 4, 5, 5, 20, 25]
- c) [3, 5, 20, 5, 25, 1, 3]**
- d) [1, 3, 4, 5, 20, 5, 25]

11. What will be the output of the following Python code?

```
print(list("a#b#c#d".split('#')))
```

a) ['a', 'b', 'c', 'd']

b) ['a b c d']

c) ['a#b#c#d']

d) ['abcd']

12. What will be the output of the following Python code?

```
myList = [1, 2, 3, 4, 5, 6]
```

```
for i in range(1, 6):
```

```
    myList[i - 1] = myList[i]
```

```
for i in range(0, 6):
```

```
    print(myList[i], end = " ")
```

a) 2 3 4 5 6 1

b) 6 1 2 3 4 5

c) 2 3 4 5 6 6

d) 1 1 2 3 4 5

13. What will be the output of the following Python code?

```
list1 = [1, 3]
```

```
list2 = list1
```

```
list1[0] = 4
```

```
print(list2)
```

a) [1, 3]

b) [4, 3]

c) [1, 4]

d) [1, 3, 4]

14. . What will be the output of the following Python code?

```
numbers = [1, 2, 3, 4]
```

```
numbers.append([5, 6, 7, 8])
```

```
print(len(numbers))
```

a) 4

b) 5

c) 8

d) 12

15. What will be the output of the following Python code?

```
list1 = [1, 2, 3, 4]
```

```
list2 = [5, 6, 7, 8]
```

```
print(len(list1 + list2))
```

- a) 2
- b) 4
- c) 5
- d) 8**

16. What will be the output of the following Python code?

```
veggies = ['carrot', 'broccoli', 'potato', 'asparagus']  
veggies.insert(veggies.index('broccoli'), 'celery')  
print(veggies)
```

- a) ['carrot', 'celery', 'broccoli', 'potato', 'asparagus']**
- b) ['carrot', 'celery', 'potato', 'asparagus']
- c) ['carrot', 'broccoli', 'celery', 'potato', 'asparagus']
- d) ['celery', 'carrot', 'broccoli', 'potato', 'asparagus']

17. What will be the output of the following Python code?

```
m = [[x, x + 1, x + 2] for x in range(0, 3)]  
print(m)
```

- a) [[1, 2, 3], [4, 5, 6], [7, 8, 9]]
- b) [[0, 1, 2], [1, 2, 3], [2, 3, 4]]**
- c) [1, 2, 3, 4, 5, 6, 7, 8, 9]
- d) [0, 1, 2, 1, 2, 3, 2, 3, 4]

18. How many elements are in m?

```
m = [[x, y] for x in range(0, 4) for y in range(0, 4)]  
print(m)
```

- a) 8
- b) 12
- c) 16**
- d) 32

19. What will be the output of the following Python code?

```
values = [[3, 4, 5, 1], [33, 6, 1, 2]]  
  
v = values[0][0]  
for lst in values:  
    for element in lst:  
        if v > element:  
            v = element  
  
print(v)
```

- a) 1**
- b) 3
- c) 5

d) 6

20. What will be the output of the following Python code?

```
matrix = [[1, 2, 3, 4],  
[4, 5, 6, 7],  
[8, 9, 10, 11],  
[12, 13, 14, 15]]  
  
for i in range(0, 4):  
    print(matrix[i][1], end = " ")
```

- a) 1 2 3 4
- b) 4 5 6 7
- c) 1 3 8 12

d) 2 5 9 13

21. What will be the output of the following Python code?

```
data = [[[1, 2], [3, 4]], [[5, 6], [7, 8]]]  
  
print(data[1][0][0])
```

- a) 1
- b) 2
- c) 4

d) 5

22. What will be the output of the following Python code?

```
points = [[1, 2], [3, 1.5], [0.5, 0.5]]  
points.sort()  
print(points)
```

- a) [[1, 2], [3, 1.5], [0.5, 0.5]]
- b) [[3, 1.5], [1, 2], [0.5, 0.5]]

c) [[0.5, 0.5], [1, 2], [3, 1.5]]

d) [[0.5, 0.5], [3, 1.5], [1, 2]]

23. What will be the output of the following Python code?

```
a=[10,23,56,[78]]  
b=list(a)  
a[3][0]=95  
a[1]=34  
print(b)
```

- a) [10, 34, 56, [95]]
- b) [10, 23, 56, [78]]

c) [10, 23, 56, [95]]

d) [10, 34, 56, [78]]

24. What will be the output of the following Python code?

```
a=[1,2,3,4]
b=[sum(a[0:x+1]) for x in range(0,len(a))]
print(b)
```

- a) 10
- b) [1, 3, 5, 7]
- c) 4
- d) [1, 3, 6, 10]

25. What will be the output of the following Python code?

```
lst=[3,4,6,1,2]
lst[1:2]=[7,8]
print(lst)
```

- a) [3, 7, 8, 6, 1, 2]
- b) Syntax error
- c) [3,[7,8],6,1,2]
- d) [3, 4, 6, 7, 8]