

```
In [42]: l=[]  
l
```

```
Out[42]: []
```

```
In [43]: l
```

```
Out[43]: []
```

```
In [44]: len(l)
```

```
Out[44]: 0
```

```
In [45]: l.append(10)
```

```
In [46]: l
```

```
Out[46]: [10]
```

```
In [47]: len(l)
```

```
Out[47]: 1
```

```
In [48]: l.append(20)  
l
```

```
Out[48]: [10, 20]
```

```
In [49]: len(l)
```

```
Out[49]: 2
```

```
In [50]: id(l)
```

```
Out[50]: 5619958720
```

```
In [51]: id(l)
```

```
Out[51]: 5619958720
```

```
In [52]: print(type(l))
```

```
<class 'list'>
```

```
In [53]: import keyword  
keyword.kwlist
```

```
Out[53]: ['False',  
          'None',  
          'True',  
          'and',  
          'as',  
          'assert',  
          'async',  
          'await',  
          'break',  
          'class',  
          'continue',  
          'def',  
          'del',  
          'elif',  
          'else',  
          'except',  
          'finally',  
          'for',  
          'from',  
          'global',  
          'if',  
          'import',  
          'in',  
          'is',  
          'lambda',  
          'nonlocal',  
          'not',  
          'or',  
          'pass',  
          'raise',  
          'return',  
          'try',  
          'while',  
          'with',  
          'yield']
```

```
In [54]: len(keyword.kwlist)
```

```
Out[54]: 35
```

```
In [55]: l[0:1]
```

```
Out[55]: [10]
```

```
In [56]: l.append(20)  
l.append(30)  
l.append(40)  
l.append(50)  
l.append(40)  
l
```

```
Out[56]: [10, 20, 20, 30, 40, 50, 40]
```

```
In [57]: l[1:10]
```

```
Out[57]: [20, 20, 30, 40, 50, 40]
```

```
In [58]: l[-1:-6]
```

```
Out[58]: []
```

```
In [59]: l1=l.copy()
```

```
In [60]: l1
```

```
Out[60]: [10, 20, 20, 30, 40, 50, 40]
```

```
In [61]: l == l1
```

```
Out[61]: True
```

```
In [62]: print(len(l))  
print(len(l1))
```

```
7  
7
```

```
In [63]: id(l1)
```

```
Out[63]: 4585302080
```

```
In [64]: l1.append(2.3)  
l1.append(True)  
l1.append(1 + 2j)  
l1
```

```
Out[64]: [10, 20, 20, 30, 40, 50, 40, 2.3, True, (1+2j)]
```

```
In [65]: l1
```

```
Out[65]: [10, 20, 20, 30, 40, 50, 40, 2.3, True, (1+2j)]
```

```
In [66]: l1.append(10)
```

```
In [67]: l1
```

```
Out[67]: [10, 20, 20, 30, 40, 50, 40, 2.3, True, (1+2j), 10]
```

```
In [68]: l1[0:13:2]
```

```
Out[68]: [10, 20, 40, 40, True, 10]
```

```
In [69]: l1.count(10)
```

```
Out[69]: 2
```

```
In [70]: l1.count(2000)
```

```
Out[70]: 0
```

```
In [71]: l2 = l1.copy()  
l2
```

```
Out[71]: [10, 20, 20, 30, 40, 50, 40, 2.3, True, (1+2j), 10]
```

```
In [72]: l2.remove(True)
```

```
In [73]: l2
```

```
Out[73]: [10, 20, 20, 30, 40, 50, 40, 2.3, (1+2j), 10]
```

```
In [74]: l2.remove(1+2j)
```

```
In [75]: l2
```

```
Out[75]: [10, 20, 20, 30, 40, 50, 40, 2.3, 10]
```

```
In [76]: l2.clear()
```

```
In [77]: l2  
  
del l2
```

```
In [78]: l2
```

```
-----  
NameError                                Traceback (most recent call  
l last)  
Cell In[78], line 1  
----> 1 l2  
  
NameError: name 'l2' is not defined
```

```
In [ ]: l2
```

```
In [ ]:
```

```
In [ ]:
```

```
In [ ]:
```

```
In [ ]:
```

```
In [ ]:
```

```
In [ ]:
```

In []:

In []:

In []: