




Part 1: Motivation

Motivation

Neural Networks and Applications

Neural networks have been applied to a wide range of problems with different types of datasets such as graphs, text and images.




Web

Finance

Social
Media

Geospatial
Imaging



Document
Verification

Healthcare





Autonomous
Navigation

Weather
Analysis

Motivation

Euclidean Spaces

The difference in the inherent properties required to solve these tasks is handled with different types of models, generally based on Euclidean spaces.



1. Tan, et al., "Deep representation learning for social network analysis." *Frontiers in big Data* 2 (2019):
2. Bahdanau et al., "Neural machine translation by jointly learning to align and translate." ICLR (2015).

3. Chatbot Tutorial — PyTorch Tutorials 1 (Lasylife.top).
<https://towardsdatascience.com/review-deconvnet-unpooling-layer-semantic-segmentation-55cf8a6e380e>.

Motivation

Where to apply?

➤ Graph Analysis:

Using hierarchies in graph relations.

➤ Knowledge Graphs:


Using hierarchies in knowledge graph representation.

➤ Search:


Using hierarchies in retrieval entities.

➤ Natural Language Processing


Using hierarchal relations between words of a sentence.




Graph Analysis¹



Product Search Catalogues



Knowledge Graph Representation²



Syntax tree of a Sentence³

1. <https://graphsandnetworks.com/category/graph-machine-learning/> [Cora Dataset]

2. Dong, J., Gu, B., Qu, J., Liu, A., Zhao, L., Chen, Z., & Li, Z. (2021, October). HyperJOIE: Two-View Hyperbolic Knowledge Graph Embedding with Entities and Concepts Jointly. In International Conference on Web Information Systems Engineering (pp. 305-320). Springer, Cham.



3. Getting to grips with parse trees, Vered Zimmerman (Towards Data Science, 2019).

Motivation

Peculiar Case of Hierarchical Problems

With increasing depth, the number of nodes **grow exponentially**, however Euclidean space grows **linearly** (L1-norm, Euclidean distance).


Thus, Euclidean representational volume **is not sufficient**. Points get clustered together.




Motivation

Why Hyperbolic Space?

Thus, recent research has shifted to **non-Euclidean hyperbolic spaces** for capturing hierarchical dependencies in the datasets.



Hierarchical Dataset




Hyperbolic Embeddings

Motivation


Why Hyperbolic Space?

Recently, research has shifted to **non-Euclidean hyperbolic spaces** for capturing hierarchical dependencies in the datasets.


Hyperbolic spaces more closely resemble hierarchical structures than Euclidean space.



Hierarchical Dataset




Hyperbolic Embeddings




Motivation

How to use?

In such problem settings, hyperbolic models generate better representations.



Euclidean Embeddings*
(GCN, Cora dataset)



Poincaré Embeddings*
(HGCN, Cora dataset)

In the above problem of node classification, hyperbolic model HGCN generates more separable representations, compared to its Euclidean counterpart GCN.

Tutorial Objective

Make it easy to use


One-Stop-Shop for Hyperbolic Networks

Theoretical Underpinnings of Hyperbolic geometry

Architectural Design Choices and Implementation

Successful Application Scenarios

GraphZoo Toolkit



Tutorial Objective

Make it easy to use

In majority of the cases, to change a Euclidean architecture, we just need to:

1. Change operators

Euclidean:

$$w_1x_1 + w_2x_2 + w_3x_3 + b$$

Hyperbolic: Replace with gyrovector operations

$$w_1 \otimes_c x_1 \oplus_c w_2 \otimes_c x_2 \oplus_c w_3 \otimes_c x_3 \oplus_c b$$


2. Call manifold versions of the Euclidean layers:

Euclidean:

`nn.Linear`

Hyperbolic: Replace with manifold library

`manifolds.hyperbolic.Linear`




Note that the overarching network structure remains the same, only some components change.

Tutorial

Overview

Our goal is to introduce:

- 1) Hyperbolic geometry
- 2) Implementation techniques
- 3) Existing applications
- 4) Advantages over Euclidean architectures.




Tutorial

Details: Hyperbolic Geometry

Hyperbolic geometry

- Manifolds
- Gyrovector Operations
- Neural Networks




Tutorial

Details: Architectures

Architectures/ Implementation

- Linear layer
- Sequential data
- Spatial data
- Other formulations





Tutorial

Details: Applications

Real-World Applications

- Graph Analysis
- Knowledge Graph Mining
- Search
- Natural Language Processing





Q&A

Please provide your feedback at:

<https://bit.ly/feedback-hyperbolic-tutorial>