

SMART CONTRACT COMMUNICATION AMONG BLOCKCHAINS

Abhishek Satpathy

Bachelor of Engineering
Software Engineering Stream



School of Engineering
Macquarie University

November 09, 2018

Supervisor: Michael Johnson

ACKNOWLEDGMENTS

I would like to acknowledge ...

STATEMENT OF CANDIDATE

I, Abhishek Satpathy, declare that this report, submitted as part of the requirement for the award of Bachelor of Engineering in the School of Engineering, Macquarie University, is entirely my own work unless otherwise referenced or acknowledged. This document has not been submitted for qualification or assessment at any other academic institution.

Student's Name: Abhishek Satpathy

Student's Signature:

Date: August 21, 2018

ABSTRACT

This is where you write your abstract ...

Contents

Acknowledgments	iii
Abstract	vii
Table of Contents	ix
List of Figures	xi
List of Tables	xiii
1 Introduction	1
1.1 MIMO Broadcast Channels	1
2 Background and Related Work	3
2.1 Capacity of MIMO Downlink Channels	3
3 User Selection in MIMO Broadcast Channels	5
3.1 Introduction	5
3.2 Related Work	5
3.3 System Model	6
4 Conclusions and Future Work	7
4.1 Conclusions	7
5 Abbreviations	9
A name of appendix A	11
A.1 Overview	11
A.2 Name of this section	11
B name of appendix B	13
B.1 Overview	13
B.2 Name of this section	13
Bibliography	13

List of Figures

2.1	Comparison of capacity for single and multiple antenna systems.	4
-----	---	---

List of Tables

Chapter 1

Introduction

1.1 MIMO Broadcast Channels

A MIMO

- MIMO broadcast channel capacity.
- Channel-state information at the base station.
- Multi-user interference.
- User selection algorithms.
- QoS of users.
- Scheduling algorithms.
- Cross-layer design.

MIMO Broadcast Channel Capacity

A

Chapter 2

Background and Related Work

2.1 Capacity of MIMO Downlink Channels

In a

Channel Knowledge at the Base Station

The channel.

MAC-BC Duality

In order to find an a




Figure 2.1: Comparison of capacity for single and multiple antenna systems.

Chapter 3

User Selection in MIMO Broadcast Channels

3.1 Introduction

- We identify the limitations of current algorithms and situations where these algorithms are suboptimal.
- We propose modifications of user selection algorithms that reduce execution complexity but retain efficiency.
- We develop analytical bounds to show that the proposed algorithms are asymptotically effective.
- We compare the performance of the proposed user selection algorithms with the current user selection algorithms under both DPC and ZF precoding techniques.
- We show that the proposed user selection algorithms reduce the computational complexity while retaining a high degree of effectiveness in terms of sum-capacity, as compared to other user selection algorithms, under both precoding techniques.

This chapter is organised as follows. Section 3.2 presents work related to this chapter. In Section 3.3, the system model is described. Section ?? describes precoding techniques. Section ?? is devoted to the proposed user selection algorithms and presents the analytical bounds on the sum-capacity of the proposed user selection algorithms. Performance analysis of different user selection algorithms along with the proposed user selection algorithms is presented in Section ?. Finally, Section ? concludes the chapter.

3.2 Related Work

In this section, we review some current user selection algorithms for MIMO broadcast wireless channels.

A user select.

3.3 System Model

We now consider a

This chapter examined current user selection [1] algorithms for wireless broadcast channels. It compared the performance of the algorithms, identified situations where they were suboptimal and developed modifications to reduce computation time without reducing effectiveness. In particular, we presented a modified user selection algorithm, and then two variants were developed that could be used for both ZF and DPC precoding. It was shown that the proposed algorithms work reasonably well compared to other user selection algorithms. The modifications were tested and suggestions for setting parameters were made.

Chapter 4

Conclusions and Future Work

4.1 Conclusions

This

Chapter 5

Abbreviations

AWGN	Additive White Gaussian Noise
BC	Broadcast Channel
BS	Base Station
CSI	Channel State Information
CSIR	Channel State Information at Receiver
CSIT	Channel State Information at Transmitter
dB	Decibels
DPC	Dirty Paper Coding
GS	Gram-Schmidt
RVQ	Random Vector Quantisation
SISO	Single Input Single Output
SNR	Signal to Noise Ratio
SINR	Signal to Interference plus Noise Ratio
MISO	Multiple Input Single Output
SIMO	Single Input Multiple Output
MIMO	Multiple Input Multiple Output
MMSE	Minimum Mean Square Error
MRC	Maximum Ratio Combining
QoS	Quality of Service
TDD	Time Division Duplex
FDD	Frequency Division Duplex
ZF	Zero-Forcing
ZFBF	Zero-Forcing Beamforming
ZMCSCG	Zero Mean Circularly Symmetric Complex Gaussian

Appendix A

name of appendix A

A.1 Overview

here is the Overview of appendix A ...

A.2 Name of this section

here is the content of this section ...

Appendix B

name of appendix B

B.1 Overview

here is the Overview of appendix B ...

B.2 Name of this section

here is the content of this section ...

Bibliography

- [1] M. Andrews, “A survey of scheduling theory in wireless data networks,” *Proc. of the IMA 2005 Summer Workshop in Wireless Communications*, 2005.