deeplearning.ai

One hidden layer Neural Network

Neural Network Representation

Neural Network Representation



Andrew Ng

deeplearning.ai

One hidden layer Neural Network

Computing a Neural Network's Output

Neural Network Representation



$$z = w^T x + b$$

$$a = \sigma(z)$$



Andrew Ng

Neural Network Representation



$$z = w^T x + b$$

$$a = \sigma(z)$$



Andrew Ng

Neural Network Representation



$$z_1^{[1]} = w_1^{[1]T} x + b_1^{[1]}, \quad a_1^{[1]} = \sigma(z_1^{[1]})$$

$$z_2^{[1]} = w_2^{[1]T} x + b_2^{[1]}, \quad a_2^{[1]} = \sigma(z_2^{[1]})$$

$$z_3^{[1]} = w_3^{[1]T} x + b_3^{[1]}, \quad a_3^{[1]} = \sigma(z_3^{[1]})$$

$$z_4^{[1]} = w_4^{[1]T} x + b_4^{[1]}, \quad a_4^{[1]} = \sigma(z_4^{[1]})$$

$$\begin{bmatrix} — w_1^{[1]T} — \\ — w_2^{[1]T} — \\ — w_3^{[1]T} — \\ — w_4^{[1]T} — \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} + \begin{bmatrix} b_1^{[1]} \\ b_2^{[1]} \\ b_3^{[1]} \\ b_4^{[1]} \end{bmatrix} = \begin{bmatrix} w_1^{[1]T} \cdot x + b_1^{[1]} \\ w_2^{[1]T} \cdot x + b_2^{[1]} \\ w_3^{[1]T} \cdot x + b_3^{[1]} \\ w_4^{[1]T} \cdot x + b_4^{[1]} \end{bmatrix} = \begin{bmatrix} z_1^{[1]} \\ z_2^{[1]} \\ z_3^{[1]} \\ z_4^{[1]} \end{bmatrix}$$

4×3 $\quad 3 \times 1$ $\quad 4 \times 1$ $\quad 4 \times 1$ $\quad = \quad z^{[1]}$

Neural Network Representation learning



Given input x:

$$z^{[1]} = W^{[1]}x + b^{[1]}$$
(4,1) (4,3) (3,1) (4,1)

$$a^{[1]} = \sigma(z^{[1]})$$
(4,1) (4,1)

$$z^{[2]} = W^{[2]}a^{[1]} + b^{[2]}$$
(1,1) (1,4) (4,1) (1,1)

$$a^{[2]} = \sigma(z^{[2]})$$
(1,1) (1,1)

$\Rightarrow a^{[n]} = \sigma(z^{[n]})$