

Name : Mr. ABHISHEK SINGH

Lab No. : 448488177

Ref By SELF

Collected : 28/1/2024 10:43:00AM

A/c Status : P

Test Name

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR, M

no -7050483752


: 28 Years Age Gender : Male

Reported : 29/1/2024 10:51:25AM

Report Status : Final

: Patna Lab II Processed at

Bio. Ref. Interval



Units

Test Report

Results

SwasthFit Super 2			
LIVER & KIDNEY PANEL, SERUM			
Creatinine	1.08	mg/dL	<1.20
(Jaffe Compensated)			
GFR Estimated	95	mL/min/1.73m2	>59
GFR Category	G1		
Urea	24.90	mg/dL	19.00 - 44.00
(Urease UV)			
Urea Nitrogen Blood	11.63	mg/dL	8.90 - 20.60
BUN/Creatinine Ratio	11		
Uric Acid	7.20	mg/dL	3.4 - 7.0
(Enzymatic Colorimetric)			
AST (SGOT)	31.7	U/L	<40
(IFCC without P5P)			
ALT (SGPT)	56.2	U/L	<41
(IFCC without P5P)			
GGTP	29.0	U/L	<71.00
(IFCC)			
Alkaline Phosphatase (ALP)	121.00	U/L	<128
(IFCC)			
Bilirubin Total	0.46	mg/dL	<1.10
(Diazo)	0.40		
Bilirubin Direct	0.18	mg/dL	<0.20
(Diazo)	0.00		4.40
Bilirubin Indirect	0.28	mg/dL	<1.10
(Calculated) Total Protein	7.31	م/ما	0.40 0.00
(Biuret)	7.31	g/dL	6.40 - 8.30
Albumin	4.17	g/dL	3.50 - 5.20
(BCG)	т. 17	g/uL	3.30 - 3.20
A : G Ratio	1.33		0.90 - 2.00
(Calculated)			0.00 2.00
Globulin(Calculated)	3.14	gm/dL	2.0 - 3.5
Calcium, Total	9.08	mg/dL	8.6 - 10.0
(NM-BAPTA)			
			Page 1 of 9



Name : Mr. ABHISHEK SINGH

: 448488177 Lab No. : SELF

Collected : 28/1/2024 10:43:00AM

A/c Status : P

Ref By

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR, M

no -7050483752

: 28 Years Age Gender · Male

: 29/1/2024 10:51:25AM Reported

Report Status

: Patna Lab II Processed at

R K ESTATE opposite IGIMS Raja Bazar

Bailey Road Patna-800014

Test Report

Test Name	Results	Units	Bio. Ref. Interval
Phosphorus (Molybdate UV)	3.53	mg/dL	2.6 - 4.5
Sodium (Indirect ISE)	137.90	mEq/L	136.00 - 145.00
Potassium (Indirect ISE)	4.49	mEq/L	3.5 - 5.1
Chloride (Indirect ISE)	99.60	mEq/L	98 - 108

Note

- Estimated GFR (eGFR) calculated using the 2021 CKD-EPI creatinine equation and GFR Category reported as per KDIGO guideline 2012.
- eGFR category G1 or G2 does not fulfil the criteria for CKD, in the absence of evidence of kidney 2. damage
- 3. The BUN-to-creatinine ratio is used to differentiate prerenal and postrenal azotemia from renal azotemia. Because of considerable variability, it should be used only as a rough guide. Normally, the BUN/creatinine ratio is about 10:1

LIPID SCREEN, SERUM			
Cholesterol, Total (CHOD-PAP)	190.30	mg/dL	<200
Triglycerides (GPO-PAP)	124.50	mg/dL	<150.00
HDL Cholesterol (Homogenous Enzymatic Colorimetric)	46.90	mg/dL	>40
LDL Cholesterol, Calculated (Calculated)	118.50	mg/dL	<100.00
VLDL Cholesterol,Calculated (Calculated)	24.90	mg/dL	<30.00
Non-HDL Cholesterol (Calculated)	143	mg/dL	<130

Note

- 1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL& LDL Cholesterol.
- 2. Friedewald equation to calculate LDL cholesterol is most accurate when Triglyceride level is < 400 mg/dL. Measurement of Direct LDL cholesterol is recommended when Triglyceride level is > 400 mg/dL
- 3. Lipid Association of India (LAI) recommends screening of all adults above the age of 20 years for



Page 2 of 9



Name : Mr. ABHISHEK SINGH

Lab No. : 448488177

Ref By SELF Production Do An

Collected : 28/1/2024 10:43:00AM

A/c Status : P

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR, M

no -7050483752

Age : 28 Years Gender : Male

Reported : 29/1/2024 10:51:25AM

Report Status : Final

Processed at : Patna Lab II

R K ESTATE opposite IGIMS Raja Bazar

Bailey Road Patna-800014



Test Name
Results
Units
Bio. Ref. Interval
Atherosclerotic Cardiovascular Disease (ASCVD) risk factors especially lipid profile. This should be
done earlier if there is family history of premature heart disease, dyslipidemia, obesity or other risk

actors

4. Indians tend to have higher triglyceride levels & Lower HDL cholesterol combined with small dense LDL particles, a pattern known as atherogenic dyslipidemia

5. Non HDL Cholesterol comprises the cholesterol carried by all atherogenic particles, including LDL, IDL, VLDL & VLDL remnants, Chylomicron remnants & Lp(a)

6. LAI recommends LDL cholesterol as primary target and Non HDL cholesterol as co-primary treatment target

7. Apolipoprotein B is an, secondary lipid target for treatment once LDL & Non HDL goals have been achieved

8. Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement

Treatment Goals as per Lipid Association of India 2020

RISK	TREATMENT GOAL		CONSIDER THERAPY	
CATEGORY	LDL CHOLESTEROL (LDL-C)(mg/dL)	NON HDL CHLOESTEROL (NON HDL-C) (mg/dL)		NON HDL CHLOESTEROL (NON HDL-C) (mg/dL)
Extreme Risk Group Category A		 <80 (Optional goal ≤60)	≥50	≥80
Extreme Risk Group Category A	≤30	 ≤60	>30	>60
Very High			≥50	≥80
High	<70	<100	≥70	≥100
Moderate	<100	<130	≥100	≥130
Low	<100	<130	≥130*	≥160*

^{*}In low risk patient, consider therapy after an initial non-pharmacological intervention for at least 3 months



Page 3 of 9



Name : Mr. ABHISHEK SINGH

Lab No. : 448488177 Ref By : SELF

Collected: 28/1/2024 10:43:00AM

A/c Status P

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR, M

no -7050483752

Age : 28 Years Gender : Male

Reported : 29/1/2024 10:51:25AM

Report Status : Final

Processed at : Patna Lab II

R K ESTATE opposite IGIMS Raja Bazar Bailey

Road Patna-800014

Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT;CBC			
(Electrical Impedence & Flow)		<u> </u>	
Hemoglobin	14.10	g/dL	13.00 - 17.00
Packed Cell Volume (PCV)	44.10	%	40.00 - 50.00
RBC Count	5.29	mill/mm3	4.50 - 5.50
MCV	83.40	fL	83.00 - 101.00
MCH	26.70	pg	27.00 - 32.00
MCHC	32.00	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW)	13.80	%	11.60 - 14.00
Total Leukocyte Count (TLC)	7.01	thou/mm3	4.00 - 10.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils	55.10	%	40.00 - 80.00
Lymphocytes	37.20	%	20.00 - 40.00
Monocytes	4.00	%	2.00 - 10.00
Eosinophils	3.30	%	1.00 - 6.00
Basophils	0.40	%	<2.00
Absolute Leucocyte Count			
Neutrophils	3.86	thou/mm3	2.00 - 7.00
Lymphocytes	2.61	thou/mm3	1.00 - 3.00
Monocytes	0.28	thou/mm3	0.20 - 1.00
Eosinophils	0.23	thou/mm3	0.02 - 0.50
Basophils	0.03	thou/mm3	0.02 - 0.10
Platelet Count	172	thou/mm3	150.00 - 410.00

Note

- 1. As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood
- 2. Test conducted on EDTA whole blood



Page 4 of 9



Name : Mr. ABHISHEK SINGH

Lab No. : 448488177 Ref By : SELF

Collected : 28/1/2024 10:43:00AM

A/c Status : P

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR, M

no -7050483752

Age : 28 Years Gender : Male

Reported : 29/1/2024 10:51:25AM

Report Status : Final

Processed at : Patna Lab II

R K ESTATE opposite IGIMS Raja Bazar Bailey

Road Patna-800014

Test Report

Test Name Results Units Bio. Ref. Interval



Page 5 of 9



Name : Mr. ABHISHEK SINGH

Lab No. : 448488177 Ref By : SELF

Collected : 28/1/2024 10:43:00AM

A/c Status : P

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR,

M no -7050483752

Age : 28 Years Gender : Male

Reported : 29/1/2024 10:51:25AM

Report Status : Final
Processed at : Patna Lab II

Processed at : Patna Lab II
R K ESTATE opposite IGIMS Raja Bazar

Bailey Road Patna-800014

Test Report

Test Name	Results	Units	Bio. Ref. Interval
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD (HPLC, NGSP certified)			
HbA1c	5.6	%	4.00 - 5.60
Estimated average glucose (eAG)	114	mg/dL	

Interpretation

HbA1c result is suggestive of non diabetic adults (>=18 years)/ well controlled Diabetes in a known Diabetic Interpretation as per American Diabetes Association (ADA) Guidelines

	Reference Group	Non diabetic adults >=18 years	At risk (Prediabetes)	Diagnosing Diabetes	Therapeutic goals for glycemic control
İ	HbA1c in %	4.0-5.6	5.7-6.4	>= 6.5	<7.0

Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH Hba1C MEASUREMENT	FACTORS THAT AFFECT INTERPRETATION OF HBA1C RESULTS
Hemoglobin variants,elevated fetal hemoglobin (HbF) and chemically modified derivatives of hemoglobin (e.g. carbamylated Hb in patients with renal failure) can affect the accuracy of HbAlc measurements	Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g.,recovery from acute blood loss, hemolytic anemia, HbSS, HbCC, and HbSC) will falsely lower HbAlc test results regardless of the assay method used.Iron deficiency anemia is associated with higher HbAlc



Page 6 of 9



Name : Mr. ABHISHEK SINGH

Lab No. : 448488177

Ref By : SELF

Collected : 28/1/2024 10:43:00AM

A/c Status : P

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR, M

no -7050483752

Age : 28 Years

Gender : Male

Reported : 29/1/2024 10:51:25AM

Report Status : Final

Processed at : Patna Lab II

R K ESTATE opposite IGIMS Raja Bazar

Bailey Road Patna-800014

Test Report

Test Name	Results	Units	Bio. Ref. Interval
GLUCOSE, FASTING (F), PLASMA	83.00	mg/dL	70.00 - 100.00
(Hexokinase)			





Name : Mr. ABHISHEK SINGH

Lab No. 448488177

Ref By : SELF Collected : 28/1/2024 10:43:00AM

Collected : 28/1/2 A/c Status : P

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR,

M no -7050483752

Age : 28 Years

Gender : Male

Reported : 29/1/2024 10:51:25AM

Report Status : Final

Processed at : Patna Lab II

R K ESTATE opposite IGIMS Raja Bazar

Bailey Road Patna-800014

Test Report

Test Name	Results	Units	Bio. Ref. Interval
THYROID PROFILE,TOTAL, SERUM (ECLIA)			
T3, Total	1.25	ng/mL	0.80 - 2.00
T4, Total	8.04	μg/dL	5.10 - 14.10
TSH	2.33	μIU/mL	0.27 - 4.20

Note

- 1. TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
- 2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
- 3. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
- 4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals

Manju Sharma Gurya Kand Nirela

Dr Binay kumar. MD,Pathology Consultant Pathologist

Dr Lal PathLabs Ltd

Dr Manju Sharma DCP, Pathology Chief of Laboratory Dr Lal PathLabs Ltd Dr Suryakant Nirala MD, Pathology Consultant Pathologist Dr Lal PathLabs Ltd Dr. Poonam Sinha

Consultant Biochemist Dr Lal PathLabs Ltd

Dr.Shalini Sinha MBBS , DCP Chief of Lab



Page 8 of 9



Name : Mr. ABHISHEK SINGH

Lab No. : 448488177

: SELF Ref By

Collected : 28/1/2024 10:43:00AM

A/c Status

Collected at : VERMA DIAGNOSTIC

B-24, MITRA MANDAL COLONY, SAKET VIHAR,

M no -7050483752

: 28 Years Age Male

Gender

Processed at

29/1/2024 10:51:25AM Reported

: Patna Lab II

Final **Report Status**

R K ESTATE opposite IGIMS Raja Bazar

Bailey Road Patna-800014



Test Report

Test Name Results Units Bio. Ref. Interval End of report



IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician . • Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted . Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. Test results may show interlaboratory variations. The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s). & or results of test(s). *Test results are not valid for medico legal purposes.•This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050,Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com



Page 9 of 9