



- Home
- eSpaces
- Solutions
- Doc API

IERatingEngine eSpace

[Back to eSpaces list](#)

1 Index

- 1 – Index
- 2 – Overview
- 3 – Implementation
 - 3.1 – Processes
 - 3.2 – UI Flows
 - 3.2.1 – UI Flows
 - 3.2.2 – Referenced UI Flows
 - 3.3 – Data Model
 - 3.3.1 – Entities
 - 3.3.2 – External Entities
 - 3.3.3 – Structures
 - 3.3.4 – External Structures
 - 3.3.5 – Static Entities
 - 3.4 – Actions
 - 3.4.1 – Server Actions
 - 3.4.2 – Referenced Server Actions
 - 3.4.3 – Service Actions
 - 3.4.4 – Referenced Service Actions
 - 3.5 – Integrations
 - 3.5.1 – SOAP
 - 3.5.2 – REST
 - 3.5.3 – SAP
 - 3.6 – References
 - 3.6.1 – Extensions
 - 3.7 – Runtime
 - 3.7.1 – Session Variables
 - 3.7.2 – Site Properties
 - 3.7.3 – Roles
 - 3.8 – Timers
 - 3.9 – Contents
 - 3.9.1 – Resources
 - 3.9.2 – Images
 - 3.10 – Themes
 - 3.10.1 – Referenced Themes

2 Overview

eSpace Name	IERatingEngine
Description	
Database	
Application Server	
Use Cookies	Yes
Multitenant	No
Is User Provider	No
User Provider eSpace	Users
Is Application	No
Application Name	
Default Theme	
Global Exception Handler	

3 Implementation

3.1 Processes

No Processes to show...

3.2 UI Flows

3.2.1 UI Flows

No Web Flows to show...

3.2.2 Referenced Web Flows

No Web Flows to show...

3.3 Data Model

3.3.1 Entities

No items to show...

3.3.2 External Entities

Name	Owner eSpace	Description
 State	InsureEdgeSYSDB	
 Developer_DBConnection	(System)	Service Center users and roles permissions for each external database.
 AppMobile_BTypeA_Ext	(System)	internal use only Extension table for App_Mobile_BTypeAndroid – adds the FileExtensionOverride for a given Android Build Type
 User_Effective_Role	(System)	Read-only view containing user specific roles (either direct or via user groups).
 Activity_Def_Link	(System)	Process activity relations (links between activities in service studio). Only contain links
 Application_Parameter_Binary	(System)	Application settings with binary content.
 Entity_Record	(System)	Records for each static entity defined in Service Studio. Older records are kept as inactive
 Report_Slow_Timer	(System)	Service Center analytics report details
 Extension_Configuration	(System)	Internal use only.
 RuntimeKind	(System)	
 Authentication_Provider	(System)	
 Solution_Pack	(System)	Solution binary content.
 Activity_Output	(System)	Output parameter effective values for each process activity instance.
 Async_Operation_DBCatalog	(System)	Internal use only.
 Module_StatusMessageType	(System)	Internal use only.
 Assembly	(System)	Contains information about a component in a personal area. Internal use only.
 Report_Hour	(System)	Support table for the Service Center analytics Hourly usage reports.
 PageMetaRule	(System)	Internal use only.
 Solution	(System)	Service Center Solution (a set of eSpaces and extensions)
 Basic_Type	(System)	Service Studio basic types.
 PathHeader	(System)	Internal use only.
 Area_Entry_Point	(System)	An entry point in an personal area. Internal use only.
 Process_Output_Definition	(System)	Process output as defined in Service Studio. Old outputs are kept as inactive.
 Module	(System)	An eSpace or an Extension.
 Espace_SharedConfiguration	(System)	Internal use only.
 Process	(System)	Process instances.
 Process_Input_Definition	(System)	Process input as defined in Service Studio. Old inputs are kept as inactive.
 Server	(System)	Environment specific server nodes.
 Report_Slow_Screen	(System)	Service Center analytics report details
 Callback	(System)	Registered foreign blocks that are inserted in predefined places.
 App_Mobile_Build	(System)	Represents all information regarding the mobile build that was started on the build Se
 Developer_Operation	(System)	For statistical use only
 PathRule	(System)	Internal use only.
 Process_Status	(System)	Possible process instance status.
 Espace_Version	(System)	Espace specific versions published in the environment. Includes the eSpace binary con
 Activity_Definition	(System)	Process activity definition as specified in service studio. Matches the current published
 Process_Definition	(System)	Processes as defined in Service Studio. Old processes are kept as inactive.
 Report_Slow_Query	(System)	Service Center analytics report details
 Process_Upgrade	(System)	Internal use only. Supports process instance upgrade impact analysis.
 Solution_Version_Reference	(System)	Modules (and their versions) for a specific solution version.
 Extension_Version	(System)	Extension version binary content.
 Deprecated_Authentication_Supported_Properties	(System)	DEPRECATED. This static entity is not updated anymore.
 Meta_Cyclic_Job	(System)	Espace specific timers as defined in Service Studio. Old timers are kept as inactive.
 TranslationOverride	(System)	Translations to override the eSpace defined translations
 DBCatalog	(System)	Database catalogs as defined in Service Center
 Report_Espace_Usage	(System)	Service Center analytics usage reports.
 Activity_Status	(System)	Possible status for each process activity instance.
 Application	(System)	Applications in this environment. Old applications are kept as inactive
 Cyclic_Job	(System)	Multi-tenant timer instances
 App_Definition_Module	(System)	Modules for a specific application definition. Internal use only.

3.3.3 Structures

Excel_HRHexzones

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 HRHexzones		Text	50			✓
 Hurricanerateper1000		Decimal	37	8		✓
 Wildfire		Decimal	37	8		✓
 Tornado		Decimal	37	8		✓

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 Hail		Decimal	37	8		✓

Excel_LRHexzones

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 LRHexzones		Text	50			✓
 StateAbb		Text	50			✓
 Derechorateper1000		Text	50			✓
 XwindCombinedrate_allotherpe		Text	50			✓
 Earthquakerate		Text	50			✓
 sinkholerate		Text	50			✓
 Liabilityrates		Decimal	37	8		✓
 Flashfloodrates		Text	50			✓

Excel_NewXLSXWorksheet_2_

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 Type		Text	50			
 TypeOfBuilding		Text	50			
 BuildingDescription		Text	100			
 BaseFloodElevation		Integer				
 FloodZone		Text	50			
 PValue		Text	50			

Excel_Statetaxmatrix_v2

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 STATE		Text	50			✓
 SurplusLines		Decimal	37	8		✓
 StampingFee		Decimal	37	8		✓
 FirePremiumTax		Decimal	37	8		

ListItems

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 Key		Text				
 Value		Text				

LRHexzones2

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 Id		Long Integer				✓
 LRHexzones		Text	50			✓
 StateAbb		Text	50			✓
 Derechorateper1000		Decimal	6	4		✓
 XwindCombinedrate_allotherpe		Decimal	6	4		✓
 Earthquakerate		Decimal	6	4		✓
 sinkholerate		Decimal	6	4		✓
 Liabilityrates		Decimal	6	4		✓
 Flashfloodrates		Decimal	6	4		✓

RatingInputs

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 DwellingAssetLimit		Decimal	18	2		
 PhysicalDamageDeductible		Decimal	18	2		

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 CoverageLevel		Text	50			
 LiabilityCoverage		Text	50			
 ExcessBlanketPL		Text				
 SinkholeCatastrophicGroundCollapse		Text	50			
 Earhquake		Text	50			
 Flood		Text	50			
 WindHail		Text	50			
 WildFire		Text	50			
 ResidentWorkerNFM		Text	50			
 SmallScalefarmingEndorsement		Text	50			
 LandloadEndorsement		Text	50			
 HomeOfficeEndorsement		Text	50			
 PriorPolicyPerodPremi		Decimal	10	2		
 RateModification		Decimal	5	4		
 HRHexZones		Text				
 LRHexzones		Text				
 BuildingfloodElevation		Text				
 BuildingType		Text				
 Buildingdescription		Text				
 FloodZone		Text				
 Lat		Text				
 Lon		Text				
 RecalculateRateModification		Text				
 PolicyFeesNew		Decimal				

RatingOutput

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 BasePremium		Decimal				
 WildfirePremium		Decimal				
 WindPremium		Decimal				
 SinkholePremium		Decimal				
 ExcessScheduleBlanketCoveredPL		Decimal				
 EarthquakePremium		Decimal				
 FloodPremium		Decimal				
 ResidentWorkerNFPremium		Decimal				
 SmallScalefarmingEndorsementPremium		Decimal				
 LandEndorsementPremium		Decimal				
 HomeOfficeEndorsementPremium		Decimal				
 PolicyFee		Decimal				
 DeductibleFactorPremiumAdjuster		Decimal				
 ExcessFlood		Decimal	18	2		
 OtherPerils		Decimal				
 LiabilityPremium		Decimal				
 SubTotal		Decimal				
 CoveredLiabilityPremiumValue		Decimal				
 PhysicaldamagePackageSelectionPremium		Decimal				
 BasicCoveragePremium		Decimal				
 RateModification		Decimal				
 BasePremiumWithoutAdditionalCoverage		Decimal				
 BasicCoveragePremiumWithoutRateModification		Decimal				
 WildfireRPS		Decimal				

RatingOutputs

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 Base		RatingOutput				
 Standard		RatingOutput				
 Preferred		RatingOutput				

RPS

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 Value		Text				

TaxStructure

No Description

Attributes

Attribute	Description	Type	Length	Decimals	Default	Mandatory
 SurplusLines		Decimal	37	8		✓
 StampingFee		Decimal	37	8		✓
 FirePremiumTax		Decimal	37	8		
 SurplusLinesValue		Decimal	37	8		✓
 StampingFeeValue		Decimal	37	8		✓
 FirePremiumTaxValue		Decimal	37	8		

3.3.4 External Structures

Name	Owner	eSpace	Description
No items to show...			

3.3.5 Static Entities

No Entites to show...

3.4 Actions

3.4.1 Server Actions

BootstrapExcessFloodCoverages

Populates the database with the excess flood coverages from the excel file if the corresponding database table is still empty

BootstrapHRHexzones

Populates the database with the hr hexzones from the excel file if the corresponding database table is still empty

BootstrapLRHexzones

Populates the database with the sheet 1s from the excel file if the corresponding database table is still empty

BootstrapStateTaxSheet

Populates the database with the sheet 1s from the excel file if the corresponding database table is still empty

RaterForBulkUpload

No Description

Input parameters

Name	Description	DataType	Mandatory
 Inputs		RatingInputs	✓
 ClaculateRateModification		Boolean	✓
 ClaculateRecurringRPS		Boolean	✓

Output parameters

Name	Description	DataType
 RatingOutput		RatingOutput

WildfireModificationValue

No Description

Input parameters

Name	Description	DataType	Mandatory
 StateAbb		Text	✓

Output parameters

Name	Description	DataType
 ModificationValue		Decimal

WildfireRPS

No Description

GetRPSValue

No Description

Input parameters

Name	Description	DataType	Mandatory
Lat		Decimal	
Long		Decimal	
ClaculateRecurringRPS		Boolean	✓

Output parameters

Name	Description	DataType
Value		Decimal

 DropDownvaluesHB

No Description

 AddCatastrophicWindToNonTransferredRisks

No Description

Output parameters

Name	Description	DataType
AddCatastrophicWindToNonTransferredRisksOptions		ListItems List

 AddWilFireToNonTransferredRisks

No Description

Output parameters

Name	Description	DataType
AddWilFireToNonTransferredRisksOptions		ListItems List

 AmountOfLiabilityCoverage

No Description

Output parameters

Name	Description	DataType
LiabilitiesLimitSelectionOptions		ListItems List

 BuildingDescription

BuildingDescription

Output parameters

Name	Description	DataType
BuildingDescriptionOptions		ListItems List

 BuildingType

BuildingType

Output parameters

Name	Description	DataType
BuildingTypeOptions		ListItems List

 CoveredLiabilitySelfInsuredRetention

No Description

Output parameters

Name	Description	DataType
CoveredLiabilitySelfInsuredRetention		ListItems List

 Deductibleselection2

No Description

Output parameters

Name	Description	DataType
DeductibleselectionOptions		ListItems List

 EarthquakeLimitSelection

No Description

Output parameters

Name	Description	DataType
EarthquakeLimitSelectionOptions		ListItems List

 EarthquakeLimitSelectionforChart

No Description

Output parameters

Name	Description	DataType
 EarthquakeLimitSelectionOptions		ListItems List

EndorsementOptions

Residential Worker No-fault Medical, Small Scale Farming Endorsement, Landlord Endorsement, Home Office Endorsement

Output parameters

Name	Description	DataType
 Options		ListItems List

ExcessLiabilitiesLimitSelection

No Description

Output parameters

Name	Description	DataType
 ExcessLiabilitiesLimitSelectionOptions		ListItems List

ExcessLiabilitiesLimitSelectionForChart

No Description

Output parameters

Name	Description	DataType
 ExcessLiabilitiesLimitSelectionOptions		ListItems List

ExcessLiabilitiesPremium

No Description

Output parameters

Name	Description	DataType
 PackageOptions		ListItems List

Flood_ExcessFloodForchart

Flood/Excess flood limit selection

Output parameters

Name	Description	DataType
 Flood_ExcessFloodLimitSelectionOptions		ListItems List

Flood_ExcessFloodLimitSelection

Flood/Excess flood limit selection

Output parameters

Name	Description	DataType
 Flood_ExcessFloodLimitSelectionOptions		ListItems List

FloodZoneSelection

Flood zone selection

Output parameters

Name	Description	DataType
 FloodzoneselectionOptions		ListItems List

GeneralPackageselection

No Description

Output parameters

Name	Description	DataType
 PackageOptions		ListItems List

GetStandardDeductiblefactor

No Description

Input parameters

Name	Description	DataType	Mandatory
 Deductible		Text	✓

Output parameters

Name	Description	DataType
 Factor		Decimal

GetWildFireandWindHailValue

WildFire and Wind & Hail

Output parameters

Name	Description	DataType
 Windenums		ListItems List

 LandlordEndorsementSelection*No Description*

Input parameters

Name	Description	DataType	Mandatory
 PlanType		Text	✔

Output parameters

Name	Description	DataType
 Value		Integer

 LiabilitiesLimitSelection*No Description*

Output parameters

Name	Description	DataType
 LiabilitiesLimitSelectionOptions		ListItems List

 LiabilityPackageSelectionPremium*No Description*

Output parameters

Name	Description	DataType
 LiabilityPackageSelectionPremiumOptions		ListItems List

 OfficeEndorsementSelection*No Description*

Input parameters

Name	Description	DataType	Mandatory
 PlanType		Text	✔

Output parameters

Name	Description	DataType
 Value		Integer

 PhysicalDamagePackageSelectionPremium*No Description*

Output parameters

Name	Description	DataType
 PackageOptions		ListItems List

 ResidentialNoFaultMedicalPackageSelection*No Description*

Output parameters

Name	Description	DataType
 ResidentialNoFaultMedicalPackageSelectionOptions		ListItems List

 SinkholeForPlanComparissionchart*No Description*

Output parameters

Name	Description	DataType
 Sinkhole		ListItems List

 SinkholeIncludedOrNot*No Description*

Output parameters

Name	Description	DataType
 SinkholeIncludedOrNotOptions		ListItems List

 SmallScaleEndorsementSelection*No Description*

Input parameters

Name	Description	DataType	Mandatory
✎ PlanType		Text	✔

Output parameters

Name	Description	DataType
✎ Value		Integer

● WorkersNoFaultMedical

No Description

Input parameters

Name	Description	DataType	Mandatory
✎ PlanType		Text	✔

Output parameters

Name	Description	DataType
✎ Value		Integer

📁 RaterFunctions

No Description

● GetFloodZoneValue

No Description

Input parameters

Name	Description	DataType	Mandatory
✎ FloodZone		Text	✔
✎ BuildingType		Text	✔

Output parameters

Name	Description	DataType
✎ PValue		Decimal

● GetFloodZoneValueForFloodProne

No Description

Input parameters

Name	Description	DataType	Mandatory
✎ Elevation		Text	✔
✎ BuildingDescription		Text	✔

Output parameters

Name	Description	DataType
✎ PValue		Decimal

● GetHRHexzoneValues

No Description

Input parameters

Name	Description	DataType	Mandatory
✎ SelectedHRHexzone		Text	✔

Output parameters

Name	Description	DataType
✎ HRHezoneRelatedValues		HBRater_HRHexzone

● GetLRHexzoneValues

No Description

Input parameters

Name	Description	DataType	Mandatory
✎ SelectedLRHexzone		Text	✔

Output parameters

Name	Description	DataType
✎ LRHezoneRelatedValues		LRHexzones2

● RateModification

No Description

Input parameters

Name	Description	DataType	Mandatory
➔ PriorPolicyCoverage		Decimal	✔
➔ CoveragePremium		Decimal	✔

Output parameters

Name	Description	DataType
➔ RateModification		Decimal

3.4.2 Referenced Server Actions

Name	Owner	Description
● AbortTransaction	(System)	Issues a database ROLLBACK command that undoes all changes performed on the database since the last commit.
● ListAll	(System)	Determines if all the elements in the list satisfy the given condition.
● LogMessage	(System)	Registers information that can be presented in Service Center in the module general log.
● ListIndexOf	(System)	Returns the position of the first element of the List parameter that satisfies the given condition, or -1 if no element satisfying
● ListSort	(System)	Sorts the elements of the List parameter by the given criteria.
● ListRemove	(System)	Removes an element from a specific position of a list.
● ListFilter	(System)	Returns a new list with the elements from the List parameter satisfying the given condition.
● ListInsert	(System)	Inserts an element in a specific position of a list.
● SetCurrentLocale	(System)	Sets the language locale of the user session to change the application presentation language.
● CommitTransaction	(System)	Issues a database COMMIT command that makes effective all changes done on the database since the last commit.
● ListDistinct	(System)	Filters duplicate elements from a list.
● ListAppend	(System)	Adds an element to the end of a list.
● ListAny	(System)	Determines if any of the elements in the list satisfies the given condition.
● ListClear	(System)	Removes all elements from a list.
● ListAppendAll	(System)	Adds the elements of the source list to the end of the destination list.
● ListDuplicate	(System)	Duplicates the elements of a list into another list.

3.4.3 Service Actions

 GetOtherPerials

No Description

Input parameters

Name	Description	DataType	Mandatory
➔ LXHexzone		Text	✔
➔ DwellingLimit		Long Integer	✔

Output parameters

Name	Description	DataType
➔ OtherPerials		Decimal

 HBPolicyTaxDetails

This action takes state name and Premium value and return the tax in that state

Input parameters

Name	Description	DataType	Mandatory
➔ State		Text	✔
➔ PremiumValue		Decimal	✔
➔ PolicyFee		Decimal	
➔ FireTax		Decimal	✔
➔ AllOtherPerils		Decimal	✔

Output parameters

Name	Description	DataType
➔ TaxStructure		TaxStructure

 Rater

No Description

Input parameters

Name	Description	DataType	Mandatory
➔ Inputs		RatingInputs	✔
➔ ClaculateRateModification		Boolean	✔
➔ ClaculateRecurringRPS		Boolean	✔

Output parameters

Name	Description	DataType
➔ RatingOutput		RatingOutput

 DropdownValuesHBOriginal

No Description

 Deductibleselection

No Description

Output parameters

Name	Description	DataType
 DeductibleselectionOptions		ListItems List

3.4.4 Referenced Service Actions

Name	Owner	Description
------	-------	-------------

No Actions to show...

3.5 Integrations

3.5.1 SOAP

3.5.1.1 Consumed Web Services

No SOAP Web Services to show...

3.5.1.2 Exposed Web Services

No Web Services to show...

3.5.2 REST

3.5.2.1 Consumed REST APIs

No Consumed REST APIs to show...

3.5.2.2 Exposed REST APIs

No Exposed REST APIs to show...

3.5.3 SAP

No SAP Connections to show...

3.6 References

3.6.1 Extensions

 InsureEdgeSYSDB

No Description

 (System)

System Objects

Actions:

	AbortTransaction	Issues a database ROLLBACK command that undoes all changes performed on the database since the last commit.
	ListAll	Determines if all the elements in the list satisfy the given condition.
	LogMessage	Registers information that can be presented in Service Center in the module general log.
	ListIndexOf	Returns the position of the first element of the List parameter that satisfies the given condition, or -1 if no element satisfying the condition.
	ListSort	Sorts the elements of the List parameter by the given criteria.
	ListRemove	Removes an element from a specific position of a list.
	ListFilter	Returns a new list with the elements from the List parameter satisfying the given condition.
	ListInsert	Inserts an element in a specific position of a list.
	SetCurrentLocale	Sets the language locale of the user session to change the application presentation language.
	CommitTransaction	Issues a database COMMIT command that makes effective all changes done on the database since the last commit.
	ListDistinct	Filters duplicate elements from a list.
	ListAppend	Adds an element to the end of a list.
	ListAny	Determines if any of the elements in the list satisfies the given condition.
	ListClear	Removes all elements from a list.
	ListAppendAll	Adds the elements of the source list to the end of the destination list.
	ListDuplicate	Duplicates the elements of a list into another list.

 IE_RPS_PostgreSQL_Server

No Description

 InsureEdgeDB

No Description

3.7 Runtime

3.7.1 Session Variables

Name	Description	Type	System
No Session Variables to show...			

3.7.2 Site Properties

Name	Description	Type	System
 TenantId	Current Tenant identifier generated by the Platform.	Tenant Identifier	✔
 TenantName	Current Tenant name used by Service Center to identify the tenant.	Text	✔

3.7.3 Roles

Name	Description	Persistent	Public
No Roles to show...			

3.8 Timers

Name	Description
 BootstrapExcessFloodCoverages	Populates the database with the excess flood coverages from the excel file if the corresponding database table is still emp
 BootstrapHRHexzones	Populates the database with the hr hexzones from the excel file if the corresponding database table is still empty
 BootstrapLRHexzones	Populates the database with the sheet 1s from the excel file if the corresponding database table is still empty
 BootstrapStateTaxSheet	Populates the database with the sheet 1s from the excel file if the corresponding database table is still empty

3.9 Content

3.9.1 Resources

Name	Description	Path
HRHexzones.xlsx		
LRHexzones.xlsx		
New XLSX Worksheet (2).xlsx		
State tax matrix_v2.xlsx		

3.9.2 Images

Name	Description	Size
No Images to show...		

3.10 Themes

Name	Description	Error Handling Flow	Base Theme
No Themes to show...			

3.10.1 Referenced Themes

Name	Owner eSpace	Description
No referenced themes to show...		