Master of Computer Applications

MCAC 202: Database Systems Unique Paper Code: 223401202 Semester II May-2023 Year of admission: 2021

Time: Three Hours

Maximum marks: 70

Note: Answer all the questions. Each question carries equal marks. Attempt all parts of a question together.

- Consider the following requirements to create a database for the Indian Speed Post Service System. The system stores the details of customers, packages, post offices, and delivery staff. Each package has a unique tracking number, weight, and destination. Each customer has a name, address, and contact details. Each post office has a unique ID, address, and contact details. Each delivery staff has a unique ID, name, and contact details. A package is sent from a specific post office and delivered by a specific delivery staff member. A customer can send multiple packages, but a package can only be sent by one customer. Multiple packages can be sent from a single post office, and a delivery staff member can deliver multiple packages.
 - (a) Draw an E-R diagram representing the above requirements, including the relationships between the entities. List your assumptions and clearly indicate the cardinality constraints and identifiers. [8]
 - (b) Translate the E-R diagram you designed for Question 1(a) into Relational Schema. Your design should be compact and must not contain any unnecessary relations. [6]
- 2. (a) Explain the benefits of 'checkpoints' in database transactions. Also, highlight the role of checkpoints in partial rollbacks and improving transaction efficiency. [4]
 - (b) Consider the following three transactions and schedule (time goes from top to bottom). Is this schedule conflict-scrializable? Justify your answer. [5]

Transaction T_0	Transaction T ₁	Transaction T ₂
		read(Y)
		read(Z)
read(X)	10.40	
write(X)	-	
		write(Y)
		write(Z)
	read(Z)	
read(Y)		
write(Y)		
,,,,,,	read(Y)	
	write(Y)	
	read(X)	
	write(X)	

(c) Differentiate between the "wait-die" and "wound-wait" approaches of deadlock avoidance.

Also, give an example of each. [5]

- 3. (a) If you were developing a fresh web-based database application, what would have been the most effective method to safeguard against SQL injection? [4]
 - (b) Create a DTD for an XML file that stores information about Indian Premier League (IPL) teams, including their name, home city, captain, and a list of players. Each player should have a name, age, batting style, bowling style, and a unique player ID. Ensure that the DTD includes constraints: a unique team name, a team must have exactly 15 players, and specifying the valid values for batting and bowling styles [7]
 - (c) Write an XQuery to find all players who are 25 years old or younger from the XML file created by you in Question 3(b). [3]
- (a) Derive the union rule, decomposition rule and the pseudo transitivity rule using the three Armstrong's axioms. [6]
 - Let $\mathcal{F} = \{ABD \to AC, C \to BE, AD \to BF, B \to E\}$ be a set of functional dependencies on the relation schema R = (A, B, C, D, E, F). Find a minimal cover of F. [8]

5/Consider the following relations:

Authors(au-id, au-name, city, state) Publishers(pub-id, pub-name, city, state)

Titles(title-id, book-title, pub-id, price, book-category)

Title_Author(title-id, au-id, royalty_share)

Write a SQL query to

find publisher names that have published CS books. [3]

(b) find publishers for which there have been no titles [3]

- [3] find the names of authors who have written only CS books.
- (d) find the names of authors who have participated in writing at least one CS book. [3]
- (a) find the author names who live in the same city as some publisher. [2]