
externally_defined_item
externally_defined_curve_font
externally_defined_symbol
externally_defined_character_glyph
person
externally_defined_feature_definition
externally_defined_text_font
product_definition_process
curve_style_font_select
organization_assignment
product_process_plan
approval
person_organization_select
approval_person_organization
curve_font_or_scaled_curve_font_select
applied_organization_assignment
pre_defined_curve_font
organization
externally_defined_class
retention
feature_definition
general_feature
process_operation
class
document_reference_item
supported_item
security_classification_level
approval_status
event_occurrence
is-a


externally_defined_general_property
process_plan
class_system
executed_action
date_item
certification
organization_relationship
versioned_action_request
security_classification
applied_action_assignment
material_designation
action_method
applied_classification_assignment
date_and_time_item
action_directive
contract
applied_person_and_organization_assignment


organization_item
classification_item
person_and_organization_item
event_occurrence_item
plus_minus_tolerance
product_definition_formation_relationship
document_file
is-a


document
time_interval_item
resource_requirement_type
alternate_product_relationship
requirement_for_action_resource
person_and_organization
configuration_item
organizational_project
resource_property
product_concept_feature_association
product_concept_feature_category_usage
general_property
action_relationship
assembly_component_usage_substitute
product_concept_feature_category
is-a


action_property
action
derived_property_select
defined_glyph_select
security_classification_item
shape_representation
draughting_model
product_definition_relationship
product_concept_feature
configuration_design
product_definition_substitute
action_request_solution
shape_tolerance_select
effectivity_item
configured_effectivity_assignment
externally_defined_style
is-a


property_definition
action_request_item
attribute_value_assignment
drawing_revision
product
presented_item_select
defined_symbol_select
configured_effectivity_context_item
product_concept
configuration_effectivity
mechanical_design_geometric_presentation_representation
product_related_product_category
presentation_area
product_definition_formation
is-a


classification_assignment
language_assignment
date_time_or_event_occurrence
date_time_select
action_assignment
property_or_shape_select
group_assignment
geometric_tolerance
attribute_language_item
descriptive_representation_item
approval_date_time
effectivity
approval_assignment
document_reference
role_select
document_type
action_request_assignment
contract_assignment
certification_assignment
security_classification_assignment
product_definition
action_method_relationship
effectivity_assignment
draughting_title
person_and_organization_assignment
characterized_object
data_environment
action_resource_requirement
general_property_relationship
characterized_product_definition
pair_actuator
group_relationship
pre_defined_symbol
representation_relationship
characterized_definition
certification_item
specified_item
contract_item
time_interval_role
organizational_project_relationship
effectivity_relationship
shape_definition
identification_role
product_concept_relationship
document_relationship
process_product_association
approval_relationship
name_assignment
product_class
shape_aspect
date_role
represented_definition
date_time_role
person_and_organization_role
description_attribute_select
organization_role
external_source
approval_role
invisible_item
presentation_layer_assignment
style_context_select
language_item
set_of_trimming_select
kinematic_pair
set_of_group_item
action_resource
category_usage_item
shape_aspect_relationship
product_or_formation_or_definition
characterized_resource_definition
dimensional_location
configuration_design_item
externally_defined_tile_style
class_usage_effectivity_context_item
draughting_titled_item
externally_defined_hatch_style
drawing_sheet_revision
is-a


transformation
item_defined_transformation
functionally_defined_transformation
font_select
presentation_set
presentation_representation_select
dimensional_characteristic
invisibility_context
fill_area_style_tile_shape_select
wireframe_model
identification_assignment
motion_parameter_measure
trimming_select
rotational_range_measure
founded_item
founded_item_select
measure_with_unit
representation_item
unlimited_range
pre_defined_text_font
characterized_action_definition
action_item
identification_item
curve_or_annotation_curve_occurrence
configured_effectivity_item
size_select
character_spacing_select
external_identification_item
translational_range_measure
annotation_curve_occurrence
layered_item
fill_style_select
hiding_or_blanking_select
text_or_character
vector_or_direction
surface_model
applied_identification_assignment
external_identification_assignment
pcurve_or_surface
kinematic_frame_background
geometric_set_select
curve_on_surface
uncertainty_measure_with_unit
styled_item
dimensional_size
measure_representation_item
parameter_value
planar_extent
known_source
fill_area_style_colour
presentation_representation
presentation_view
fill_area_style_tiles
fill_area_style_hatching
annotation_fill_area
text_literal
defined_character_glyph
composite_text
vector
annotation_text
direction
fill_area_style_tile_symbol_with_style
edge_based_wireframe_model
shell_based_surface_model
face_based_surface_model
surface
area_or_view
curve
pcurve
annotation_text_character
surface_curve
is-a


pre_defined_item
source_item
attribute
draughting_callout_element
list_of_label
set_of_tolerance_parameter_select
set_of_geometric_set_select
set_of_product
effectivity_context_role
set_of_layered_item
object_role
array_of_array_of_real
set_of_security_classification_item
name_item
set_of_organization_item
product_category_relationship
list_of_oriented_edge
limit_condition
set_of_oriented_closed_shell
marker_select
array_of_plane_angle_measure
set_of_multi_language_attribute_item
set_of_fill_area_style_tile_shape_select
document_usage_constraint
set_of_kinematic_joint
set_of_draughting_titled_item
set_of_face_bound
set_of_action_resource
name_attribute
draughting_callout_relationship
character_style_select
tolerance_method_definition
b_spline_curve_form
transition_code
configuration_definition
list_of_cartesian_point
set_of_configuration_interpolation
generic_expression
set_of_pair_value
id_attribute
list_of_pcurve_or_surface
coordinated_universal_time_offset
mechanism
effectivity_context_assignment
set_of_unit
set_of_kinematic_path
array_of_array_of_cartesian_point
set_of_direction_count_select
angle_relator
set_of_name_item
set_of_kinematic_frame_background
set_of_connected_face_set
reversible_topology
set_of_classification_item
set_of_kinematic_analysis_definition
set_of_invisible_item
value_qualifier
measure_value
group_item
number
real
string
binary
logical
pre_defined_marker
boolean
multi_language_attribute_item
name_attribute_select
pre_defined_presentation_style
attribute_type
unit
integer
annotation_text_occurrence
annotation_symbol_occurrence
approval_item
id_attribute_select
tolerance_parameter_select
direction_count_select
emptylist_of_label
emptyarray_of_array_of_real
kinematic_joint
kinematic_link
kinematic_structure
emptylist_of_oriented_edge
emptyarray_of_plane_angle_measure
dimension_pair
dimension_callout_relationship
dimension_callout_component_relationship
text_style_for_defined_font
limits_and_fits
tolerance_value
emptylist_of_cartesian_point
multiple_arity_generic_expression
simple_generic_expression
unary_generic_expression
binary_generic_expression
expression
emptylist_of_pcurve_or_surface
class_usage_effectivity_context_assignment
configured_effectivity_context_assignment
emptyarray_of_array_of_cartesian_point
set_of_reversible_topology_item
list_of_reversible_topology_item
reversible_topology_item
annotation_occurrence_associativity
presentation_style_by_context
characterized_material_property
descriptive_measure
plane_angle_measure
box_characteristic_select
ratio_measure
boolean_operand
uncertainty_qualifier
precision_qualifier
type_qualifier
numeric_measure
count_measure
application_context
thermodynamic_temperature_measure
mass_measure
context_dependent_measure
amount_of_substance_measure
context_dependent_shape_representation
volume_measure
electric_current_measure
luminous_intensity_measure
solid_angle_measure
time_measure
celsius_temperature_measure
area_measure
identifier
property_definition_representation
text
label
derived_unit
group
representation
property_definition_relationship
topological_representation_item
address
product_category
geometric_representation_item
mapped_item
point
composite_curve_on_surface
cartesian_point
degenerate_pcurve
surface_boundary
boundary_curve
positive_plane_angle_measure
box_rotate_angle
box_slant_angle
box_width
box_height
positive_ratio_measure
material_property_representation
positive_length_measure
solid_model
half_space_solid
boolean_result
derived_unit_variable
is-a


owl:Thing
set_of_datum_reference
classification_role
product_definition_context_association
annotation_occurrence_relationship
presentation_style_assignment
list_of_real
kinematic_result
b_spline_surface_form
kinematic_analysis_definition
role_association
set_of_supported_item
runout_zone_orientation
list_of_curve_style_font_pattern
list_of_expression
set_of_kinematic_result
event_occurrence_assignment
surface_style_element_select
set_of_draughting_callout_element
set_of_geometric_tolerance
set_of_surface
rendering_properties_select
symbol_style_select
event_occurrence_role
set_of_presentation_style_assignment
attribute_classification_assignment
set_of_versioned_action_request
preferred_surface_curve_representation
representation_context
presented_item_representation
list_of_integer
set_of_effectivity_item
pair_value
curve_or_render
central_or_parallel
description_attribute
dimensional_characteristic_representation
set_of_curve
presentation_style_select
curve_style_font_pattern
simple_pair_range
set_of_identification_item
date_and_time_assignment
drawing_revision_sequence
set_of_presentation_style_select
set_of_connected_edge_set
set_of_event_occurrence_item
application_protocol_definition
measure_qualification
product_or_presentation_space
set_of_product_context
list_of_boolean_expression
shading_curve_method
set_of_specified_item
list_of_string_expression
tolerance_select
set_of_configured_effectivity_context_item
set_of_shell
application_context_relationship
set_of_configured_effectivity_item
set_of_face
compound_item_definition
geometric_tolerance_relationship
action_status
list_of_length_measure
array_of_cartesian_point
array_of_real
process_property_association
shell
resulting_path
interpolated_configuration_sequence
runout_zone_orientation_reference_direction
emptylist_of_curve_style_font_pattern
emptylist_of_expression
applied_event_occurrence_assignment
surface_style_parameter_line
surface_style_fill_area
surface_style_segmentation_curve
surface_style_control_grid
surface_style_rendering
surface_style_silhouette
surface_style_boundary
surface_style_transparent
surface_style_reflectance_ambient
symbol_colour
attribute_language_assignment
global_uncertainty_assigned_context
parametric_representation_context
global_unit_assigned_context
geometric_representation_context
emptylist_of_integer
rolling_surface_pair_value
gear_pair_value
prismatic_pair_value
sliding_surface_pair_value
sliding_curve_pair_value
rolling_curve_pair_value
revolute_pair_value
universal_pair_value
point_on_surface_pair_value
spherical_pair_value
cylindrical_pair_value
unconstrained_pair_value
planar_pair_value
screw_pair_value
rack_and_pinion_pair_value
point_on_planar_curve_pair_value
curve_style_rendering
curve_style
point_style
text_style
symbol_style
surface_style_usage
approximation_tolerance
null_style
fill_area_style
gear_pair_range
point_on_surface_pair_range
planar_pair_range
planar_curve_pair_range
point_on_planar_curve_pair_range
spherical_pair_range
rack_and_pinion_pair_range
revolute_pair_range
universal_pair_range
surface_pair_range
prismatic_pair_range
cylindrical_pair_range
screw_pair_range
organizational_project_item
applied_date_and_time_assignment
emptylist_of_boolean_expression
emptylist_of_string_expression
approximation_tolerance_deviation
approximation_tolerance_parameter
length_measure
named_unit
surface_tolerance_parameter
curve_tolerance_parameter
u_direction_count
v_direction_count
variable_semantics
open_shell
closed_shell
csg_select
csg_primitive
curve_tolerance_deviation
surface_tolerance_deviation
named_unit_variable
expression_conversion_based_unit
presentation_size_assignment_select
area_in_set
tolerance_deviation_select
is-a


presented_item
set_of_characterized_definition
dimensional_exponents
product_definition_occurrence_relationship
organizational_project_assignment
set_of_contract_item
list_of_surface_patch
concept_feature_relationship
source
set_of_fill_style_select
datum_reference
set_of_text_or_character
surface_rendering_properties
set_of_organization
time_interval
set_of_shape_aspect
configuration_interpolation
set_of_approval_item
shading_surface_method
list_of_list_of_surface_patch
set_of_representation_item
set_of_action_item
initial_state
rigid_placement
axis2_placement
tolerance_zone_form
set_of_document
list_of_list_of_real
set_of_attribute_language_item
surface_side
set_of_edge
application_context_element
set_of_document_reference_item
set_of_date_and_time_item
tolerance_zone_definition
set_of_property_definition_representation
set_of_person_and_organization_item
concept_feature_operator
certification_type
trimming_preference
list_of_list_of_cartesian_point
organizational_project_role
text_path
kinematic_analysis_consistency
approximation_method
set_of_certification_item
externally_defined_item_relationship
boolean_operator
date_assignment
surface_side_style_select
kinematic_analysis_result
resource_property_representation
attribute_value_role
si_prefix
general_property_association
contract_type
vpr_enumeration
list_of_representation_item
set_of_boundary_curve
set_of_tolerance_deviation_select
set_of_external_identification_item
set_of_presented_item_select
owl:Nothing
set_of_value_qualifier
set_of_person
list_representation_item
set_representation_item
emptylist_of_length_measure
emptyarray_of_cartesian_point
emptyarray_of_real
applied_presented_item
applied_organizational_project_assignment
pre_defined_colour
emptylist_of_surface_patch
concept_feature_relationship_with_condition
referenced_modified_datum
time_interval_with_bounds
emptylist_of_list_of_surface_patch
axis2_placement_3d
axis2_placement_2d
emptylist_of_list_of_real
product_context
product_definition_context
product_concept_context
projected_zone_definition
runout_zone_definition
emptylist_of_list_of_cartesian_point
applied_date_assignment
surface_side_style
emptylist_of_representation_item
is-a


dimension_extent_usage
set_of_language_item
colour
background_colour
colour_specification
presentation_size
set_of_rendering_properties_select
interpolation_type
product_definition_context_role
drawing_definition
document_representation_type
set_of_time_interval_item
action_resource_type
environment
set_of_date_item
derived_unit_element
set_of_organizational_project_item
list_of_direction
emptylist_of_direction
kinematic_control
action_property_representation
ahead_or_behind
set_of_class_usage_effectivity_context_item
knot_type
si_unit_name
set_of_derived_unit_element
list_of_generic_expression
emptylist_of_generic_expression
set_of_uncertainty_measure_with_unit
set_of_action_request_item
set_of_style_context_select
set_of_product_concept_feature_association
ypr_rotation
spatial_rotation
rotation_about_direction
invisibility
context_dependent_invisibility
set_of_box_characteristic_select
list_of_numeric_expression
emptylist_of_numeric_expression
time_interval_assignment
applied_time_interval_assignment
dimension_related_tolerance_zone_element
document_product_association
document_product_equivalence
material_designation_characterization
list_of_composite_curve_segment
emptylist_of_composite_curve_segment
kinematic_link_representation_relation
list_of_parameter_value
emptylist_of_parameter_value
set_of_surface_style_element_select
document_usage_constraint_assignment
applied_document_usage_constraint_assignment
action_request_status
document_usage_role
representation_map
symbol_representation_map
camera_usage
set_of_characterized_action_definition
set_of_category_usage_item
is-a