This is the sample execution of the Project and the real project had thousands of such records

SAMPLE OF DOCUMENTS (6413 of such records)

set expans string expans expans caret set text caret set text string caret text string caret text string builder buf string builder expans length ch expans ch expans length ch expans ch t buf append t n buf append n caret text buf string buf set length buf append ch buf append ch caret text caret text buf string caret text caret text caret set text caret text caret text

j text field abbrev field abbrev

j text area caret text area caret

j text area caret text area caret

return abbrevi expand user finish type word expand input expand input

set abbrevi expand user finish type word param expand input type non alphanumer charact automat attempt expand current abbrev set expand input expand input abbrev expand input expand input

Note:- these are the methods extracted from java software jEdit 4.3 and 6413 of such methods found. The content of these methods are then processed bt splitting, stemming and other constrains to make the corpus

SAMPLE OF weighted term frequency FILE

```
1.4875 0.7466 0.6842 0.8594 1.3529 0.5039 1.5126 5.7216 0.0000 0.0000 0.0000 0.0000 0.6551 0.0000 0.0000 --- 4.8343 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
```

SAMPLE of USER QUERIES (150 like this)

save file r o flag j edit doesn t interpret button correctli try cancel file save procedur r o file j edit pre

search dialog doesn t focu search dialog doe focu open search text goe editor buffer instead us j edit pre sun jdk m red hat run gnome

file open dialog t handl pathnam hi type path fsb doe path type file box us jedit cv version jdk us work previou jedit version jiger

SAMPLE OF query as a vector

0	1	0	0	0	0	0	0	0	0	0	0	1
2	0	0	0	0	0	0	0	0	0	0	0	2
0	0	0	0	3	0	0	0	0	0	0	0	2

SAMPLE of similarity values (approx. 10 lac rows)

```
0
          d0 0.0285
1
          d1 0.0773
2
          d2 0.0391
                                                 d_i = (w_{i,1}, w_{i,2}, ..., w_{i,M}) cosine similarity between two documents,
3
          d3 0.1170
                                                 d_j = (w_{j,1}, w_{j,2}, ..., w_{j,M}) d_i and d_j (M is the total number of terms)
4
          d4 0.1528
5
          d5 0.0655
          ---
                                              sim(d_{i}, d_{j}) = \frac{a_{i} \cdot a_{j}}{\|d_{i}\| \|d_{j}\|} =
= \frac{\sum_{t=1}^{M} w_{i,t} * w_{j,t}}{\sqrt{\sum_{t=1}^{M} (w_{i,t})^{2}} * \sqrt{\sum_{t=1}^{M} (w_{j,t})^{2}}}
2276
         d2276 0.0655
2277
         d2277 0.0000
2278 d2278 0.0234
2279 d2279 0.0102
2280
          d2280 0.0225
2281
         d2281 0.0383
```

SAMPLE OF VSM (sorted similarity)

```
0
       d1204 0.6930
1
       d1203 0.6742
2
       d2916 0.6741
3
       d2945 0.6538
4
       d1933 0.6394
5
       d5285 0.6376
6
       d1261 0.6328
7
       d1934 0.6307
       ---
1227
       d4336 0.0330
1228
       d143 0.0329
1229
       d5007 0.0328
1230 d5297 0.0328
1231
      d4252 0.0328
1232
      d650 0.0328
1233
       d2052 0.0327
```

SAMPLE of featureID for 150 user queries

2846169

2882702

2887515

2887516

2896464

2911122

SAMPLE of Mappings for 6413 documents to Methods in jEdit4.3

org.gjt.sp.jedit.gui.AbbrevEditor.AbbrevEditor()

org.gjt.sp.jedit.gui.AbbrevEditor.getAbbrev()

org.gjt.sp.jedit.gui.AbbrevEditor.setAbbrev(String)

org.gjt.sp.jedit.gui.AbbrevEditor.getExpansion()

org.gjt.sp.jedit.Abbrevs.addModeAbbrev(String,String,String)

org.gjt.sp.jedit.Abbrevs.save()

org.gjt.sp.jedit.Abbrevs.Abbrevs()

org.gjt.sp.jedit.Abbrevs.load()

FINAL RESULT (Evaluation)

featureID	posID	Method Name	Rank in GoldSet	Best Rank
1520774	3506	org.gjt.sp.jedit.MiscUtilities.getPathStart(String)	358	358
1533473	1555	org.gjt.sp.jedit.EditPane.saveCaretInfo()	376	181
	1556	org.gjt.sp.jedit.EditPane.loadCaretInfo()	181	
1536064	2054	org.gjt.sp.jedit.GUIUtilities.requestFocus(Window,Component)	370	370
1538051	2776	org.gjt.sp.jedit.jEdit.showMemoryDialog(View)	2	2
	5012	org.gjt.sp.jedit.gui.StatusBar.propertiesChanged()	1809	
	5015	org.gjt.sp.jedit.gui.StatusBar.statusUpdate(WorkThreadPool,int)	978	
	5021	org.gjt.sp.jedit.gui.StatusBar.updateBufferStatus()		
	-1	org.gjt.sp.jedit.gui.StatusBar.MemoryStatus.getToolTipText()		
	-1	org. gjt. sp. jedit. gui. Status Bar. Memory Status. paint Component (Grapher Grapher Graphe	nics)	
1538702	2042	org.gjt.sp.jedit.GUIUtilities.loadGeometry(Window,Container,String) 870	1
	2043	org.gjt.sp.jedit.GUIUtilities.loadGeometry(Window,String)	992	