Practical 8: Model, Calculate and Publish a Sales Report

Name: _____ **Roll No.:** _____ **Date:** _____

Aim

Create relationships, DAX measures and visuals, and publish the report.

Procedure

1. Model view: Product[ProductID] → Sales[ProductID], Store[StoreID] → Sales[StoreID], one-to-many, single direction.

2. Create measures and the calculated column (below).

3. Report page: card (Total Sales), bar chart by Product Category, line chart by month, Region slicer.

4. Test cross-filtering; add titles and axis labels.

5. Home > Publish > workspace; open in service and share.

DAX

```
Total Sales = SUM(Sales[Sales Amount])
Total Quantity = SUM(Sales[Quantity])
Average Order Value = DIVIDE([Total Sales], DISTINCTCOUNT(Sales[OrderID]))
Sales per Unit = DIVIDE(Sales[Sales Amount], Sales[Quantity])   // calculated column
```

Output (sample data)

Total Sales	Total Quantity	Avg Order Value	East	North	South	West
139,795	435	932	47,709	27,754	30,295	34,037

Regional columns show Total Sales when the Region slicer is selected.

Result: 1 and * markers on correct ends; visuals cross-filter; card equals sum of bars; report opens in the service.

Viva Answers

One-to-many? Unique dimension keys filter fact rows unambiguously (star schema).

Measure vs column? Measure: calculated at query time; column: stored per row.

Why DIVIDE? Handles divide-by-zero safely.

Trend visual? Line chart.

To view a published report? Workspace access/share and a suitable licence.

Paste your Power BI screenshot here: Model view and published report