

main.dart — three_containers

main.dart U X

```
1 import 'package:flutter/material.dart';
2
3 void main() {
4   runApp(MainApp());
5 }
6
7 class MainApp extends StatelessWidget {
8   @override
9   Widget build(BuildContext context) {
10   return MaterialApp(
11     home: Scaffold(
12       body: Column(
13
14         // mainAxisAlignment: MainAxisAlignment.end,
15
16         children: [
17           Container(
18             height: 100,
19             width: 100,
20             color: Colors.red,
21           ), // Container
22           Container(height: 100,
23             width: 100,
24             color: Colors.green
25           ), // Container
26           Container(
27             height: 100,
28             width: 100,
29             color: Colors.blue,
30           ) // Container
31         ],
32       ), // Column
33     ), // Scaffold
34   ); // MaterialApp
35 }
```

Run | Debug | Profile

three_containers

DEBUG



RELOADED 1 OF 65 LIBRARIES IN 500MS (COMPILE: 12 ms, reload: 46 ms, reassemble: 66 ms).

Ln 14, Col 53 Spaces: 2 UTF-8 LF {} Dart macOS (darwin)

main.dart — three_containers


main.dart U X

```
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(MainApp());
6 }
7
8 class MainApp extends StatelessWidget {
9   @override
10  Widget build(BuildContext context) {
11    return MaterialApp(
12      home: Scaffold(
13        body: Column(
14          mainAxisSize: MainAxisSize.center,
15          children: [
16            Container(
17              height: 100,
18              width: 100,
19              color: Colors.red,
20            ), // Container
21            Container(height: 100,
22                      width: 100,
23                      color: Colors.green
24            ), // Container
25            Container(
26              height: 100,
27              width: 100,
28              color: Colors.blue,
29            ) // Container
30          ],
31        ),
32      ), // Column
33    ), // Scaffold
34  ); // MaterialApp
35 }
```

Dart (macOS)

Launching lib/main.dart on macOS in debug mode

three_containers



Go to Line/Column

Reloaded 1 of 697 libraries in 378ms (compile: 13 ms, reload: 49 ms, reassemble: 57 ms).

Ln 14, Col 55 Spaces: 2 UTF-8 LF {} Dart macOS (darwin) ⌂

main.dart — three_containers


main.dart U X

```
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(MainApp());
6 }
7
8 class MainApp extends StatelessWidget {
9   @override
10  Widget build(BuildContext context) {
11    return MaterialApp(
12      home: Scaffold(
13        body: Column(
14          mainAxisSize: MainAxisSize.end,
15          children: [
16            Container(
17              height: 100,
18              width: 100,
19              color: Colors.red,
20            ), // Container
21            Container(height: 100,
22                      width: 100,
23                      color: Colors.green
24            ), // Container
25            Container(
26              height: 100,
27              width: 100,
28              color: Colors.blue,
29            ) // Container
30          ],
31        ),
32      ), // Column
33    ), // Scaffold
34  ); // MaterialApp
35 }
```

Dart (macOS)

three_containers

DEB



Ln 14, Col 52 Spaces: 2 UTF-8 LF {} Dart macOS (darwin) ⌂

15 ms, reload: 49 ms, reassemble: 57 ms).
Reloaded 1 of 697 libraries in 373ms (compile:
: 49 ms, reassemble: 55 ms).

Select Indentation

main.dart — three_containers

main.dart U X

```
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(MainApp());
6
7 class MainApp extends StatelessWidget {
8   @override
9   Widget build(BuildContext context) {
10   return MaterialApp(
11     home: Scaffold(
12       body: Container(
13         height: 1000,
14         width: 1000,
15         child: Column(
16           children: [
17             Container(
18               height: 100,
19               width: 100,
20               color: Colors.red,
21             ), // Container
22             Container(height: 100,
23               width: 100,
24               color: Colors.green
25             ), // Container
26             Container(
27               height: 100,
28               width: 100,
29               color: Colors.blue,
30             ) // Container
31           ],
32         ),
33       ),
34     ),
35   );
}
```

Dart (macOS)

three_containers

DEBUG

three_containers

Reloaded 1 of 67. Flutter 1.0.0 (com.apple.xbs.suite.Flutter).
11 ms, reload: 45 ms, reassemble: 54 ms).

Ln 17, Col 48 (68 selected) Spaces: 2 UTF-8 LF {} Dart macOS (darwin) ⚡

main.dart — three_containers


main.dart U X

```
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(MainApp());
6 }
7
8 class MainApp extends StatelessWidget {
9   @override
10  Widget build(BuildContext context) {
11    return MaterialApp(
12      home: Scaffold(
13        body: Container(
14          height: 1000,
15          width: 1000,
16          child: Column(
17            crossAxisAlignment: CrossAxisAlignment.center,
18            mainAxisAlignment: MainAxisAlignment.center,
19
20            children: [
21              Container(
22                height: 100,
23                width: 100,
24                color: Colors.red,
25              ), // Container
26              Container(height: 100,
27                width: 100,
28                color: Colors.green
29              ), // Container
30              Container(
31                height: 100,
32                width: 100,
33                color: Colors.blue,
34              ) // Container
35            ],
36          ),
37        ),
38      ),
39    );
40  }
41}
```

Dart (macOS)

three_containers

DEBUG



Reloaded 1 of 697 libraries in 388ms (compile: 11 ms, reload: 45 ms, reassemble: 54 ms).
Reloaded 1 of 697 libraries in 388ms (compile: 12 ms, reload: 56 ms, reassemble: 59 ms).

Ln 17, Col 49 Spaces: 2 UTF-8 LF {} Dart macOS (darwin) <=

main.dart — three_containers

main.dart U X

```
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(MainApp());
6 }
7
8 class MainApp extends StatelessWidget {
9   @override
10  Widget build(BuildContext context) {
11    return MaterialApp(
12      home: Scaffold(
13        body: Container(
14          height: 1000,
15          width: 1000,
16          child: Column(
17            crossAxisAlignment: CrossAxisAlignment.center,
18            mainAxisAlignment: MainAxisAlignment.end,
19
20            children: [
21              Container(
22                height: 100,
23                width: 100,
24                color: Colors.red,
25              ), // Container
26              Container(height: 100,
27                width: 100,
28                color: Colors.green
29              ), // Container
30              Container(
31                height: 100,
32                width: 100,
33                color: Colors.blue,
34              ) // Container
35            ],
36          ),
37        ),
38      ),
39    );
40  }
41}
```

Dart (macOS)

three_containers


DEBUG

The screenshot shows a Flutter application running on macOS. The code defines a MainApp widget that creates a Scaffold with a Container body. Inside the Container, a Column is used to stack three Container widgets vertically. The first Container is red, the second is green, and the third is blue. The Column's mainAxisAlignment is set to MainAxisAlignment.end, which causes the containers to be positioned at the bottom of the available space. The Container's height and width are both set to 100, and their colors are defined using the Colors class.

Reloaded 1 of 697 libraries in 388ms (compile: 12 ms, reload: 56 ms, reassemble: 59 ms). Reloaded 1 of 697 libraries in 372ms (compile: 10 ms, reload: 50 ms, reassemble: 54 ms).

Ln 18, Col 53 Spaces: 2 UTF-8 LF {} Dart macOS (darwin) <

```
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(MainApp());
6 }
7
8 class MainApp extends StatelessWidget {
9   @override
10  Widget build(BuildContext context) {
11    return MaterialApp(
12      home: Scaffold(
13        body: Container(
14          height: 1000,
15          width: 1000,
16          child: Column(
17            mainAxisAlignment: MainAxisAlignment.end,
18            // crossAxisAlignment: CrossAxisAlignment.end,
19            children: [
20              Container(
21                height: 100,
22                width: 100,
23                color: Colors.red,
24              ), // Container
25              Container(height: 100,
26                        width: 100,
27                        color: Colors.green
28                      ), // Container
29              Container(
30                height: 100,
31                width: 100,
32                color: Colors.blue,
33              ), // Container
34            ],
35          ),
36        ),
37      ),
38    );
39  }
40}
```



main.dart — three_containers

main.dart U X

```
1 import 'package:flutter/material.dart';
2
3 Run | Debug | Profile
4 void main() {
5   runApp(MainApp());
6
7 class MainApp extends StatelessWidget {
8   @override
9   Widget build(BuildContext context) {
10   return MaterialApp(
11     home: Scaffold(
12       body: Container(
13         height: 1000,
14         width: 1000,
15         child: Column(
16           crossAxisAlignment: CrossAxisAlignment.end,
17           mainAxisAlignment: MainAxisAlignment.end,
18           children: [
19             Container(
20               height: 100,
21               width: 100,
22               color: Colors.red,
23             ), // Container
24             Container(height: 100,
25               width: 100,
26               color: Colors.green
27             ), // Container
28             Container(
29               height: 100,
30               width: 100,
31               color: Colors.blue,
32             ) // Container
33           ],
34         ),
35       ),
36     );
37   }
38 }
```

Dart (macOS)

three_containers

DEBUG 36 tic no ppl by ion 516 le: Reloaded 1 of 697 libraries in 382ms (compile: 12 ms, reload: 46 ms, reassemble: 55 ms). Reloaded 1 of 697 libraries in 385ms (compile: 12 ms, reload: 49 ms, reassemble: 55 ms).

main* ⌂ ⌂ 1 ⌂ 0 ⌂ 2 ⌂ 0 ⌂ Debug my code Ln 18, Col 53 Spaces: 2 UTF-8 LF {} Dart macOS (darwin) ⌂