

DAY1 – ASSIGNMENT – Linux Basics

Name: Abhishek P

Questions and answers

1. What is Linux?

B. Operating System Kernel

2. Ubuntu is:

C. Linux Distribution

3. What does WSL stand for?

C. Windows Subsystem for Linux

4. Linux is mainly used for:

B. Servers and Development

5. Which company developed WSL?

C. Microsoft

6. Which command displays the current working directory?

B. pwd

7. Which command lists files and folders?

C. ls

8. Which command displays the current logged-in user?

C. whoami

9. Which command shows the system hostname?

A. hostname

10. Which command displays the current date and time?

C. date

11. Which command displays Linux system information?

C. uname -a

12. Which command creates a new directory?

B. mkdir

13. What is the purpose of pwd?

B. Show Current Directory

14. What is the purpose of ls?

A. List Files and Directories

15. What is the purpose of whoami?

B. Show Current User

16. What is the purpose of hostname?

B. Show System Name

17. What is Ubuntu?

A. Linux Distribution

18. Ubuntu is installed on Windows through:

C. WSL

19. Which command would you use to verify Linux kernel information?

C. uname -a

20. Which command is used to create multiple directories?

C. mkdir

PART B – THEORY QUESTIONS (15 Questions)

1. Define Linux.

Linux is operating system kernel

2. What are the advantages of Linux?

1. Open source and free
2. Secure
3. Fast
4. Widely used in servers

3. Why is Linux widely used in DevOps?

1. Open source and free
2. Secure
3. Fast
4. Widely used in servers

4. Explain the difference between Linux and Ubuntu.

Linux is operating system kernel but ubuntu is linux distribution

5. What is a Linux Distribution?

linux distribution is operating system which run using linux kernel

6. What is Ubuntu?

ubuntu is linux distribution

7. What is WSL?

WSL stands for Windows Subsystem for Linux

Which helps run linux on windows system without installing linux os

8. Explain the relationship between Windows, WSL, and Ubuntu.

windows is operating system

Ubuntu is linux distribution

Wsl helps run ubuntu on windows system without installing linux os

9. Why do Windows users install Ubuntu through WSL?

To avoid installing linux linux separately

10. Explain how WSL helps developers.

Wsl allows developers to run linux tools and commands in windows system

11. Explain the purpose of the pwd command.

To know present working directory

12. Explain the purpose of the ls command.

to list files and directories

13. Explain the purpose of the whoami command.

to know current user

14. Explain the purpose of the hostname command.
to know system information

15. Explain the purpose of the date, uname -a, and mkdir commands.
mkdir – create directory
date – to know date and time
uname -a – To verify linux system information

Exercise -1

```
abhishek@LAPTOP-0C41FAM9: ~/devops$ pwd
/home/abhishek/devops
abhishek@LAPTOP-0C41FAM9:~/devops$ ls
day1
abhishek@LAPTOP-0C41FAM9:~/devops$ whoami
abhishek
abhishek@LAPTOP-0C41FAM9:~/devops$ hostname
Command 'hostname' not found, did you mean:
  command 'hostname' from deb hostname (3.25build1)
Try: sudo apt install <deb name>
abhishek@LAPTOP-0C41FAM9:~/devops$ hostname
LAPTOP-0C41FAM9
abhishek@LAPTOP-0C41FAM9:~/devops$ date
Mon Sep 28 14:17:25 UTC 2026
abhishek@LAPTOP-0C41FAM9:~/devops$ uname -a
Linux LAPTOP-0C41FAM9 6.18.33.2-microsoft-standard-WSL2 #1 SMP PREEMPT_DYNAMIC Thu Jun 18 21:54:43 UTC 2026 x86_64 GNU/Linux
abhishek@LAPTOP-0C41FAM9:~/devops$ |
```

Exercise -2

```
abhishek@LAPTOP-0C41FAM9: ~/devops$ mkdir Linux
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir ubuntu
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir DevOps
abhishek@LAPTOP-0C41FAM9:~/devops$ ls
DevOps  Linux  day1  ubuntu
abhishek@LAPTOP-0C41FAM9:~/devops$ |
```

Exercise -3

```
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir aws docker kubernetes
abhishek@LAPTOP-0C41FAM9:~/devops$ ls
DevOps Linux aws day1 docker kubernetes ubuntu
abhishek@LAPTOP-0C41FAM9:~/devops$ |
```

Exercise -4

```
abhishek@LAPTOP-0C41FAM9:~/devops$
abhishek@LAPTOP-0C41FAM9:~/devops$
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir MyLinuxLab
abhishek@LAPTOP-0C41FAM9:~/devops$ |
```

Exercise -5

```
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir Notes
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir Assignments
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir ScreenShots
abhishek@LAPTOP-0C41FAM9:~/devops$ mkdir Labs
abhishek@LAPTOP-0C41FAM9:~/devops$ ls
Assignments DevOps Labs Linux MyLinuxLab Notes ScreenShots aws day1 docker kubernetes ubuntu
abhishek@LAPTOP-0C41FAM9:~/devops$ |
```