Announcement: 23rd June → Bit manipulation, sorting, maths and modular

[0-9] Decimal num system

734 : Seven hundred thirty four : $700 + 30 + 4$: $7 \times 10^2 + 3 \times 10^1 + 4 \times 10^0$

6974 : $6 \times 10^3 + 9 \times 10^2 + 7 \times 10^1 + 4 \times 10^0$

Bits: 0 & 1s

AMA (Just send a whatsapp)

8510955377

Octal numbers [0-7] base is 8

$(331)_8 \longrightarrow$ 3 3 1 $= 3 \times 64 + 3 \times 8 + 1$

8^2 8^1 8^0 $= (217)_{10}$

$(971)_8$ ✗

Halloween = Christmas ?

OCT 31 DEC 25

$(31)_8 = (25)_{10}$

Decimal

$(111)_8 \rightarrow 64 + 8 + 1 = 73$

8^2 8^1 8^0

Binary [0 1] Base 2 [0, 1]



$(1\ 0\ 1\ 1\ 0\ 1\ 0)_2 = 2^6 + 2^4 + 2^3 + 2$

$= 64 + 16 + 8 + 2$

$= 90$

$(1\ 0\ 1\ 1)_2 = 8 + 2 + 1 = 11$

Binary ⟶ Decimal

MSB ... LSB

$(3\ 7\ 9)_{10} \longrightarrow [3, 7, 9]$

Decimal No.

$\%.10 \longrightarrow 9$

$/10\ (37)$

$\%.10 \longrightarrow 7$

$/10\ (3)$

$\%.10 \longrightarrow 3$

$/10\ (0)$

Decimal to binary

$(20)_{10} = (10100)_2$

$2\overline{)1}$ 0

1

2	20	→ %2 = 0
2	10	→ %2 = 0
2	5	→ %2 = 1
2	2	→ %2 = 0
2	1	→ %2 = 1
	0	

$(45)_{10}$

2	45	%2 → 1
2	22	%2 → 0
2	11	%2 → 1
2	5	%2 → 1
2	2	%2 → 0
	1	%2 → 1

$(101101)_2$

$(25)_{10}$

2	25	%2 → 1
2	12	%2 → 0
2	6	%2 → 0
2	3	%2 → 1
	1	%2 → 1

$(11001)_2$

(Decimal to Binary)

+ve

Octal → Binary
↳ Decimal ↗

Add two Decimal numbers

Sum: 17 % 10 = 7

Carray: 17 / 10 = 1

```
  1  1  1
  3  4  9  7
+ 4  8  7  4
-------------
  8  3  7  1
-------------
```

Num / 10

```
Carry   1  1  1  1
          5  6  7  7
        + 8  8  2  8
-------------------
Num     1 14 15 10 15
-------------------
Num/10  1  4  5  0  5
-------------------
```

Num/2

```
Carry :  0  1  1  0
         1  0  1  1  0
         0  0  1  1  1
-------------------
Num      1  1  3  2  1
-------------------
Num/2    1  1  1  0  1
-------------------
```

Num/2

```
Carry :  0  0  1  1
         1  0  0  1  1   → 19
         0  1  0  0  1   → 9
-------------------
Num      1  1  1  2  2
-------------------
Num/2    1  1  1  0  0   → 28
-------------------
```

Addition of binary numbers

0 → False / Unset / off

1 → True / Set / on

Strict parents

Clean your room and complete HW

↓

TOY

↑

Lenient parents : Clean your room OR complete HW

XOR : Same same puppy shaw

Truth table operators

Bit Manipulation (& | ^ ~ >> <<)

& → and, | → or, ^ → XOR, ~ → NOT, >> → Rightshift, << → leftshift

a	b	a & b	a | b	a ^ b	~a
0	0	0	0	0	1
0	1	0	1	1	1
1	0	0	1	1	0
1	1	1	1	0	0

XOR: Addition without carry

$$\begin{array}{r} 0 \\ +\ 1 \\ \hline 1 \end{array} \qquad \begin{array}{r} 1 \\ +\ 0 \\ \hline 1 \end{array} \qquad \begin{array}{r} 1 \\ +\ 1 \\ \hline 0 \end{array} \qquad \begin{array}{r} 0 \\ +\ 0 \\ \hline 0 \end{array}$$

$a \,\&\, b = a + b$ absolutely not

VI

print (5 & 6) ⟶ 4

5 → 101
6 → 110
100 ⟶ 4

print (20 ^ 45) ⟶ 4

20 → 010100
45 → 101101
000100 → 4

20 → 010100
xor 45 → 101101
111001 → 57

5 & 1 = 1

101
& 001
001

6 & 1 = 0

110
001
000

00001

Property 1)



why?



property 2:

A & 0	= 0
A & A	= A

S: 101
S: 101
101

S: 101
0: 000
101

A | A = A + A

property 3

A | 0	= A
A | A	= A

S: 101
or S: 101
101

property 4

$A \wedge A = 0$

$A \wedge 0 = A$

A: 101010
A: 101010
000000

$1 \wedge 0 = 1$

$0 \wedge 0 = 0$

A: 1001
0: 0000
1001

optional HOTS:

$A \wedge 1 =$ even $A+1$ / odd $A-1$

Toggles the 0^{th} bit

5: 101
001
100 = 4

6: 110
1: 001
111 = 7

$A | 1 \longrightarrow$

Break (10:36 - 10:46)

Commutative property :

$A + B = B + A$

$A = 5 \quad 101$

$B = 6 \quad \& \; 110$

100

$A \& B = B \& A$

$A | B = B | A$

$A \wedge B = B \wedge A$

110

$\& \; 101$

100

Associative property

$$(A + B) + C = (A + C) + B = A + (B + C)$$

$(A \& B) \& C = (A \& C) \& B = A \& (B \& C)$

$(A | B) | C = (A | C) | B = A | (B | C)$

$(A \wedge B) \wedge C = (A \wedge C) \wedge B = A \wedge (B \wedge C)$

$1 \& 3 \& 5 = (1 \& 3) \& 5 = (1 \& 5) \& 3$

$= (5 \& 3) \& 1$

$a \wedge b \wedge c \wedge b \wedge c \wedge d \wedge d =$

↓

$a \wedge \cancel{b \wedge b} \wedge \cancel{c \wedge c} \wedge \cancel{d \wedge d} = a$

$0 \quad 0 \quad 0$

0

✓

$\cancel{x} \wedge 3 \wedge \cancel{3} \wedge 3 \wedge 2 \wedge \cancel{1} = 3 \wedge 2 = 1$

11
10
01

* Google

Q1) Given an array of size N. All elements are repeating even no. of times. Except ~~one~~ → 2 (Advance) element which is occurring odd no. of times. Find element occurring odd times.

A = { 2, 2, 3, 4, 3, 7, 3, 3, 7, 4, 6 }

output: 6

2 : 2

3 : 4

4 : 2

7 : 2

6 : 1

1) Count occurance of all elements :

$O(N^2)$

$A \wedge A = 0$

$A \wedge A \wedge A \wedge A = 0$

$A \wedge A \wedge A = A$



unique = 0

for (i=0; i<N; i++) {

    unique = unique ^ A[i]

}

return unique

TC: O(N)

SC: O(1)



$a >> 1 = a/2$

$a >> 2 = a/4$

$a >> k \Rightarrow a/2^k$

** Left shift

$N/3$

Majority element $> N/3$ times

[5 3 3 3 3 8 9 8 8 8 3 8 8]

$N = 13$

$> \frac{13}{3} = > 4$ times

Majority eles: 3, 8

5 6

2 why?



12

2 majority elements

[5 3 3 3 3 8 9 8 8 8 3 8 8]

m1 = ~~5~~ ~~9~~ 8 m2 = 3

dummy c1 = ~~1~~ ~~0~~ ~~1~~ 0 1 ~~2~~ ~~3~~ 4 c2 = ~~4~~ ~~3~~ 2 3

m1 = 8 m2 = 3

check m1 is majority or not

check m2 is majority or not

Code