*ALL requests in POST Method

Create User

URL – http://localhost:7071/api/createuser

Body -

```
{

"name": "Abhishek",

"username": "abhishek0220",

"password": <password>,

"email": "2018ucs0087@iitjammu.ac.in",

"admin": <admin_id>,

"adminpass": <admin_pass>

}
```

Sample Response:

```
User Added
```

Login

URL – http://localhost:7071/api/login

Body -

```
{

"username": "abhishek0220",

"password": <PASSWORD>

}
```

Sample Response:

```
{'username': 'abhishek0220', 'name': 'Abhishek', 'emailid': '2018ucs0087@iitjammu.ac.in'}
```

Register Product API

URL – http://localhost:7071/api/register

Body -

```
{
    "Product-Name": "Product_Name",

    "Height": "1m",

    "Width": "1m",

    "Breadth": "1m",

    "Weight": "10Kg",

    "Type": "A"

}
```

Sample Response:

{"id": "ccd60ae3-dc36-4cc3-83f5-16f764a40bbe", "Product-Name": "Product_Name", "Height": "1m", "Width": "1m", "Breadth": "1m", "Weight": "10Kg", "Type": "A", "Status": "Registered Successfully"}

Get Product API

URL – http://localhost:7071/api/product

Body -

```
{
"Product-ID": "ccd60ae3-dc36-4cc3-83f5-16f764a40bbe"

}
```

Sample Response:

{"Product-Name": "Product_Name", "Height": "1m", "Width": "1m", "Breadth": "1m", "Weight": "10Kg", "Type": "A", "order": ["Product-Name", "Height", "Width", "Breadth", "Weight"]}

Send OTP

URL – http://localhost:7071/api/otpsender

Body -

```
{
"username": "abhishek0220",
"code":<RANDOM_STRING>
}
```

Sample Response:

```
Send
```

Change Password

URL – http://localhost:7071/api/changepassword

Body -

```
{
"username": "abhishek0220",
"password": <NEW_PASSWORD>
}
```

Sample Response:

```
Updated Password
```