PYTHON

Python for Data Analysts

Only the Pandas you need for analyst work, mapped to SQL you already know, with a 30-day plan.

- **Load, clean and analyse in 10 lines**
- **SQL to Pandas cheat table**
- **30-day plan from zero**

@thedataguy16

Swipe →

Load and clean

First 5 minutes with any new dataset. Run these before any analysis.

```
import pandas as pd
df = pd.read_csv("sales.csv")

df.shape            # rows, columns
df.info()           # types and nulls
df.describe()       # quick stats
df.isna().sum()     # nulls per column

df = df.drop_duplicates()
df["date"] = pd.to_datetime(df["date"])
df["amount"] = df["amount"].fillna(0)
```

Check dtypes first. Numbers read as text are the #1 reason a groupby gives wrong totals.

Analyse

These 4 lines answer most business questions.

- **Filter**

  North region orders above ₹5,000.

```
df.query("region == 'North' and amount > 5000")
```

- **Group and summarise**

  Revenue and order count by region.

```
df.groupby("region").agg(
  revenue=("amount","sum"), orders=("id","count"))
```

- **Join**

  Add customer details to orders.

```
pd.merge(orders, customers, on="cust_id", how="left")
```

- **Pivot**

  Region by month table.

```
df.pivot_table(index="region",
  columns="month", values="amount", aggfunc="sum")
```

SQL to Pandas

If you know SQL, you already know 80% of Pandas.

- **WHERE**

```
df[df.amount > 500]   or   df.query()
```

- **GROUP BY**

```
df.groupby("col").agg(...)
```

- **JOIN**

```
pd.merge(a, b, on="id", how="left")
```

- **UNION ALL**

```
pd.concat([a, b])
```

- **ORDER BY ... DESC**

```
df.sort_values("amount", ascending=False)
```

- **ROW_NUMBER**

```
df.groupby("g").cumcount() + 1
```

30 days from zero

One hour a day is enough. The project at the end matters more than the course.

- **Days 1-5: Python basics**
  Variables, lists, dictionaries, loops, functions. Skip classes for now.
- **Days 6-17: Pandas**
  Load, clean, filter, groupby, merge, pivot, dates.
- **Days 18-22: Charts**
  Bar, line, histogram with Matplotlib or Seaborn.
- **Days 23-30: One project**
  Real dataset, 5 business questions answered, pushed to GitHub with a clear README.