1. Default value of y-axis in perspective of the origin : 50%
2. Server-sent events only send updates from server : true
3. @media-query is a logical expression : true
4. Grid layout is device –independent : true
5. Elements which creates images on the fly's using JS : canvas
6. JS methods used to handle CSS3 for browser compatibility will act as:
    a) A substitute
    b) An alternative
    c) Display css styling in old browsers
    d) None
7. In font family we should insert most of the fonts to give fallback support: true
8. Is IFrames valid in HTML5 : true
9. Pseudo class element nth-last-of-type(n) does it exist? : Yes
10. CSS3 transform origin property with respect to z-axis
    a) Left
    b) Top
    c) Center
    d) %
    e) Length

Note: *For x-axis :-* left, right, center, length and %   *For y-axis:-* top, bottom, center, length and %

11. Can hidden fields be used to make the ajax calls? TRUE
12. Placeholder can be used as an initial value? False
13. Default value of box-ordinal group? 1

Note: - *Box-ordinal group:* any integer values | inherit | initial | unset (default value is 1)

Note: - *Box-shadow:* none| *h-shadow v-shadow blur spread color* | inset | initial| inherit (default value is none)

14. In Server-sent events when the message is received which event gets fired?
    Ans:-source.onmessage
15. :before and :after are both pseudo classes and pseudo elements.? False (they are only pseudo elements).
16. Pseudo class is used to give special style to selectors. True
17. Web storage takes place in browser memory. True
18. New media tags in HTML5? Ans:-<audio> <video> <track> <embed> and <source>
19. SVG is based on XML : True
20. Input type **datetime** is compatible with which browser. :Ans: Chrome Opera and Safari
21. Input type date is compatible with all browsers and does not require any fallbacks support? False (not supported in Mozilla Firefox).
22. How to play flash formatted movie if video is not supported in HTML5?
    Ans: Using <object></object> element (or) using <embed> (don't have a closing tag).

26. What does aspect-ratio signify? Ans: the ratio of the width to the height of an image or screen. (ie width of the screen/height of the screen)
27. How to give images to border in CSS3? :   border-image: url();
28. RGBA has full support for older Browsers?   False
29. Parameters of Range Input?   Max, Min, Step, Name, Value
30. Ellipsis is a value of which property?   :   Text-overflow

Note: _text-overflow:_ clip | ellipsis | _string_ | initial | inherit (default value is clip)

31.   <track></track> defines playlist in the media player? False

Note: _Track:_ Defines Text track in the media players

32.   Important property of template layout in CSS3?: Display Property
33.   Correct MIME type for the HTML pages: text/html
34.   Correct MIME type for the CSS pages: text/css

Note: _Background-origin Property:_ padding-box | border-box | content-box | initial | inherit; (default value is: padding-box)

35.   Default value of box-orient: inline-axis

Note: - _Box-orient:-_ inline axis | block axis | horizontal | vertical | inherit (default is inline axis)

36.   Which property allows you to change the position of transformed elements? :-   transform-origin
37.   Default value of grid-row-position? :   1
38.   Default value of grid-column-position?   :   auto
39.   Transform perspective property has a z-axis   :   True

Note: _Text-decoration:_ none | underline | overline | line-through | initial | inherit (default value is none)

Note:-box-direction: normal | reverse | inherit (default is normal)

40.	Read about Box-model and Flex-box-model(read completly)