```
emime type, "text/html">
    S. <mime type="text/html">
89) In css lang: What can be included? colours, styles etc
90) HTML is device independent language(T/F) True
91) @font face has fallback? Yes it
92) Types of button?
     a.<input type="button">
                                   get the collabyte 4 value of the dragged type.
      b.<input type="submit">
      c.<input type="refresh">
      d.<input type="save">
93) regarding data transfer.setData()? It will get value & data type for the
                                    dropped
                      value to
                                se
94) On dragging element, which can be dropped?
                                     dragguble: -andray fash
     a.ondragover()
                                                ondrag
                                                - on dragend
      b.ondropover()
                                       8000 = ondragentus
      ondrag()
                                                  ondragover
                                                   on drag seave
       d.ondrop()
 95) One element is dragged and it has to be dropped. What event occurs?
      a.ondragover() - where it has to be dropped
                                  har to start what data has to be dragged
       b.ondragstart() - when it
       c.ondrag() -
      M.ondrop() - when it has to be dropped.
 96) Future value of float?
                                                d all
                             c) position
                b)bottom
        a) top
  97) <svg> is defined in which language? XML
```

Ans: .XML

- 98) What is the correct syntax for range? etinput type, range with, " max " ">
- 99) Correct syntax for source esource erc, " " type, " andiology">.
- (00) getSelect()
- 101) Placeholder can be used as initial value or not? There Yes it can be.

  No. it cannot be.

commistate winn s in the value .... column-fill: auto & balance column - width: auto cop any length column - rule: 1px colid #colour column-span : one & all. Column-count: width could Dovetail Questions on HTML5 and CSS3. divides into colum be given default: normal q o) space blw columns Ques 1> Column gap defines space between the rules of columns? • True 15> False Ques 2> Search type is used for · Code and syntax search Hint search Google search Site Search None of these options Ques 3> We can check fallback browser support for HTML5 using javascript? True. True b> False Ques 4> Select those options which are the correct syntax for adding a youtube video? <embed src=" some url of youtube site was written here" > </embed> </frame src=" some url of youtube was written here" > </iframe> <iframe><source src=" some url of youtube was written here"</pre> ></source> </iframe> All of the above options are correct. Ques 5> (Select one or more options) when an application is cached, it remains cached until The manifest file is modified · None of the options ✓ The user clears the browser cache ✓ Application cache is programmatically updated

(10)