

15. Grid templates are especially useful for designing elements that don't show simple relationships of which of the following:

- a) Immediate sibling
- b) Parent-child
- c) none

15. Which of the following is not a method of avoiding repetitive links

- a) Use image maps to collect links into a single area
- b) Place page content in code first
- c) Use each link only once per page
- d) Use skip links & jump links

16. In transition, we can add multiple property at one time: True

17. External link

- a) Any link
- b) Link that opens
- c) Link that references

d) A link that is referenced

18. Use of heading is imp. to show doc. structure: True

19. Content & organization of a table

- a) <table summary=" ">
- b) <table caption=" ">
- c) <summary caption=" ">
- d) <linearized table=" ">

20. One area of problem for CSS3: Layout

21. Text-decoration doesn't have: No-line

22) In text-wrapping which new property introduced for future

- a) text-wrap c) wrap-type
b) text-space d) wrap-space

23) Grid-row-position property is for defining the row & column of grid template: false. Works on only rows.

24. Default state for property box-orient: inline-axis.

A: Accessibility MUST be achieved

AA: " SHOULD "

AAA: " CAN "

Colour contrast ratio

AA Normal text: 4:5:1

Large text: 3:1

AAA

Normal text: 7:1

Large text: 4:5:1

Accessibility Testing Tools

1. AChecker
2. Accessibility Valet
3. WAVE
4. Web Acc. Toolbar for IE
5. The Color Contrast Analyzer

6. EvalAccess 2.0

7. PAE

8. Access Color

9. Hera

10. Firefox Access. Extension

11. TAW Online

12. PDF Acc. Checker

- 1) default value of box-orient \rightarrow inline-axes
- 2) lynx browser \rightarrow screen reader, text-only.
- 3, which property allows changing the position of transformed element \rightarrow transform-origin
- 4) Content w/ organization of table \rightarrow summary
- 5, manifest is not a webstorage
- 6) web accessibility \rightarrow W3C
- 7) RGBA old browser support \rightarrow false
- 8) :before w/ :after pseudo elements
- 9) grid-row-position \rightarrow default -1
grid-column-position \rightarrow default - auto
- 10) transform perspective property has a z-axis / false
- 11) HSL \rightarrow right color
↓
Percentage value
- 12) manifest not have fallback /
- 13) text-decoration \rightarrow none, \rightarrow default
underline
overline
line-through
initial
inherit.
- 14) box-model \rightarrow box-flex, box-direction, box-orient.
- 15, one way of problem for CSS \rightarrow layout
- 16) text-wrapping