February 2016 03 March 2016

Wk	M	T	W	T	F	S	S
06	1	2	3	4	5	6	7
07	8	9	10	11	12	13	14
08	15	16	17	18	19	20	21
09	22	23	24	25	26	27	28
10	29						

FEBRUARY
SATURDAY
Wk 07 • 044 Day

13

83. Syntax for novalidate in form
    ⇒ <form novalidate> </form>

84. Content & orientation of table described by
    ⇒ <table summary = " "> # not supported
                                    by HTML5.

85. Device aspect ration
    ⇒ device width/ device - height

86. width & height specifies width & height of o/p
    device
    ⇒ false   (device width & dev. height)

87. compulsory property for animation
    ⇒ animation duration & @ keyframes   (name)

88. where does the system store the web
    storage
    ⇒ web - browser

89. what is fr in grid?
    ⇒ flexible

Q28. Web storage can storage locally in the in Web Browser.
⇒ True

Q29. Correct Syntax for calling or apply media query
⇒ all of the listed options.

Q30 → property allows changing the position on transformed element in 3D transformation.
⇒ Transform - origin

Q31. Density of pixels of output
☐ DPI
☐ DPCM
☐ dppx

Q58. template grid (a,b,c,d)

⇒ 2 × 2

Q59. the height feature in media query refers to the height of the rendering surface

⇒ True

Q60. CSS 3 has which feature for older browser supports

⇒ Graceful
⇒ or Enhance.

Q61. which of the following is not a non-web component.

⇒ pdf + XML + flash

Q62. Site map.
⇒ for easy navigation

Q63 HTML5 rich media
⇒ audio & video & canvas.

Q64. Week type allows to ealier week & year

=> True

Q65. pseuda class cannot be combined with CSS classes

=> False

[Pdf]

Q66. which tags are used for blockquoting

=> <q> & <blockquote>

Q67. Correct syntax for Canvass

=> <canvas id="mycanvas" width="100" height="100"><noscript> don't support </noscript> </canvas>

Q68. Text area is not supported by HTML5

=> false

Q33. which of the following is not a method of avoid repetative links.

⇒ image - map

Q.34. parameter skew method does skew accept

⇒ horizontal x & vertical y.

Q35. Helper application is also called plug in

⇒ True

Q36. Accessibility tools only highlight potential problems must fixed manually by developer

⇒ True.

Dovetail
HTML5 7 CSS

Q1. Feature that allows javascript running in background without affecting performana

→ web worker

Q2. server-sent event is only used for getting data from a server.

⇒ True

Q3. What is media query?

☑ Greater control over rendering in diff. dev

☑ CSS3 extension to media types

☑ tests

Q4. web worker are external files, they do not have access to

☑ window object

☑ document object

☑ Parent object

NOTES

Q16. radial gradient keywords for ending shape.

→ closest-side
→ closest-corner
→ furthest-side
→ furthest-corner

Q17. Set of Guidelines which impact accessibility Standards

→ web Content Accessibility Guidelines 2.0

Q18. Aspect ratios is

○ → all   or   width/height

Q.19. longdesc attribute

→ longdese is used when necessary info about an image   maximum allowed within alt text

---

Q37. How do resolve browser problems of unsupporting HTML5 tags

→ article, aside, figure, footer, header, hgroup, menu, nav, section { display: block };

Q38. The search type is used for which of search in HTML 5

→ none of listed

Q39. Correct syntax for image in HTML 5

→ <img src="img-pulpit.jpg" height="304" height="228">

Q40. One area of problem for CSS 3

→ layout

Q41. CSS 3 for multiple columns

→ all of the listed options.

Q5. New input types in HTML 5

⇒ date, datetime, range, email

Q6. Major source of accessibility issue regarding mobile browsers

⇒ Smaller form factor & screen size

Q7. HTML 5 feature allows javascript to run in background in

⇒ web worker.

Q8. Matrix method of 2D transform

⇒ combines all.

Q9. Syntax for image HTML 5.

~~att~~

Q10. Correct MIME type for MP3

⇒ audio/mpeg

Q42. correct format of defining background image
→ background : url (img . gif)

Q43. Each article should contain an ⟨h1⟩ for its article sections
⇒ True

Q44. which object is used to recive server sent event notification in HTML5 ?
→ EventSource

Q45. "content editable" property allow user to edit elements content
⇒ True

Q46. ⟨! doctype html⟩ creating major fallback
⇒ Fallback False

131. Correct novalidate option

☑ < form action = " " novalidate) </form>
☑ < input type = "Submit" formnovalidate = "true">
☑   "   "   formnovalidate
△   "   "   formnovalidate = formvalid.

132. HTML5 co-operation b/w W3C & WHATWG
⟹ True

133. pseudoelements are used to add special effects on some selectors
⟹ True.

134. HTML5 markup & markup language
⟹ True

135. CSS uses transition uses javascript for changing style
⟹ False

136. Correct syntax for finding user position in HTML5

↱ navigator. getLocation. getcurrentPosition (
position. coords. latitue P position.
coords. longitude);

76. Can box-shadow property used for transform
    ⇒ True

77. Translate will change according to parent
    ⇒ True

78. default value of transform - style
    ⇒ flat.

79. Different context of multiple background can be implemented by
    ⇒

80. How many numbers, of emails. can be included in email input type?
    ⇒ More than one

81. 508 Rehabilitian Act is funded by
    ⇒ Federal Agencies.

82. tel input types.
    ⇒ for telephone numbers

114. HTML CSS accepts only fonts installed in PC.
   => false

115. HTML 5 & CSS 3 follows to support old browsers
   =>

116. How to declare html content
   => ⟨mime type = "text/html"⟩

117. In CSS lang what can be included?

118. HTML is device independent
   => True.

119. Font - face has fallback
   => True

120. Types of button
   1) ⟨input type = "button"⟩
   2) ⟨input type = "submit"⟩.

08. word-wrap property
→ default value: normal
we generally use: break-word

109. when local storage will get affected?
⇒ manifest
→ API cache
→ User deletes

110. can audio have multiple source tag?
→ Yes/True

111. can we give background size in %
⇒ True

112. multiple background image for one element
⇒ True

113. @ font-face attributes
☑ font-strech
☑ font-family
☑ font-style
☑ font-weight

125. dataTransfer.setData() sets datatype & value

⇒ True

126. Flexbox consist of
⇒ flex container &
⇒ flex items. } display: flex.

127. Location of web storage

⇒ Browser Temp folder

128. Section 508 applies to

⇒ federal Agencies

129. Syntax for circle in canvas

⇒ arc (x, y, r, start, stop)

130. Not valid doctype declaration

⇒ Tableset

150. grid-row-position property for defining row & column
→ false

151. Grid-row-position default value : 1
Grid-col-position " " : auto

152. default value of y axis in perspective origin
⇒ 50%

153. Can we make flexible rectangle in CSS 5
⇒ True / yes

154. Column-Gap property
→ To specify gap between column.
value : length, normal, initial, inherit.

155. Property to give border image :
⇒ border-image

121. Future value of float

→ All

122. ⟨img⟩ is defined in language

→ XML

123. Placeholder can be used as initial value

→ false

124. Syntax for range

→ ⟨input type ="range" max= min= ⟩

125. On dragging element, which can be dropped

draggable → true

what to drag → ondrag start & set data

where to drop → ondragover

Do the drop → ondrop.

Q47. The column-rule property sets properties for rule between columns
⇒ color, width, style

Q48. Browsers currently supporting "datetime" input type
⇒

Q49. We can check fallback browser support for HTML5 by JavaScript
⇒ True

Q50. Once Application
Ⓐ The manifest file
⇒ Ⓑ The user clears
Ⓓ The application cache

Q51. Apply border-image
⇒ True

→ True

157. range attributes
→ max, min, name, step, type, value.

158. :: before & :: After
⇒ pseduo-element.

159. HSLA here A stands for
⇒ Alpha

160. Comma in media query stands for
⇒ OR.

69. Manifest is a new feature that doesn't have fall back
     => False

70. HTML5 doesn't have backward compatibility
     => false

71. Tags clearly defines the content
     => (img), < form>, <table>

72. WatchPosition () doesn't return the updated position
     => False

73. Can checkbox be combined with other input.
     => True

74. For which orientation mediaqueries apply
     => Vertical Portrait & landscape

75. Default value of word - wrap ?
     => Normal

Q11. Main feature of SVG in HTML5.

⇒ None of the listed

Q12. Lynx browser differ from common browser

⇒ Lynx displays text only.

Q13. <input type ="tel"
= "text"
= "url">
= "number"

⇒ all of the listed options

Q14. Grid templates are responsive but required float & inline blocks.

o ⇒ True

Q15. Validating URL filed in HTML5.

o ⇒ all of the options
⇒ can be automatically validated when submitted.

143. Does date tag have fallback

    ⇒ no

144. Default value of box-ordinal group

    ⇒ 1

145. Important property of template layout in CSS3.

    ⇒ Display property.

146. RUBA supports older browser

    ⇒ False

147. Flexible box-model using property.

    → box-flex → flex-direction

    → display → flex-wrap

148. Ellipsis value of property

    ⇒ Text-overflow

149. Default state for box-orient

    ⇒ inline-axis

Q.20 → what does `:lang` pseudo class do?

→ define special rules for different languages.

Q21. what are the property can use for transition?

- ☑ transition - property
- ☑ transition - duration
- ☑ transition - timing - function
- ☑ transition - delay.

Q22. Deprecated tags in HTML 5

`<font>` `<u>` `<frame>` `<center>` `<big>`

Q3. How to match first `<i>` element in all p

→ p i: first - child { color: blue }.

nizant.com/dovetailassess/mod/quiz/attempt.php?attempt=195290&page=4#q41

49

ved

of 1.00

flag

What properties available in css3 for multiple columns.

Select one or more:

- ☑ a. All of the listed options
- ☐ b. column-count
- ☐ c. column-gap
- ☐ d. column-width
- ☐ e. Column-rule

50

ved

We can apply image to border in css3. State True or False.

Select one:

A b c d e

How will you validate value of URL field in HTML5?

Select one:
- a. All of the listed options
- b. Write JavaScript code for URL validation
- c. Use Validation for URL.
- Automatically validated when the form is submitted

The <audio> element allows multiple <source> elements. State True or False.

d

Once an application is cached, it remains cached until one of the following happens:

Select one or more:

- a. None of the listed options
- b. The manifest file is modified (see tip below)
- c. The user clears the browser's cache
- d. The application cache is programmatically updated

How will you validate value of URL field in HTML5?

Select one:

- a. Write JavaScript code for URL validation
- b. Automatically validated when the form is submitted

Window – Internet Explorer

cant.com/dovetailassess/mod/quiz/attempt.php?attempt=197752#q26

Once an application is cached, it remains cached until one of the following happens:

Select one or more:

☐ a. None of the listed options

☐ b. The manifest file is modified (see tip below)

☐ c. The user clears the browser's cache

☐ d. The application cache is programmatically updated

How will you validate value of URL field in HTML5?

Select one:

○ a. Write JavaScript code for URL validation

○ b. Automatically validated when the form is submitted

B c d

How does the Lynx browser differ from more common browsers such as

Select one:

○ a. Lynx error corrects poorly formatted tables for easy reading.

◉ b. Lynx displays text only, removing all special HTML, images, and

○ c. It is voice activated.

Test on HTML5 CSS3

Which feature in HTML5 allows JavaScript running in the background, without affecting the performance of the page?

Select one:

- ○ a. Web Storage
- ○ b. Web Socket
- ○ c. Geolocation
- ● d. Web Workers

What is the correct format of defining background image in CSS3?

Select one:

a. Border-radius

b. Border-style

c. Border-round

d. Border-width

Font-family property should hold several font names as a "fallback" system, to ensure maximum compatib browsers/operating systems.

State True or False.

Select one:

True

False

<!doctype html> creating major reason for fallback. State True or False.

Select one:

True

False

true

Question 21

Not yet answered

Marked out of 1.00

Flag question

True Type Fonts supported by following browsers:

Select one or more:

a. Internet explorer 9

b. Firefox

c. Chrome

d. All of the listed options

e. Opera

Question 22

Answer saved

Marked out of 1.00

Flag question

Font-family property should hold several font names as a "fallback" system, to ensure maximum com browsers/operating systems.

State True or False.

Select one:

True

False

Question 23

Answer saved

watchPosition() does not update user location as per movement in HTML5

Select one

21) a b c d e

A server-sent event is only used for getting data from a server. State T

Select one:

◉ True

○ False

What is media queries?

Select one or more:

☐ a. Tests one or more features of the output device to which the CSS i

☑ b. Greater control over rendering across different devices

☐ c. CSS3 extension to media types

☐ d. None of the listed options

A b c

dow - Internet Explorer

nt.com/dovetailassess/mod/quiz/attempt.php?attempt=197752#q37

Which of the following is not a method for avoiding problems pertaining to color and contrast?

Select one:

○ a. Check each site element in grayscale to avoid loss of clarity.

○ b. Test your site under a text only browser, such as LYNX.

○ c. Ensure all information conveyed with color is also available without color.

○ d. Ensure that foreground and background elements provide sufficient contrast.

Following html structure is correct as per Html5 rules:

`<a href="http://jimboblegal.com"><h1>The Law Office of Jimbob Smith</h1><img src="logo.png" alt="J`

State True ro False.

Select one:

◉ True

○ False

B

The column-rule property sets which all properties for rule between columns.

Select one or more:
- ☑ a. color
- ☑ b. Width
- ☑ c. Style
- ☐ d. spacing
- ☑ e. border

What integer unit we are using for Density of pixels of output device.

Select one or more:
- ☐ a. DPU
- ☐ b. DPCM
- ☐ c. None of the listed options
- ☑ d. DPI

25)A b c 26) b d

ment.cognizant.com/dksvetadassess/mod/quiz/attempt.php?attempt=197767&page=1#q11

Question 13

Each article should contain an <h1> for its article sections. State True or False

Select one:
- ○ True
- ○ False

Question 14

Which object is used to receive server-sent event notifications in HTML5?

Select one:
- ○ a. EventSource
- ○ b. onResponse
- ○ c. onNotification
- ○ d. onmessage

Question 15

"contenteditable" property allows user to edit the element's content. State True or False.

Select one:
- ● True
- ○ False

13) false   14)a   15)

True

False

Grid templates are responsive but required float and inline blocks. State False.

Select one:

True

False

Select one:

○ True

◉ False

15

One area of problem for CSS3 is:

Select one:

○ a. Alignment

○ b. Transform

○ c. Color

○ d. Layout

16

How can we play a Flash format movie if the <video> element is not supported?

Select one:

○ a. <video src="video.ogv" controls><source src="flvplayer.swf" type="application

15) layout

How does a JavaScript method help of enabling cross browser CSS fea...

Select one or more:

- [ ] a. As an alternative
- [ ] b. None of the listed options
- [x] c. Enable CSS3 properties in older browsers
- [ ] d. As a substitute

Please specify type of template below mention code dl { grid: "a b" "c d" }
...tab2 { flow: d }

What does following line of code stands for: linear-gradient (0deg, blue, green 40%, red);?

Select one:

a. A gradient end on the right, starting blue, being green after 40% and then red.

b. A gradient going from the top to left, starting blue, being green after 40% and then red

c. A gradient start from the left, starting blue and green after 40% and finishing red

d. A gradient going from the bottom to top, starting blue, being green after 40% and finishing red

In transition, we can add multiple property at one time. State True or False.

Select one:

1. D.   2. True

Vivekan, 17 November, 21:03

d

What are the main features of SVG in HTML5?

Select one:

○ a. Poor text rendering capabilities

○ b. No support for event handlers

● c. Resolution dependent

○ d. None of the listed options

The \<audio\> element allows multiple \<source\> elements. State True or False.

Select one:

d

d. W3C Web Accessibility Initiative

Which property allows changing the position on transformed elements in 3D transformation?

Select one:

- ● a. transform-origin

- ○ b. transform-visible

- ○ c. transform-style

- d. transform-perspective

What integer unit we are using for Density of pixels of output device.

Select one or more:

What is matrix method in 2D transform?

Select one:

○ a. Method for calculation

⦿ b. Method for combines all of the 2D transform

○ c. Method for zooming the element

○ d. None of the listed options

Once an application is cached, it remains cached until one of th

c. CSS3 extension to media types

d. None of the listed options

Web workers are in external files, they do not have access to the following JavaS

Select one or more:

a. The window object

b. The parent object

c. The Image object

d. The document object

e. The Link object

A b d

The set of guidelines which impact accessibility standards around

Select one:

- a. W3C Web Accessibility Initiative
- b. Web Content Accessibility Guidelines 2.0
- c. Mobile Web Initiative
- d. Section 508

/mod/quiz/attempt.php?attempt=195732&page=1#q23

Select one or more:

☐ a. <input type="number" min="5" max="18" step="0.5" value="9" name="shoe-size" required >

☑ b. <input type="tel" name="tel" id="tel" required>

☐ c. <input type="text" pattern="[0-9]*" name="shoe-size" required >

☑ d. All of the listed options

☐ e. <input type="url" name="url" required>

Next

d.

all

...How can we play a Flash format movie if the \<video> element is not s

Select one:

- ● a. \<video src="video.ogv" controls>\<object data="flvplayer.swf" type="application/x-shockwave-flash"> \<param value="flvplayer.swf" name="movie"/></object></video>

- ○ b. None of the listed options

- ○ c. \<video src="flvplayer.swf " type="application/x-shockwave-flash" controls></video>

- ○ d. \<video src="video.ogv" controls>\<source src="flvplayer.swf" type="application/x-shockwave-flash"> </source></video>

Which all browsers are currently supporting "datetime" input type in HTML5?

Select one or more:

- ☑ a. Google Chrome
- ☑ b. Firefox
- ☐ c. Opera
- ☑ d. Safari
- ☐ e. All of the listed options

We can check fallback browser support for html5 by JavaScript. State True or False.

Select one:

- ◉ True
- ◯ False

28) c d

In radial gradient what are the Keywords describing the ending shape?

Select one or more:

- ☑ a. closest-corner
- ☑ b. farthest-side
- ☐ c. closest-side
- ☐ d. farthest-corner
- ☐ e. farthest-close

A, b, c, d

● False

Which are new input types introduce in HTML 5?

Select one:

○ a. Datetime, tel, checkbox, email

○ b. Datetime, range, text, select

○ c. Textarea , edit, radio, checkbox

○ d. email, range, date, datetime

How do you display HTML5 elements in non-supported brow

d